

File
REMINGTON ARMS COMPANY, INC.

INTER-DEPARTMENTAL CORRESPONDENCE

Remington
Remington

PETERS
PETERS

"CONFINE YOUR LETTER TO ONE SUBJECT ONLY"

W. E. LEER
W. E. LEER
Chief Designer - Firearms

XP-100 DROP TEST

Ilion, New York
RECEIVED February 5, 1963

MAR 4 1963

G. M. CALHOUN

The purpose of this test was to compare jar-off probability of the XP-100 compared with several current production models. All guns used in the test were standard production guns with no alterations.

All models tested were dropped several times from known heights onto a flat sheet of 3/4" fir plywood supported by a rigid base. All guns were dropped both on the muzzle and stock or breech end.

Guns were recocked after each drop to insure full sear engagement.

Test data is shown in the following table.

DROP TEST

Jar-Off - 3/4" Plywood Drop Area

<u>Model</u>	<u>Trigger Pull</u>	<u>Muzzle Drop</u>		<u>Breech Drop</u>	
		<u>Drop Ht. (In.)</u>	<u>Jar-Off</u>	<u>Drop Ht. (In.)</u>	<u>Jar-Off</u>
XP-100	1 3/4#	30	No	30	No
XP-100	2 1/4#	30	No	30	No
N-11	6#	26	No	26	No
		30	No	30	Yes
700	4#	30	No	30	No
40-X Hvy. Bbl.	3#	30	No	30	50% of drops jarred off

HLC:B

H. L. Chambers
H. L. Chambers
Research Engineer - Firearms