

CHRONOLOGICAL RECORD OF TESTING

MODEL & DESCRIPTION ~~700~~ ^{POWDER METAL SEAR WITH ROCKET} ~~magnum sear~~ ~~700 (magnum)~~
 CALIBER OR GAUGE 243
 DATE 6-1-66 TEST m/700 sear drop test TESTER J. Hennings. PAGE NO.

Cartridges - ¹139298, ²153959, ³139555, ⁴139457, ⁵139413 - were used
 with ^{POWDER METAL} ~~magnum~~ sears.

TEST - I - Trigger pulls & Firing pin indents - (separate sheets)

TEST - II - (Top side down) ^{# 139457} on second drop rear sight broke

TEST - III - (bottom side down) ^{# 139457} on first & second drops bolt jarred open

TEST - IV - no malfunctions noticed

TEST - V - (top side down) ^{# 139457} on second drop rear sight came off
 (bottom side down) ^{# 139298} on second drop stock started to crack
 around trigger plate.

Test - VI - (muzzle down) sears # 1, 2, 3, had a total of 7 drops
 in which safety was jarred to "ON" position.

(top-side down) sears - # 1, 3, 4, 5 - had a total of 5 drops
 in which bolt was jarred open. (^{# 139298} on third
 drop safety jarred to "ON" position.)

(bottom-side down) sears - # 1, 2, 3, 4 - had a total of 5 drops
 in which bolt jarred open. (^{# 139555} on first
 drop stock broke just behind trigger guard.)

CHRONOLOGICAL RECORD OF TESTING

MODEL & DESCRIPTION 700 P.M. sear (LATEST PROO W SHARP RAO)

CALIBER or GAUGE .243

DATE 6-1-66 TEST P.M. sear drop test TESTER J. Hennings PAGE NO.

barrels # 139298 & 139413 were used with new
P. m sears.

TEST - I - Trigger pulls & firing pin indents (separate shoots)

Test - II - (butt down) - # 139298 - on first drop rear sight
broke off.TEST III - (MUZZLE DOWN) - # 139298 - on second drop bolt
jarred open.

TEST - IV - No malfunctions noticed.

TEST - V - no malfunctions noticed.

TEST - VI - (butt down) both guns - a total of 4 drops in
which saftey was jarred open.
* 139298 on third drop bolt jarred open.

NOTE! ON BOTH ACTIONS PIN HOLE WAS TIGHT
CAUSING SEAR TO BIND-