

bcc: D.J. Sanita

**Remington®**



**REMINGTON ARMS COMPANY, INC.**

SPORTING ARMS-AMMUNITION-TARGETS-TRAPS

ILION, NEW YORK 13357

TELEPHONE (315) 894-9961

October 30, 1985

Mr. T.H. Blakeney  
Rte. #1, Box 357  
Clinton, Arkansas 72031

Dear Mr. Blakeney:

Your letter of October 8, 1985 that was addressed to the Firearms Product Manager of our Bridgeport, Connecticut facility, regarding the stock on your Model XP-100 7mm BR Rem. caliber handgun, serial number B7518994, has been referred to this office for handling.

The stock movement that you described in your letter is not considered to be normal, and without examining your firearm we are at a loss as to what the problem may be.

Please, at your convenience, return the gun via U.P.S. insured, to:

Remington Arms Co., Inc.  
Arms Service Div.  
Ilion, NY 13357

Upon receipt, our technicians will examine the stock and, if it is found to be factory faulty, any necessary corrections will be made on a no charge basis.

Thank you for bringing this matter to our attention and for having afforded us this opportunity to be of service to you.

Sincerely,

A handwritten signature in cursive script, reading "J.A. Stekl".

J.A. Stekl, Supervisor  
Product Service

JAS:tpg