

LAW OFFICE
OF
GREGORY E. KELLER, P.A.

3600 Shoreline Drive
P.O. Box 73
Navarre, Minnesota 55392
Office: (612) 471-7012
Fax: (612) 471-7681
September 30, 1993

Gregory E. Keller
Attorney #172091
Also admitted in
Idaho & Washington

Remington Arms Co., Inc.
Arms Service Division
14 Hoefler Avenue
Ilion, New York 13357

Ladies/Gentlemen:

Enclosed for your examination is the barreled action from my model 700 BDL (left hand).

During the fall of 1991, while hunting elk in Idaho, I pushed the safety off on this rifle and it discharged accidentally. I am sure that my trigger finger was outside the trigger guard. No persons or property (other than a tree) were injured.

I called your company when I got back home and explained what had happened. I also explained that a friend of mine bought a model 700 at about the same time, and back in the late 70's when we were hunting together, he had the same experience. I was told that there had been a recall on some model 700 triggers, that I should send the barreled action to you to be checked, and that if found to be defective or subject to the recall, the trigger mechanism would be replaced at your expense. I got the rifle new in 1977, have been the only one to use it, and know that the trigger mechanism has not been modified or adjusted by anyone.

I apologize for the delay in getting this to you. I have not used this rifle since the incident in 1991. I keep putting this off until the last minute, and end up borrowing a gun for deer hunting here. If you can get this back to me by November 5, I would appreciate it. If you can't, that's my fault.

Thank you.

Very truly yours,


Gregory E. Keller