

Remington Arms Co., Inc.
Product Service
Legal Case #:3319

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
164328	3/11/2009	3/12/2009	3/12/2009				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Reporter	Bass Pro Shops		Bass Pro Shops	7970 E 49th Ave	Denver	CO	80239		W 720-385-3674 E relongone@basspro.com

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4038 Could Not Duplicate Concern		Unknown	
S fired after releasing safety	Concern:1007 Fired on Safe Release			
C				

3/17/09 per note with firearm, customer states firearm discharged when safety was moved from safe to fire.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/6MM REM	20000	A6466294	PO	6/10/1977
Date Purchased	Where Purchased	Accessories	Original Owner			
	SIMMONS GUN OLATHE KS	HARD CASE	U			

CONCERN:FSR

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
repair at special price under BLSM program						
	Repair/Replacement Cost	Repair/Replacement Date				
	77.39	3/17/2009				

3/17/09 per Bruce, could not duplicate concern. Trig assm very dirty, bolt stop sticks. Replace TPA, check over, clean under BLSP for \$20 + S&H.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B.TRAVIS
	Exam Date		3/12/2009
	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4038	Could Not Duplicate Concern	
	Description		22" 6MM REM
	Date Code		PO

Barrel	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
Bolt	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	STICKS
Extractor	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
Locking	Block Condition	---Select---	
	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	---Select---	
Overall	Exterior Condition	Worn; Functioning	
	Stock Condition	Worn; Functioning	
	Fore End Condition	---Select---	
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
Safety	Description		STANDARD M/700 BOLT LOCK SAFETY
	Function	Like new; Functioning	
Sear	Lift	---Select---	.010
	Notch	Slightly Worn; Functioning	
	Tests	Test Fired	False
Feeding Test		False	
Trigger	Condition	Slightly Worn; Functioning	VERY DIRTY
	Pull	---Select---	6#
	Altered	False	
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		HARD CASE

3319



*2211
PO#6/77
6#
C/O*

Factory Repair Form

Return to Previous Page

NOTE: Please complete and print this form, and then include it with your firearm.

Model Number: <u>700</u>		Serial Number: <u>A6466294</u>	
Are you the original owner?: ☐ YES ☒ NO			
Name: <u>Bass Pro Shops 034</u>		Date of Purchase: <u>Unknown</u>	
Address (no PO Boxes): <u>7970 Northfield Blvd</u>			
City: <u>Denver</u>		State: <u>CO</u>	Zip: <u>80238</u>
Phone (Daytime): <u>(720) 385-3674</u>		Fax: <u>(303) 373-0504</u>	
E-mail Address: (if e-mail address is provided, notification of receipt and shipment will be sent) <u>relongone@basspro.com</u>			
E-mail Address: ☐ I would like to receive future e-mail updates from Remington.			
Please describe your problem and date of occurrence:			
Customer states firearm discharged when safety was moved from safe to fire.			
Robert E. Longone Gunsmith		<i>could not duplicate concern. TRIG. ASSM. VERY DIRTY. SOCTSTEP. STICKS. replace TPA, check over, clean under bolt lock mechanism. Rcn \$20.00 + s&H.</i>	
394 characters left			
Ammunition Information:			
Manufacturer: _____		Type: _____	
Other (i.e. bullet weight/type, shot size, powder): _____			
Powder Weight: _____			
Primer Used: _____			
Reloader Used: _____			
ounds) _____			

Number:

A6466294Model: **700****RE00164328**