۰. بو

			Proc	on Arms Co., Inc. luct Service Case #:4661					
Case Infor	mation								
<b>RE#</b> 199846	Date Opened 8/4/2010	Date Opened(PS) 8/10/2010		Date Closed 8/10/2010	Incident I	Incident Date I		Pre Lit Lit	
Customer I	Information								
Туре	Business	First Name	Last Name	Street	Ci	ty State	Zip Age	e (	Contact
Reporter	Gun & Bow Outpos	*	Gun & Bow Outpo	1161 Lemon C PO Box 1	Bar	oda MI	49101		9-422-600( 9-422-1358
Incident In	formation								
	Claims		Codes	I	Repair Est.	Medical 7	[reatment	Med	ical Status
PI					-				
PD		Cause:4031	Worn parts or con	nponents		TT.1.			
S Fired C	d on safe release	Concern:100	07 Fired on Safe Rel	ease		Unkr	nown		•
Dealer wro	te in a note: Rifle fir	ed when Safety	was pushed off. Stat	ed customer purch	hased rifle bran	d new. dm	f As receive	d the re	ar trigger
pin had mo	oved out of position a	ed when Safety nd was binding	was pushed off. Stat the safety arm and b	ed customer purch olt stop release. fl	hased rifle bran ls	d new. dm	f As receive	d the re	ar trigger
pin had mo	oved out of position a	ed when Safety y nd was binding y Type	was pushed off. Stat the safety arm and b	ed customer purch olt stop release. fl Model/G	ls	d new. dm	f As receive Serial		
pin had mo Firearm Int	formation	nd was binding	the safety arm and b	olt stop release. fl	ls 		Serial	Bbl	. DOM
pin had mo Firearm Int Mfg	formation g. gton chased	nd was binding Type CF/BA Where Purc	the safety arm and b	olt stop release. fl Model/G	а. М МА	SKU	<b>Serial</b> A689872	Bbl	
pin had mo Firearm Int Mfg Reminy Date Pur	formation g gton chased STREVE	nd was binding Type CF/BA Where Purc LL PATERSON	the safety arm and b	olt stop release. fl Model/G: 700/7MM RE!	а. М МА	SKU n/a nal Owner	<b>Serial</b> A689872	Bbl	. DOM
pin had mo Firearm Int Mfg Reming Date Pure	formation g. gton chased STREVE	nd was binding Type CF/BA Where Purc LL PATERSON e Defined	the safety arm and b	olt stop release. fl Model/G: 700/7MM RE!	а. М МА	SKU n/a nal Owner	<b>Serial</b> A689872	Bbl	. DOM
pin had mo Firearm Int Mfg Reming Date Purt Ammunitic Other Prod	formation gen chased STREVE on Information - Non lucts Information - N	nd was binding Type CF/BA Where Purc LL PATERSON e Defined	the safety arm and b	olt stop release. fl Model/G: 700/7MM RE!	а. М МА	SKU n/a nal Owner	<b>Serial</b> A689872	Bbl	. DOM
pin had mo Firearm Int Mfg Reming Date Pure	formation gen chased STREVE on Information - Non lucts Information - N	nd was binding Type CF/BA Where Purc LL PATERSON e Defined	hased	Model/G 700/7MM RE Accessori	а. М МА	SKU n/a nal Owner	<b>Serial</b> A689872	Bbl	. DOM
pin had mo Firearm Int Mfg Reming Date Purt Ammunitic Other Prod Settlement	formation g gton chased STREVE on Information - Non lucts Information - N	nd was binding Type CF/BA Where Purc LL PATERSON e Defined	the safety arm and b hased I SALT LAKE UT Reming	olt stop release. fl Model/G 700/7MM RE Accessori	a. M MA es Origi	SKU n/a nal Owner	Serial A689872 r Reim.	Bbl 26 ÅA Date	. <b>DOM</b> 7/14/198(
pin had mo Firearm Int Mfg Reming Date Purd Ammunitic Other Prod Settlement Settlement Repair @	formation gton chased STREVE on Information - Non lucts Information - N	nd was binding Type CF/BA Where Purci LL PATERSON e Defined one Defined	the safety arm and b hased I SALT LAKE UT Reming	olt stop release. fl Model/G 700/7MM RE Accessori	a. M MA es Origi	SKU n/a nal Owned U	Serial A689872 r Reim.	Bbl 26 ÅA Date	. DOM 7/14/198(
pin had mo Firearm Int Mfg Reming Date Purd Ammunitic Other Prod Settlement Settlement Repair @	oved out of position a formation g. gton chased STREVE on Information - Non lucts Information - Non titlement n/c - gesture of oodwill	nd was binding Type CF/BA Where Purci LL PATERSON e Defined one Defined	hased SALT LAKE UT Reming ns Release	Model/Ga 700/7MM REI Accessori ton/700/CF/BA e Date Rein	a. M MA es Origi	SKU n/a nal Owned U	Serial A689872 r Reim.	Bbl 26 ÅA Date	. DOM 7/14/198(
pin had mo Firearm Int Mfg Reming Date Purd Ammunitic Other Prod Settlement Settlement Set	oved out of position a formation g. gton chased STREVE on Information - Non lucts Information - Non titlement n/c - gesture of oodwill	Type CF/BA Where Purc LL PATERSON e Defined one Defined Release of Clain epair/Replacem	hased SALT LAKE UT Reming ns Release nent Repair/Rej	Model/G Model/G 700/7MM RE Accessori ton/700/CF/BA e Date Rein placement te	a. M MA es Origi	SKU n/a nal Owned U	Serial A689872 r Reim.	Bbl 26 ÅA Date	. DOM 7/14/198(

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		supry
	Exam Date	] .	8/10/2010
Examination	Product Type		RF
	Action Type		A
	Assigned To		Supry
Cause	4031	Worn parts or components	Trigger pin out of position
	Description		M/700 7mm Rem Mag 24 inch
	Date Code		AA
	Bore Plugged	False	
Barrel	Bulged	False	
	Fired	False	
	Fired while Obstructed		
l			

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=4661&Type=Case

8/16/2010

	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
,	Ext/Eject Test	True	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Slightly Worn; Functioning	
	Condition	Select	
Magazine	Box Condition	Slightly Worn; Functioning	
	Exterior Condition	Worn; Functioning	
Overall	Stock Condition	Worn; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
	Description		Model 700 Bolt Lock
Safety	Function	Abused; Not Functioning	
	Sub-Assembly	Non-ISS	
	Lift	Select	not measured
Sear	Notch	Slightly Worn; Functioning	
		Condition	Slightly Worn; Functioning
Pull		Select	5 lbs
Altered	Trigger	False	Not altered but a pin out of position was binding the safety and bolt stop release
Sub-Assembly		M/700 Bolt Lock	
Non-Remington Components	Description		Scope, rings, and mount

8/16/2010

C Anna Services Repair & Estimate System	lex
Eile Add Repair Estimate Repair Expedite Repair Inquiry Repair Tools CSR Tools Reparts Table Maintenance System Maintenance, Help	
Repair Number: RED0199846 Seriet A5599726 Model 700 Center Fire Caliber: Repairman: Challes Swenson   Voring Repair MM REM MAG Produced: 07/14/1980 Status: Repairing 8/10/2010 11:52:08 AM   Address Information Address Information Status: Repairing 8/10/2010 11:52:08 AM	<b>x</b> . 1
Address 2 PO Biox Return 1 or C Received From   Name: GUN+BOW OUTPOST INC GUN+BOW OUTPOST INC   Address 1: 1161 LEMON CREEK RD PO BOX 117 1161 LEMON CREEK RD PO BOX 117	x
Addess 2 Po Buk1   City: BAR0DA BAR0DA   State: MI Zip Code: [49101   Country: US State: MI   Zip Code: [49101	
Contact / Condition     Problems     Estimate     History / Status     Shipping / Billing       Date     Code     User ID     Dexc1     Dexc2     Coll Provided in the status       9/4/2010 8434E     Expedite     pencert     Fon: Check In     To Repetition     Provided inter Status	
8/3/2010 9/4537 Estimate Inversion Estimate Status Estimate Estimate Status Estimate   8/10/2010 11:52 Estimate Inversion Estimate Status Final Inspect   8/10/2010 11:52 Renaingo System Inmediate SAP Allocation Immediate SAP Allocation   8/10/2010 11:52 Renaingo System Status Final Inspect   8/10/2010 12:00 Estimate uwensconc Estimate Status   8/10/2010 12:01 Estimate uwensconc Estimate Status	
6/10/2010 1:32/ Extinate or polate Statis reg. [] Fishum As Received Current Location   6/10/2010 1:32/ Expedite pencell From: Repeil Bench Tor Galery [] Fishum As Received Current Location   8/10/2010 3:20:3 Expedite pencell From: Galery Tor Final In [] Fishum As Received Turneral Repeil   4 [] Fishum As Received [] Fishum As Received [] Fishum As Received [] Fishum As Received	
Repair Search Close	
	·
	•
BUS-UNE-MINER ONS-USED BUS-CELIER CANSENCER. PUBLIC GEBER	Der Der and

Doing BoltLock modefication N/c - found trigger pin out of position causing safe to bind. AUG 1 2 2010 FRED BY:



## **TRACKING DOCUMENT**

## Repair Order Number

## 

1161 LEMO BARODA. N		REM MAG	1	er Repairman - Charles Swanson Date Received · 8/4/2010 Estimate Date - Current Date - 8/9/2010 Return To GUN+BOW OUTPOST INC 1161 LEMON CREEK RD PO BOX 117 BARODA. MI 49101 US Fax (269)-422-1358 Email				
<b>Reported</b> M100	SEE CUSTOM		Problems M12 M99		ORWARD T	O PRODUCT SAFETY WA		
<u>Material #</u>	<u>MaterialDesc</u>		Repair	<u>Quantity</u> Needed	<u>Quantity</u> From Inv	<u>Quantity</u> From Kit	<u>Warranty</u> (Y/N)	
	Total:							
		· '						
		,	, ,					
		· · · · · · · · · · · · · · · · · · ·	and a second sec					
Repairman	Proof	Clean	Test		Target	Patter	n	
Gallery Tester	Date	Date	Date		Date	Date	····	
			*r 17 14. 74					

GUN	12	RC	W O	UTPO	<u>)</u> \$7	Γ_ In	<b>C</b> _		DATE	PAC	KING LIST #	
							<u><u> </u></u>	7	/28/2010		3531	
Post O	ffice	Вох	ek Roa 117 01-0177								<u>ICE</u> ING	
	•			22-1358			• •			IS	<u>اليادين بالجريم محمد معاملين ا</u>	
SHIP TO					ŧq	BILLIN	G/MAILING ADDR	ESS	, ·		•	
	n Serv er Ave 7 1335	vice, A	S COMPA .ttn: Servi	ANY, Inc. ce Dept.		Rem. A 14 Hoo Ilion, 1	NGTON ARN Arm Service, efler Avenue NY 13357 43-9700					
R. A. NUM	IBER	т	ERMS	REP	SH	IP DATE	SHIP VIA	FOE	3 A	UTHC	RIZED BY	
n/a		A	dvise	CFP	7/2	28/2010	Call Tag	our ste	store		Ron	
QUANTITY	PAR	T NO.		- <b></b>	DES	CRIPTION	L <u>()</u>	<u> </u>	PRICE EACH		AMOUNT	
1	00079 00005 00038		Magnum mounted. FIREARN	Caliber, USEI	D, w/] SSBC	FASCO ES W/SCOPI	etion Rifle, 7mm SP Rifle Scope E SERIAL # A6 Manufacturer, s=		0.0	00	0.00 0.00 0.00	
Model:	70		NOT have Rifle bran THANK	this finger on d new. PLEA YOU REMIN	the tr SE F GTON	igger. Cu: IX AND M N.	on/off! Custom stomer purchase IAKE SAFE A	d this	oct Mu cha	Jif rye ED	at m 230145	
			ed are in P. THAN	cluded in th K YOU.	is sh	ipment.	PLEASE		Tota	/ 	\$0.00	