.

				ington Arms Product Serv. egal Case #:	vice							
	e Opened 10/2011		<b>pened(PS)</b> 7/2010	Date C 1/11/2		I	nciden	t Date	F	re Lit	Lit	Obsolete
Customer Informatio	n											
Type Business	First Name	Last Name	Stre	et	City	State	Zip	Age		-	ontact	
Incident	Mark	Hansen	1467 Kenned	y Mill Ave.	Атегу	WI	54001		E mar		5-781-90 5572@h	77 otmail.com
Incident Information											0	
Claims		Codes			Repair	r Est.	N	ledica	Treatr	nent	Medi	cal Status
PI												
PD	Cause:4038	Could Not	Duplicate Con	cern				Un	known			
S	Concern:10	07 Fired on Sa	afe Release					01	KI IO WII			
C FSR												
Customer sent in an e through it. He loves t		ted his rifle fir	ed last year wh	en he took it	off safe.	No dai	mage, 1	No inju	iry. Has	only had	1 10 box	es of shells
Firearm Information												
Mfg.		Туре		Мо	lel/Ga.		1	SKU		Serial	Bbl.	DOM
Remington		CF/BA		700/30	06 SPRG	ì		n/a	]	B640525	6 OC	7/29/1982
Date Purchased		Where Purcha		-	essories		Origin		ner			
CONCERN:FSR	COTTER	&CO MANK	ATO MINN	TWO PI	ECE BAS	SE		Y				
Ammunition Informa	tion - None I	Defined		· · · · · · · · · · · · · · · · · · ·								
Other Products Informa												
Settlement	mation - 1401	¢ Defined										
Settlement			Rer	nington/700/	CF/BA							
Settlement	Release	of Claims		ise Date		mburs	ement	Se	Cash ettlemer		im. Date APV	Cash Date APV
Per Ilion - Quote to repair												
	Repair/Rep	lacement Cos	t Repair/Rep	lacement Da	ite							
12/7/10: I will email screws altered. Can r										iot duplie	cate con	ærn. TA set
Examination[Reming	ton/CF/BA]											

Part	Sub-Part	Code	Comment
	Examiner	]	B.TRAVIS
	Exam Date	]	1/11/2011
Examination	Product Type	]	RF
	Action Type	]	А
	Assigned To	]	T.NAGLE
Cause	4038	Could Not Duplicate Concern	]
	Description	] .	22" 3006 SPR
	Date Code	]	OC
	Bore Plugged	False	]
Barrel	Bulged	False	]
	Fired	False	]
	Fired while Obstructed	]	
	Muzzle/Crown Condition	Slightly Worn; Functioning	]
	Firing Pin	Slightly Worn; Functioning	

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5326&Type=Case

1/21/2011

ь. — .	1		
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning	]
bou	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	BINDS
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Slightly Worn; Functioning	
Overall	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	
	Condition	Slightly Worn; Functioning	
Receiver	Bulged	False	
	Description		M/700 SAFETY
Safety	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
	Lift	Select	.011
Sear	Notch	Slightly Worn; Functioning	
	Tests	Test Fired	False
Feeding Test		False	
	Condition	Slightly Worn; Functioning	
Trigger	Pull	Select	3#
11156**	Altered	True	SET SCREWS ALTERED
	Sub-Assembly	M/700 Non-Bolt Lock	
Non-Remington Components	Description		TWO PIECE BASE



December 7, 2010

Mark Hansen 1467 Kennedy Mill Ave. Amery, WI 54001 Ph: 715-781-9077 Email: markhansen5572@hotmail.com

Ref: # 5326

B6405256

700

RE00218182

Model:

Dear Mr. Hansen,

You will receive a pre-paid shipping label in a separate email within 24-48 hours. Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the box with "Product Service". Product Service will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington customer.

Sincerely, D. Fulcher **Consumer Affairs Administrator** Remington, H&R, Marlin Phone: 1-800-243-9700 Fax: 336-548-7872

> Could Not duplicate CONCERN T. A. set screws Altered. CAN HEPHACE TPA, CLEAN & TEST Rine AT 1/2 NORMAL COST.

> > Quote

BY:\_\_\_\_

COPY

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com

22 067/8 3.6#

## 700 classic [Incident: 101128-000058]

#### From: Remington Information (info@remington.com) 🛈

Sent: Sun 11/28/10 1:56 PM

To: markhansen5572@hotmail.com

Thank you for contacting the Remington Arms Co. Online Help Center, we appreciate your inquiry and look forward to the opportunity to be of service to you.

To access your question from our support site, click here.

#### Question Reference #101128-000058

Summary: 700 classic Date Created: 11/28/2010 02:56 PM Last Updated: 11/28/2010 02:56 PM Status: Unresolved

## Discussion Thread Customer (Mark Hansen)

#### 700 classic 30-06

writing to inform you that i had this weapon since new with no modifications' and it fire last year when i switched off the safety. i placed the gun in a case over night and in the morning it had fire again on its own. what should i do with this gun. my father bought it for me new in 1987 and still looks the same. it has about 10 boxes of shells through it so i know it is far from being worn. i truly love this gun, but now i'm worried. i did have the gun looked at. the gunsmith at that time cleaned the gun, adjusted the trigger and bedded the rifle, he said he thought the trigger may have been dirty. but now with all that's been said, i want to hear from you.

.

:

+

Ę

Print	Reset					
Model Number: 760	Serial Number: Ble HO 5256					
Are you the original owner?: 🕅 YES 🖾 NO						
Name: Mark Hansen ? 1987						
Address (no PO Boxes):						
1467 Kennedy Mill Ave						
City: Amery	State: (: Zip: 54001					
<u>Phone</u> (Daytime): <u>דר - 16 - 781 - 907</u>	Fax:					
E-mail Address:(if e-mail address is provid be sent) mark Hansen						
E-mail A						
I would like to receive future e	e-mail updates from Remington.					
Gun fired when furned off Safty						
: معسمی ہونے ا	racters left					
Ammunition I						
Manufacturer: Rem, federal, Winclester						
Other (i.e. bullet weight/type, shot size, powder): 180g-r. factory load 3						
Handload Information:						
Powder Used:	Powder Weight:					
Case/Hull Used: Primer Used:						
Bullet Type/Shot Size:	Reloader Used:					
Firearms Care (Cleaning and Lubrication):						

http://www.remington.com/asp/factory\_repair\_form.asp

12/6/2010

÷

ł

;

1

Ē

Brand of cleaning solution used: Remoils + Hoppies
How often do you clean the bore? (Months or Number of rounds)
How often do you clean the action? (Months or Number of rounds) after each use
How often do you clean the trigger assembly? (Months or Number of rounds)
Brand of lubricant used: 2 cm p. l
How often do you lubricate the bore? (Months or Number of rounds)
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds)
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? > YES INO
When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?)
What were the services   performed?)
Ship your INSURED firearm by either UPS or Parcel Post to:
Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357
WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.
:: Record the serial number of your firearm before sending it. :: Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.) :: Remove all accessories from your firearm to prevent loss or damage. :: Provide a return address on both the outside and inside the box. Shipments without a proper

http://www.remington.com/asp/factory\_repair\_form.asp

12/6/2010

.

1

#### return address will be refused.

:: Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for

damage or loss during shipment, so you may elect to purchase insurance from your carrier.

#### Charge repairs will be processed using the following guidelines:

:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)

:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.

http://www.remington.com/asp/factory\_repair\_form.asp

12/6/2010

Reference #	700 classic	
101128-000058	Discussion Thread	
Status Updated	Customer (Mark Hansen) 12/02/2010 09:41	
Assigned To Administrators Dell -	Mark Hansen, 1467 Kennedy Mill Ave, Amery WI 54001 715-781-9077 Remington 700 classic 30-06, Serial number B6405256	F- 191
Product Firearms	From: <u>info@remington.com</u> To: <u>markhansen5572@hotmail.com</u> Date: Wed, 1 Dec 2010:20:06:35 -0500	
SLA Not specified	Subject: 700 classic [Incident: 101128-000058]	
Queue CSR	Response (Dell -) 12/01/2010 08:06 Dear Mark, We would like to have the firearm come into our Product Services Department at our factory for examinatio	
Date Created 11/28/2010 02:56 PM	Please reply back to me with the serial number of the firearm, caliber, your mailing address and phone number. We would like to send you a pre-paid shipping label for UPS to have the firearm come in. I will also include a form that you can fill out to let the examiner know exactly what happened, when this occurred, an what you are expecting.	נ
Initial Response 12/01/2010 08:06 PM	Sincerety,	
Last Updated 12/02/2010 09:41 PM	Dell Customer (Mark Hansen) 11/28/2010 02:56	PM
Customer SmartSense 0 (on -3 to +3 scale)	700 classic 30-06 writing to inform you that i had this weapon since new with no modifications' and it fire last year when i switched off the safety. i placed the gun in a case over night and in the morning it had fire again on its own. what should i do with this gun, my father bought it for me new in 1987 and still looks the same, it has about	
Staff SmartSense +1 (on -3 to +3 scale)	boxes of shells through it so i know it is far from being worn. I truly love this gun, but now i'm worried. I did have the gun looked at. the gunsmith at that time cleaned the gun, adjusted the trigger and bedded the rifle he said he thought the trigger may have been dirty. but now with all that's been said, I want to hear from yo	
	Primary Contact	
	First Name: Mark Last Name: Hansen Organization:	
	Login: markhansen5572@hotmail.com Title: Contact Type:	
	Email: markhansen5572@hotmail.com Email - Alternate #1: Email - Alternate #2:	
	Office Phone:	

Mobile Phone:

Fax: Assistant Phone: Home Phone:

> Street City State/Province Postal Code Country

Additional Information

6326

٥

http://remington.custhelp.com/cgi-bin/remington.cfg/php/admin/display/inc\_print.php?p\_si... 12/6/2010



December 7, 2010

Mark Hansen 1467 Kennedy Mill Ave. Amery, WI 54001 Ph: 715-781-9077 Email: markhansen5572@hotmail.com

Ref: # 5326

,

Dear Mr. Hansen,

You will receive a pre-paid shipping label in a separate email within 24-48 hours. Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the box with "Product Service". Product Service will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington customer.

Sincerely, D. Fulcher Consumer Affairs Administrator Remington, H&R, Marlin Phone: 1-800-243-9700 Fax: 336-548-7872

enclosure



December 7, 2010

Mark Hansen 1467 Kennedy Mill Ave. Amery, WI 54001 Ph: 715-781-9077 Email: markhansen5572@hotmail.com

Ref: # 5326

•

Dear Mr. Hansen,

You will receive a pre-paid shipping label in a separate email within 24-48 hours. Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the box with "Product Service". Product Service will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington customer.

Sincerely, D. Fulcher Consumer Affairs Administrator Remington, H&R, Marlin Phone: 1-800-243-9700 Fax: 336-548-7872

enclosure

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com

٠

•,

•\_

Print			Rese	et			
Model Number:	1	lumbe	r:	Sei	rial		
Are you the original	lowner	?: 🗈	YES	🖾 N	0		
Name:			Date	e of P	urchase	<b>):</b>	
Address (no PO Boxes):							
City:		State:			Zip:		
Phone (Daytime):		Fax:				• • • • • • • • • • • • • • • • • • •	
E-mail Address:(if e-mail address is pr be sent)	rovided,	notifica	ation of	recei	pt and s	hipmer	nt will
E-ma I would like to receive fut	ail Addı ure e-m		ates fro	m Re	mington		
	charac						
500	J						
Ammunit	ion Info		n:	·,,			;
Manufacturer: Other (i.e. bullet powder):	t weight	Type: /type, s	hot siz	е,			
Handloa	ad Infor	matior	1:	<u></u>			
Powder Used:		Powe	der We	ight:		a dila ana amin'ny fisiana dia dia dia mandrona dia	
Case/Hull Used:		Prir	ner Use	ed:			
Bullet Type/Shot Size:		Relo	ader U	sed:			
Firearms Care (Cl	eaning	and Lu	ıbricati	on):			

12/6/2010

•

How often do you clean the bore? (Months or Number of rounds)
How often do you clean the action? (Months or Number of rounds)
How often do you clean the trigger assembly? (Months or Number of rounds)
Brand of lubricant used:
How often do you lubricate the bore? (Months or Number of rounds)
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds)
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? > YES INO
When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?)
What were the services
performed?)
Ship your INSURED firearm by either UPS or Parcel Post to:
Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357
Attn: Arms Service Division 14 Hoefler Avenue

12/6/2010

return address will be refused.

:: Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for

damage or loss during shipment, so you may elect to purchase insurance from your carrier.

Charge repairs will be processed using the following guidelines:

:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)

:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.

### Fulcher, Dell Marie

F	rom:
T	o:
S	ent:
S	ubject:

postmaster@remington.com markhansen5572@hotmail.com Tuesday, December 07, 2010 1:35 PM Relayed: Mark Hansen - Ref# 5326

Delivery to these recipients or distribution lists is complete, but delivery notification was not sent by the destination:

 $\backslash$ 

markhansen5572@hotmail.com

Subject: Mark Hansen - Ref# 5326



CINUX

Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

# ARS LABEL REQUEST FORM

DATE:		12/7/2010	REQUESTED BY:	Dell
QUANTITY:	1		WEIGHT PER PKG:	10 lbs
PUEASE CHECKONE MEDIA COORDINATOR TO MAIL			I WILL MAIL	XXXXXX
DESCRIPTION:	Ref # 5326 rifle			

### LABEL INFORMATION











