Remington Arms Co., Inc. Product Service Legal Case #:4721

|                             |               |                    |                   | Product Ser<br>Legal Case # |              |                     |           |                   |   |   |             |               |
|-----------------------------|---------------|--------------------|-------------------|-----------------------------|--------------|---------------------|-----------|-------------------|---|---|-------------|---------------|
| Case Infor                  | mation        |                    |                   |                             |              |                     |           |                   |   |   |             |               |
| RE#                         |               | Opened             | Date Opened(      | ()                          | Closed       | Incid               | dent Da   | ate               | Pre L                                   | .it ]   | Lit         | Obsolete      |
| 202083                      |               | 2010               | 9/8/2010          | 9/8/                        | /2010        |                     |           |                   |   |   |             |               |
|                             | Information   |                    | ~ + Nf            | £14                         | City         | State               | 7:n       | 4 ~~              |   | •   |             |               |
| Type                        | Business      | First Name         | Last Name         | Street                      | City         | State               | Zip       | Age               |   |   | Contac      |               |
| Reporter                    |               | Glen B.            | Starnes           | 3502 Metairie Ct.           | Garland      | I TX                | 75040     | )                 |   | H 972-495-4338<br>F 972-675-3729<br>glenstarnes@verizon.net |             | 3729          |
| Incident In                 | formation     |                    |                   |                             |              |                     |           |                   |   |   |             |               |
|                             | Claims        |                    | C                 | Codes                       | F            | Repair E            | est. N    | Medical           | Treatn                                  | nent  | Med         | dical Status  |
| PI                          |               |                    |                   |                             |              |                     |           |                   |   |   |             |               |
| PD                          |               |                    |                   | d Not Duplicate Con         | ncern        |                     |           | Unl               | known                                   |   |             |               |
| S<br>C T                    | - •. 1        |                    | ncern:1008 Fired  | on Bolt Closing             |              |                     |           |                   |   |   |             |               |
|                             | d on bolt clo | _                  | • .•              |                             | * • 1        | . ,                 |           |                   | ,                                       | ,   |             |               |
| Customer                    | stated on our | repair form - I    | He was hunting re | ecently in Colorado         | & as he char | mberea a            | a round   | , the ritte       | e discha                                | arged   | automa      | atically. dmt |
| Firearm In                  | formation     |                    |                   |                             | _            |                     |           |                   |   | _   | _           | _             |
| Mfg.                        |               | Туре               |                   | Mo                          | odel/Ga.     |                     |           | SKU               | J                                       | Seria   | al Bl       | bl. DOM       |
| Reming                      |               | CF/BA              | <b>x</b>          | 700/2                       |              | 25787 B6772051 LG 2 |           |                   |   |   | G 2/19/1986 |               |
| Date<br>Purchas             |               | Where Purc         | hased             | Acc                         | Accessories  |                     |           | Original<br>Owner |   |   |             |               |
| 6/1/198                     | OSH           | IMAN SPORTI        |                   | SCOPE BASE,BOT              |              | OF FRO              | TNO       | U                 |   |   |             |               |
|                             |               | C77023             | 3                 | P                           | RING         |                     |           | J                 |   |   |             |               |
| CONCER                      | N:FBC         |                    |                   |                             |              |                     |           |                   | ·····                                   |   |             |               |
| Ammunitie                   | on Informatio | on                 |                   |                             |              |                     |           |                   |   |   |             |               |
|                             | Ifg.          |                    | Туре              | Cal./Ga.                    | SI           | KU                  | UPO       | <b>C</b> :        | DOM                                     |   | Mfg         | g. Code       |
|                             | ington        |                    | Lokt/100 gr       | 243 WIN                     |              |                     |           |                   |   |   |             | <b>,</b>      |
|                             | ncern         |                    | Other             | Factory                     | Rel          | load                |           |                   |   |   |             |               |
| (                           | 0:            |                    |                   | Y                           | 7            | N                   |           |                   |   |   |             |               |
| Other Prod                  | tucts Informa | ation - None De    | efined            |                             |              |                     |           |                   |   |   |             |               |
| Settlement                  |               | 111011 1.0110 = -  | , mica            |                             |              |                     |           |                   |   |   |             |               |
| Sememen                     | ,             |                    |                   | Remington/700               | በ/CF/RA      |                     |           |                   |   |   |             |               |
|                             |               |                    |                   | •                           |              |                     |           | Casł              | h                                       | Reim.   | Date        | Cash Date     |
| S                           | Settlement    | Rel                | lease of Claims   | Release Da                  | ite Rei      | imburse             | ment      | Settlem           |   | AF  |             | APV           |
| Per Ilion                   | n - Repair @  | n/c -              |                   |                             |              |                     |           |                   |   |   |             |               |
| 6                           | ····- a       |                    | air/Replacement   |                             | ement        |                     |           |                   |   |   |             |               |
|                             |               |                    | Cost              | Date                        |              |                     |           |                   |   |   |             |               |
|                             |               |                    | \$47.23           | 9/9/2010                    |              |                     |           |                   |   |   |             |               |
| 9/9/10: Per<br>in rifle. dm |               | ould not duplicate | ate concern. As g | goodwill gesture - re       | place TPA,   | check ov            | /er, clea | an & test         | t fire at                               | n/c to  | restor      | e confidence  |
| Examination                 | on[Remingto   | on/CF/BA]          |                   |                             |              |                     |           |                   | *************************************** |   |             |               |
|                             |               |                    |                   |                             |              |                     |           |                   |   |   |             |               |
|                             | Part          |                    | Sub-Part          | Code                        | .e           | <u> </u>            |           |                   | Comme                                   | ent   |             |               |
|                             |               | Examir             | ner               |                             |              | B.TR.               |           |                   |   |   |             |               |
|                             |               | -                  | Dete              |                             |              | 0/9/20              | 110       |                   |   |   |             |               |

| Part        | Sub-Part     | Code                        | Comment  |  |
|-------------|--------------|-----------------------------|----------|--|
|             | Examiner     |                             | B.TRAVIS |  |
|             | Exam Date    |                             | 9/8/2010 |  |
| Examination | Product Type | · ·                         | RF       |  |
|             | Action Type  |                             | A        |  |
|             | Assigned To  |                             | F.SUPRY  |  |
| Cause       | 4038         | Could Not Duplicate Concern |          |  |

|                          | Description            | · · · · · · · · · · · · · · · · · · · | 22" 243 WIN                           |
|--------------------------|------------------------|---------------------------------------|---------------------------------------|
|                          | Date Code              |                                       | LG                                    |
|                          | Bore Plugged           | False                                 |                                       |
| Barrel                   | Bulged                 | False                                 |                                       |
|                          | Fired                  | False                                 |                                       |
|                          | Fired while Obstructed |                                       | -                                     |
|                          | Muzzle/Crown Condition | Slightly Worn; Functioning            | ]                                     |
|                          | Firing Pin             | Slightly Worn; Functioning            |                                       |
|                          | Shroud                 | Slightly Worn; Functioning            |                                       |
| Bolt                     | Face                   | Slightly Worn; Functioning            |                                       |
|                          | Handle                 | Slightly Worn; Functioning            |                                       |
|                          | Stop                   | Slightly Worn; Functioning            |                                       |
|                          | Condition              | Slightly Worn; Functioning            |                                       |
| Extractor                | Cut Condition          | Slightly Worn; Functioning            |                                       |
|                          | Ext/Eject Test         | False                                 |                                       |
|                          | Block Condition        | Select                                |                                       |
| Locking                  | Lug Condition          | Slightly Worn; Functioning            | · .                                   |
|                          | Notch Condition        | Select                                |                                       |
|                          | Exterior Condition     | Slightly Worn; Functioning            |                                       |
| Overall                  | Stock Condition        | Slightly Worn; Functioning            |                                       |
|                          | Fore End Condition     | Select                                |                                       |
| Danainan                 | Condition              | Slightly Worn; Functioning            |                                       |
| Receiver                 | Bulged                 | False                                 |                                       |
|                          | Description            |                                       | STANDARD M/700 SAFETY                 |
| Safety                   | Function               | Like new; Functioning                 |                                       |
|                          | Sub-Assembly           | Non-ISS                               |                                       |
|                          | Lift                   | Select                                | .012                                  |
| Sear                     | Notch                  | Like new; Functioning                 |                                       |
|                          | Tests                  | Test Fired                            | False                                 |
| Feeding Test             | 10313                  | False                                 |                                       |
|                          | Condition              | Like new; Functioning                 | SLIGHTLY DIRTY                        |
| Trigger                  | Pull                   | Select                                | 6.5#                                  |
| Trigger                  | Altered                | False                                 |                                       |
|                          | Sub-Assembly           | M/700 Non-Bolt Lock                   |                                       |
| Non-Remington Components | Description            |                                       | SCOPE BASE, BOTTOM HALF OF FRONT RING |

| -        | Add Repair  | Estimate Re | pair Expedi                        | te Repair II    | iquiry R              | epair Tools  | CSR Tool  | s Reports         | Table Maintenance                   | System   |               |  |
|----------|-------------|-------------|------------------------------------|-----------------|-----------------------|--|---|-------------------|-------------------------------------|--|---------------|--|
|          |             |             |                                    |                 |                       |  |   |                   | •                                   |  | •             |  |
|          |             |             |                                    |                 |                       |  |   | 1                 |                                     | <b>X.</b>  |               |  |
|          |             |             |                                    |                 |                       |  | La series   |                   | 4.7 ·                               | -indica  |               | $\frac{1}{2} \left( \frac{1}{2} \right) \right) \right) \right) \right)}{1} \right) \right) \right)} \right) \right) \right)} \right)} \right)} \right)} \right)} \right)$ |
|          | ,           |             | • . •                              | 1255            |                       |  |   |                   |                                     |  |               |  |
|          |             |             | 44                                 |                 |                       |  |   |                   | Ministrus Raige , van               |  |               |  |
|          |             | 6           | 43.95                              | ),,             |                       |  | rene.   |                   |                                     |  |               |  |
|          |             | 100         | Repair Ir                          | iquiry          |                       | Ninati   |   | * 1772            |                                     |  |               |  |
|          |             | عالم ا      | Repair Number:                     | RE002020        | 3 Sen<br>WIN          | al 86772051<br>Produced 02   | Model 700 Ce<br>/19/1986  | enter Fire Calibe | r 243 Repairman: Br                 | ruce Travis  |               |  |
|          |             |             | Veniy Repair                       |                 |                       |  |   |                   | Status: Ro                          | epairing 9/8/2010 10:30:10 A   | M             |  |
|          |             |             | ADDRESS INF                        | Customer        | 3.7                   |  | Receive     Receive | d from Re         | turn To                             | C. Received I  | tom           |  |
|          | 100         |             | Name:                              | GLEN STARNE     | S                     |  | 3X 475 33 55 72 5   | ) GLI             | N STARNES                           |  |               | and the second second  |
|          |             |             | TO TO SERVICE IN                   | 3502 METAIRIE   | COURT                 | PO Box:  |   | 350               | 2 METAIRIE COURT                    | PO Box   |               |  |
| S. Marie | <b>,</b> 41 |             | Address 2<br>City                  | GARLAND         | i                     | SEG BOXS   |   | GAI               | RLAND                               | FU BOX 1   |               |  |
|          |             |             | Stater                             | TX Zip Coo      | e: 75040              | Country  | us  | Jīx.              | Zip Code: 75040                     | Country / US   | e Westers III |  |
|          | W           |             |                                    |                 |                       |  | Ff  |                   |                                     |  |               |  |
| į        | Ž.          | Š           | Contact / Condi                    | tion   Problems | Estimate              | listory / Status   | Shipping / B  | illing            |                                     |  |               |  |
|          |             |             | Date                               |                 | UserID                | <del>~~~</del>   |   |                   | Shipping Hold                       | Current Status<br>Repairing  |               |  |
| 2.2      |             |             | 9/7/2010 12<br>9/7/2010 12         |                 | ArmEmai<br>ed ArmEmai |  |   | NSTARNE           | ☐ Interface Hold ☐ Estimate Sent    | 9/8/2010 10:30:10<br>System  | AM.           |  |
| ,        |             |             | 9/8/2010 9:2                       |                 | Travisby              |  | ····  | tus: Estimating   | Pails Received                      | Gallery<br>Repair Location   |               |  |
|          |             |             | 9/8/2010 10                        |                 | Travisbu              |  |   | tus: PartsHold    | Passed Inspection Return as Receive | A STATE OF THE STA |               |  |
|          |             |             | 9/8/2010 10                        | :3 Repairing    | System                | Immedial   |   | Gallery           | Has Been Approve                    |  |               |  |
|          |             |             | 374201012                          | Section 1       | pericer               | # 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  | Spail be j ru.  | dalely            | ▼                                   | S. Charles   | 76. C.        |  |
|          |             |             | RepairSe                           | arch            |                       |  |   |                   |                                     | Refresh  | Close         |  |
|          |             | 79.5        | 1000 1635 1264<br>1835 - 1734 1846 | X 11-4 X 2      |                       | (\$4.65 <b>4</b>   |   |                   |                                     | A CONTRACTOR OF THE CONTRACTOR |               |  |
|          |             | : 1         |                                    | en.             |                       |  |   |                   | 4-5-                                |  |               | R.   |
|          |             |             |                                    |                 |                       |  | **************************************  | 2 W               |                                     | 2N   |               |  |
|          |             | ,           | ***                                |                 | 100                   | N. Commercial Commerci |   |                   |                                     |  |               |  |
|          |             | •,          |                                    | ***             |                       |  |   | La constant       |                                     |  |               |  |
|          |             |             |                                    |                 |                       |  | <b>****</b> ********************************  | ,                 | THE PART OF                         |  | . : "         |  |
|          | •           |             |                                    |                 |                       |  |   |                   |                                     |  |               |  |
|          |             |             | • •                                |                 |                       |  |   |                   |                                     |  |               |  |

|   |   | ZC  | [Ē | 긾 | W I                |  |
|---|---|-----|----|---|--------------------|--|
| · | I | SEP | 0  | 9 | ₩ <u>1</u><br>2010 |  |
|   | В | Y:  |    |   |                    |  |

Print

4721

Reset

٠٠.

Serial Model Number: 700 BDL cal .243 Number: B6772051 Are you the original owner?: YES **Date of Purchase:** Name: Glen B. Starnes 06/1986 Address (no PO Boxes): 3502 Metairie Court State: Tx **Zip:** 75040 City: Garland Phone Fax: 972-675-3729 (Daytime): 972-495-4338 E-mail Address: (if e-mail address is provided, notification of receipt and shipment will be sent) glenstarnes@verizon.net E-mail Address: I would like to receive future e-mail updates from Remington. Please describe your problem and date of occurrence: Recently while hunting in Colorado as I chambered a round into the chamber the rifle discharged automatically. I was careful not to touch the trigger during the operation of the bolt. I chambered the round from the magazine for the initial load in preparation of the hunt. It discharge as the bolt was locked but before completion of the process. could not duplicante concern. As A Good-Will Gesture, will replace TPM, cleck or explent test Fire At N/C, TO Rotors confidence in Pifle. 153 characters left **Ammunition Information:** Type: .243 Manufacturer: Remington Core lockt Other (i.e. bullet weight/type, shot size, powder): 100 grain Handload Information: Powder Used: **Powder Weight:** Case/Hull Used: Primer Used: Bullet Type/Shot Size: Reloader Used: Firearms Care (Cleaning and Lubrication):

Brand of cleaning solution used: Remington

How often do you clean the bore? (Months or Number of rounds)

How often do you clean the action? (Months or Number of rounds) after each use

How often do you clean the trigger assembly? (Months or Number of rounds) after each use

Brand of lubricant used: Remington

How often do you lubricate the bore? (Months or Number of rounds) after each use

How often do you lubricate the action? (Months or Number of rounds) after each use

How often do you lubricate the trigger assembly? (Months or Number of rounds) after each use

Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? > NO

When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?) never

What were the services

performed?) n/a

Ship your INSURED firearm by either UPS or Parcel Post to:

Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357

B677205

Model: 700



RE00202083

SPENT SHELLS IN YOUR FIREARM OR IN HIS IS A VIOLATION OF FEDERAL LAW. IF HIT SHELLS PLEASE SEND THEM IN A SE NAME, ADDRESS (WITH ZIP CODE), SERIAL NUMBER OF YOUR FIREARM.

of your firearm before sending it.
ent further damage in shipping and handling.
ferably,

kiginal boxes may not be returned.)

:: Remove all accessories from your firearm to prevent loss or damage.

:: Provide a return address on both the outside and inside the box. Shipments without a proper

return address will be refused.

:: Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for

damage or loss during shipment, so you may elect to purchase insurance from your carrier.

Charge repairs will be processed using the following guidelines:

:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)

:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.

> 8634 Glen B. Starnes 3502 Metairie Ct Garland, Texas 75040

verizon

Print

Subject Model 700 BDL .243; Ser #B6772051; Ilion, N.Y. [Incident: 100822-000028]

From: Remington Information <info@remington.com>

Sent: Aug 24, 2010 08:35:12 AM

To: glenstarnes@verizon.net Reply-To: info@remington.com

Recently you requested personal assistance from our on-line support center. Below is our response.

We will assume your issue has been resolved if we do not hear from you within 72 hours.

Thank you for allowing us to be of service to you.

To access your question from our support site, click here.

## Subject

Model 700 BDL .243; Ser #B6772051; Ilion, N.Y.

## **Discussion Thread**

Response (Daniel)

08/24/2010 09:35 AM

We regret that you are experiencing problems with your firearm. Based on the information you have provided, we suggest that you send your firearm to our Ilion, NY facility.

You can print the factory repair form and instructions at the following section of our site.

http://www.remington.com/pages/support/factory-repair-form.aspx

Or follow these guidelines if in the US:

- 1. Record the serial number of your firearm before sending it to us.
- 2. Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box, not a hardcase.
- 3. Remove all accessories from your firearm to prevent loss or damage. This would include scope, slings, or extra choke tubes.
- 4. Enclose a letter with the firearm detailing the model name or number of your firearm and serial number along with a full description of the problem. Be sure to include your full name and address (P.O. Box and Street Address), including zip code, daytime telephone number, and e-mail address.
- 5. Ship your firearm by either United Parcel Service (UPS) or Parcel Post (US Post Office). Remington is not responsible for damage or loss during shipment, so you may elect to purchase insurance from

your carrier. Customer is responsible for shipping charges to the factory.

For U.S. repairs only, ship to:

Remington Arms Company, Inc. Attn: Arms Services Division/Repairs 14 Hoefler Avenue Ilion, NY 13357

WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.

If you have any questions as to the warranty on Remington firearms, please refer to the following section of our site.

http://www.remington.com/pages/support/firearm-warranty-information.aspx

## Customer (Glen Starnes)

08/22/2010 01:46 PM

Here is my problem - recently on a hunting trip to Colorado, while operating the bolt to chamber a round the rifle discharged without me touching the trigger. That is the first ond only time it has happened. The rifle was being held in a safe direction as always, but it automatically discharged. Please let me know if this is related to any recall of this model and group. Tell me of any corective action I need to take so this cannot occur again. I am the original owner of this rifle which was purchased approximately in June of 1986. I hope to hear from you soon. Thank You Glen Starnes

## Question Reference #100822-000028

**Product Level 1:** Firearms

**Product Level 2:** Centerfire Rifles Date Created: 08/22/2010 01:46 PM

Last Updated: 08/24/2010 09:35 AM

**Status:** Waiting

----- We hope that this information will be helpful to you. If we can be of further assistance, please contact us at 1-800-243-9700, M-F, 9am-5pm EST. Remington Arms Co. -- America's Oldest Gunmaker 870 Remington Drive, Madison, NC 27025 1-800-243-9700 or 1-336-548-8700--FAX: 1-336-548-7801 Visit us in Remington Country at http://www.remington.com/ REMEMBER, FIREARMS SAFETY DEPENDS ON YOU! Whether you are a beginner or an advanced user, our new Safety Section is a must for everyone. http://www.remington.com/safety ------------[---001:003176:41472---]

http://webmail.verizon.com/netmail/driver?nimlet=deggetemail&degMid=830&fn=INBO...