

Remington Arms Co., Inc.

Product Service

Legal Case #:5519

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
216385	12/28/2010	1/3/2011	1/3/2011				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Incident		Chet	Hunt						

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4038 Could Not Duplicate Concern		Unknown	
S	Fires on safety release Concern:1007 Fired on Safe Release			
C				

1/11/11 Per note with rifle, rifle fires when safety is pushed forward. Repair as replace.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/270 WIN	84402	G6869716	PD	6/3/2009 6:56:03 PM
Date Purchased	Where Purchased	Accessories	Original Owner			
	AMERICAN ROD & GUN	TWO PIECE BASE	U			

CONCERN:FSR

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
Per Ilion, check over completely, clean, test fire at no charge under warranty						

Repair/Replacement Cost	Repair/Replacement Date
59.50	1/11/2011

1/11/11 Per Ilion, could not duplicate concern. Trigger assm functions as designed. Check over completely, clean, test fire at no charge under warranty.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B. TRAVIS
	Exam Date		1/3/2011
	Product Type		RF
	Action Type		A
	Assigned To		T. NAGLE
Cause	4038	Could Not Duplicate Concern	
Barrel	Description		24" 270 WIN VTR
	Date Code		PD
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		

	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Like new; Functioning	
	Shroud	Like new; Functioning	
	Face	Like new; Functioning	
	Handle	Like new; Functioning	
	Stop	Like new; Functioning	
	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	--- Select ---	
	Lag Condition	Slightly Worn; Functioning	
	Notch Condition	--- Select ---	
	Exterior Condition	Like new; Functioning	
	Stock Condition	Like new; Functioning	
	Fore End Condition	--- Select ---	
	Condition	Like new; Functioning	
	Bulged	False	
	Description		XMP SAFETY
	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
	Lift	--- Select ---	.012
	Notch	Like new; Functioning	
	Tests	Test Fired	False
		False	
	Condition	Like new; Functioning	
	Pull	--- Select ---	3.5#
	Altered	False	
	Sub-Assembly	X-Mark Pro	
	Description		TWO PIECE BASE







