

Date 9-30-52

Tester _____

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles 7520

Cycle Rate _____

TEST: _____

Sample (1)

<u>2500</u> Cycles	Total <u>10000</u>			
Sear Lift				
Trigger Pull <u>6.25-6.25-6.25-6.25-6.50</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.5 5.0</u>	<u>4.5 4.25</u>		
	<u>4.5 4.25</u>	<u>4.0 4.25</u>		
	<u>4.25</u>	<u>4.0</u>		

<u>2500</u> Cycles	Total <u>12500</u>			
Sear Lift				
Trigger Pull <u>6.25-6.0-6.0-6.75-6.50</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.00 4.00</u>	<u>4.00 4.00</u>		
	<u>4.00 3.75</u>	<u>4.50 4.0</u>		
	<u>4.25</u>	<u>4.00</u>		

<u>2500</u> Cycles	Total <u>15000</u>		<u>14000-15000</u> <u>cycle</u>	
Sear Lift				
Trigger Pull <u>6.25-6.50-6.50-6.25-6.25</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.5 5.0</u>	<u>5.75 5.5</u>		
	<u>4.5 5.0</u>	<u>5.75 5.5</u>		
	<u>5.75</u>	<u>5.75</u>		

<u>2500</u> Cycles	Total <u>17500</u>			
Sear Lift				
Trigger Pull <u>6.25-6.50-6.50-6.75-6.50</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.25 4.25</u>	<u>5.75 5.25</u>		
	<u>4.25 3.75</u>	<u>5.35 5.0</u>		
	<u>3.75</u>	<u>4.25</u>		

Date 9-30-80

Tester _____

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles 17500

Cycle Rate _____

TEST: Safe on-off Sample (1)

<u>2500</u> Cycles	Total	<u>20000</u>		
Sear Lift <u>1.00</u>	<u>0.105</u>	<u>millipool</u>	<u>.006</u>	
Trigger Pull <u>6.50</u>	<u>6.00</u>	<u>6.00</u>	<u>6.00</u>	<u>6.00</u>
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
<u>500</u>	<u>6.00</u> <u>5.25</u>	<u>5.25</u> <u>5.00</u>		
	<u>5.00</u> <u>4.50</u>	<u>5.25</u> <u>4.25</u>		
	<u>4.50</u>	<u>5.00</u>	<u>6.00</u>	

_____ Cycles	Total	_____		
Sear Lift				
Trigger Pull				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation

_____ Cycles	Total	_____		
Sear Lift				
Trigger Pull				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation

_____ Cycles	Total	_____		
Sear Lift				
Trigger Pull				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation

Date

9-30-80

Tester

A Long

Page

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles

0

Cycle Rate

TEST:

SAFE ON - OFF

SAMPLE 2

0	Cycles	Total	0
Sear Lift SAFE ON - OFF			
Trigger Pull 6.00-6.00-5.75-6.25-6.00			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	6.50 7.00	6.00 6.00	Safe Operation
	6.50 7.00	6.00 6.00	
	6.50	6.00	

3179	Cycles	Total	3179
Sear Lift			
Trigger Pull 6.00-5.75-6.00-6.00-6.25			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	5.50 5.25	6.50 6.50	Safe Operation
	5.50 5.25	6.00 6.00	
	5.50	6.00	

1821	Cycles	Total	5000
Sear Lift			
Trigger Pull 6.75-6.25-6.25-6.00-6.25			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	5.00 5.25	6.00 3.50	Safe Operation
	5.00 5.00	4.00 4.00	
	5.00	4.00	

2500	Cycles	Total	7500
Sear Lift			
Trigger Pull 6.00-6.25-6.25-6.25-6.25			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	4.50 4.50	4.00 4.00	Safe Operation
	4.50 4.50	4.00 4.00	
	4.50	4.00	