

Date 10-6-86Tester A. L.

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles 7500Cycle Rate SampleTEST: Safe - no off

<u>2500</u> Cycles	Total <u>10.000</u>			
Sear Lift				
Trigger Pull <u>25-6.00-6.00-6.00-5.75</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
<u>5.00</u>	<u>5.00</u>	<u>5.00</u>	<u>5.25</u>	
<u>5.12</u>	<u>5.10</u>	<u>5.12</u>	<u>5.00</u>	
<u>5.00</u>		<u>5.00</u>		

<u>2638</u> Cycles	Total <u>12638</u>			
Sear Lift				
Trigger Pull <u>5.75-5.75-5.75-5.75-5.75</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	
<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	
<u>4.00</u>		<u>4.00</u>		

<u>2874</u> Cycles	Total <u>10572</u>			
Sear Lift				
Trigger Pull <u>6.00-5.75-5.75-5.75-5.75</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	
<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	<u>4.00</u>	
<u>4.00</u>		<u>4.00</u>		

<u>2147</u> Cycles	Total <u>17659</u>			
Sear Lift				
Trigger Pull <u>6.00-6.00-5.75-6.00-6.00</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
<u>4.00</u>	<u>4.00</u>	<u>5.00</u>	<u>5.00</u>	
<u>4.00</u>	<u>4.00</u>	<u>5.00</u>	<u>5.00</u>	
<u>4.00</u>		<u>4.00</u>		

Date 10-6-50

Tester A Long

DRY CYCLE SUMMARY (For deviation attach supplementary sheet)

Previous Cycles 174.59 Cycle Rate 2.5 in 6 1/4

TEST: Adm - 171

Cycles	Total			10 Rd. Function	Safe Operation
Sear Lift	<u>Inf. 0025</u>	<u>head pull - 003</u>			
Trigger Pull	<u>525-550 550 550 550</u>				
Observations:	Force for Safe On	Force for Safe Off			
	<u>3.52</u>	<u>4.0</u>	<u>4.2</u>		
	<u>3.55</u>	<u>3.52</u>	<u>2.52</u>		
	<u>3.75</u>	<u>3.50</u>	<u>3.75</u>		

Cycles	Total			10 Rd. Function	Safe Operation
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off			

Cycles	Total			10 Rd. Function	Safe Operation
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off			

Cycles	Total			10 Rd. Function	Safe Operation
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off			

Date 10-6-80Tester A Long

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles 0Cycle Rate 1000/5TEST: 6.4. on - only

<u>0</u> Cycles	Total <u>0</u>			
Sear Lift	<u>4.00 - 100.8</u>		<u>True fired 100.35</u>	
Trigger Pull	<u>6.50 - 6.00 - 6.00</u>		<u>6.00 5.75</u>	
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.75 1.75</u>	<u>6.00 6.25</u>		
	<u>5.50 5.00</u>	<u>6.50 6.00</u>		
	<u>5.50</u>	<u>5.75 1.25</u>		

<u>2579</u> Cycles	Total <u>2579</u>			
Sear Lift				
Trigger Pull	<u>6.50 - 5.75 - 6.00 - 6.00</u>			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.75 6.00</u>	<u>6.00 6.00</u>		
	<u>5.50 5.50</u>	<u>6.00 6.00</u>		
	<u>5.50</u>	<u>6.00</u>		

<u>2804</u> Cycles	Total <u>5083</u>			
Sear Lift				
Trigger Pull	<u>6.00 - 6.00 - 5.75 - 6.00 - 6.00</u>			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.00 5.00</u>	<u>5.75 5.50</u>		
	<u>4.75 5.00</u>	<u>5.00 5.00</u>		
	<u>4.75</u>	<u>5.00</u>		

<u>2417</u> Cycles	Total <u>7500</u>			
Sear Lift				
Trigger Pull	<u>6.00 - 5.50 5.75 6.00 6.00</u>			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.10 5.00</u>	<u>5.00 5.50</u>		
	<u>5.00 1.00</u>	<u>5.75 5.00</u>		
	<u>5.00</u>	<u>5.50</u>		

Date

10-6-80

Tester

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles

1000

Cycle Rate

1000

TEST:

Safe on - off

3100 Cycles		Total 10600	
Sear Lift Trigger Pull 6.00-5.75-6.00-6.00-6.00			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	4.50 4.00	4.50 4.00	
	4.00 4.00	4.50 4.00	
	4.50	4.00	
2205 Cycles		Total 12805	
Sear Lift Trigger Pull 6.00-5.75-5.75-6.00-6.25			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	5.00 4.50	4.00 4.00	
	4.50 4.50	4.50 4.00	
	4.00	4.00	
2195 Cycles		Total 15000	
Sear Lift Trigger Pull 6.00-6.00-6.00-5.75-5.75			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	4.00 4.50	5.00 5.00	
	4.00 4.00	4.00 4.00	
	4.00	4.00	
7570 Cycles		Total 17500	
Sear Lift Trigger Pull 5.75-5.75-5.75-5.75-6.00			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	4.00 4.50	4.50 4.00	
	4.50 4.00	4.50 4.00	
	4.00	4.00	