## Features to check at a focus panel

\$

1. barrel contour 2. barrel length 3. box magazine 4. synthetic stocks 5. safety location
 6. trigger feel (creep, overtravel, force)
 7. stainless vs. carbon steel 8. sights vs. no sights 9. metal finish 10. accuracy receiver shape (Blaser vs. traditional) 11. 12. muzzle brake/porting 13. weight 14. balance 15. bolt lock 16. electronic fire control 17. extractor 18. recoil lug 19. "custom" order a gun and get it in 1 week logistic problem?

\$30 M FOR QU FORUS PANEL SEPT. - OCT. TIME FRAME FOR FORUS PANEL JULY - AUG. TIME FRAME FOR GEDEMANN JAY- SHOW TO VIC WEEK OF 4/1, DO WE HAVE \$7, SETUP 3WAY W GEDEMAN US- REVISE THIS DOCUMENT, GET GUNS TOGETHER

···· ···	•	
	•	
2	1.	barrel contour
		-M/700 NR, BDL
		-M/77 MarkII
		-A-Bolt standard/magnum
	•	-M/70
	2.	barrel length
		-M/7 -M/700 standard/magnum
	з.	box magazine
		-QuickClip
		-A-Bolt
		-M/788
-	4.	synthetic stocks
		-M/700 AS, KS
		-M/77 MarkII
		-A-Bolt Stainless Stalker
	5.	safety location
		-M/700
		-M/77 MarkII
		-A-Bolt
		-M/70
	6.	-Weatherby
	0.	<pre>trigger feel (creep, overtravel, force)     -M/77 MarkII (no adjustment)</pre>
	7.	stainless vs. carbon steel
	••	-M/77 MarkII SS (bright)
		-A-Bolt Stainless Stalker (matte)
		-M/700AS (matte) vs. BDL (bright)
	8.	sights vs. no sights
		-M/700 Classic/MR, BDL
	9.	metal finish
		-M/700AS, BDL
		-M/77 MarkII SS
	10	-A-Bolt Stainless Stalker
	10.11.	accuracy
	<b>TT</b> .	receiver shape (Blaser vs. traditional) -M/700
		-Blaser
	12.	muzzle brake/porting
		-KDF screw on brake
		-Magnaport integral brake
	13.	weight
		-M/7 (6.25 lbs)
		-M/700 Varmint
	14.	balance
	15.	bolt lock
		-M/77 MarkII
	16.	-Sauer electronic fire control
		extractor
	±/.	
		-A-Bolt (M16 type)
		-M/77 MarkII (Mauser claw type)
	18.	recoil lug
		-M/700
		-M/77
		•

.... .

## Features of competitive guns

• • • \* \*

```
M/77 MarkII
     - 3 position safety near bolt plug
     - bolt lock
     - stainless steel (bright)
     - tapered barrel to muzzle
     - synthetic stock
     - Mauser claw type of extractor
     - integral scope mounts

use of investment castings
traditional trap door magazine

A-Bolt
     - 3 lug lock up
     - stainless steel (satin/matte)
     - synthetic stock
     - magazine box
     - tapered barrel to muzzle
- magnum barrel 4" longer than standard
     - 2 position tang safety
     - bolt lock
     - fluted bolt
     - extractor in shroud like M16
M/70
     - 3 position safety on bolt plug
     - barrel contour
     - Mauser claw type extractor
     - integral recoil lug
Weatherby
     - safety on bolt plug
     - stock styling
     - multi-lug lock up
     - extractor in shroud (M16 type)
Colt Sauer

    rear lock up

     - box magazine
     - loaded chamber indicator
Sauer 200
     - interchangable barrels
     - two piece stock
Blaser
     - interchangable barrels
     - unique receiver design
     - two piece stock
Sako
     - integral scope mounts
```

. . . . . . . . .

- probably one of the heaviest guns
- RH tang mounted safety

```
M/700
```

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER KINZER V. REMINGTON

## Types of people for a focus panel

ļ

- hunters (provide practical input)
- benchrest shooters (provide accuracy input)
   plaintiff's lawyer (L.S. Martin?)
   mechanical engineer (practical production)

- electrical engineer (new electronic technology)
- doctor (\$\$\$\$ for high end product) 19 =
- lawyer ( , product liability)
- ballistics expert (accuracy, gun/ammo system approach)
- women (size consideration in design)
- rancher (gun is an everyday tool)
- genomith (servicalility issues)

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER **KINZER V. REMINGTON** 

········