Features to check at a focus panel

2/19/91

.

1.	barrel contour
2.	barrel length
3.	box magazine
	synthetic stocks
4. 5.	safety location
6.	trigger feel (creep, overtravel, force)
7.	stainless vs. carbon steel
8.	sights vs. no sights
9.	metal finish
10.	accuracy
11.	receiver shape (Blaser vs. traditional)
12.	muzzle brake/porting
13.	weight
14.	balance
	bolt lock
16.	electronic fire control

- 17. extractor
- 18. recoil lug
- 19. "custom" order a gun and get it in 1 week

• SUMMER FOCUS PANNEL TO EARLEY FALL (SEPT, OCT) JULY + AUGUST FORMULATE QUESTIONEER WITH GEIDMAN. Get with Vie on avoidability of resources to fund this project. (CASH)?? Metwork with Low Geidman and Menson on thereway confirmed call. (New Approach / Custome Design)

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER KINZER V. REMINGTON

	1.	barrel contour
		-M/700 MR, BDL
		-M/77 MarkII
		-A-Bolt standard/magnum
	2.	
	4.	barrel length
		-M/7
	3.	-M/700 standard/magnum
	з.	box magazine -QuickClip
		-M/788
	4.	synthetic stocks
		-M/700 AS, KS
		-M/77 MarkII
		-A-Bolt Stainless Stalker
	5.	safety location
	••	-M/700
		-M/77 MarkII
		-A-Bolt
		-M/70
		-Weatherby
	6.	trigger feel (creep, overtravel, force)
	••	-M/77 MarkII (no adjustment)
	7.	stainlêss vs. carbon steel
	••	-M/77 MarkII SS (bright)
		-A-Bolt Stainless Stalker (matte)
		-M/700AS (matte) vs. BDL (bright)
	8.	sights vs. no sights
	•••	-M/700 Classic/MR, BDL
	9.	metal finish
·		-M/700AS, BDL
		-M/77 MarkII SS
		-A-Bolt Stainless Stalker
	10.	accuracy
	11.	receiver shape (Blaser vs. traditional)
		-M/700
		-Blaser
	12.	muzzle brake/porting
•7	•	-KDF screw on brake
		-Magnaport integral brake
	13.	weight
		-M/7 (6.25 lbs)
		-M/700 Varmint
	14.	balance
	15.	bolt lock
		-N/77 MarkII
		-Sauer
	16.	electronic fire control
		extractor
		-N/700
		-A-Bolt (M16 type)
		-M/77 MarkII (Mauser claw type)
	18.	recoil lug
	-	-M/700
		-M/77
		· · · · · ·

1

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER KINZER V. REMINGTON ••••

:

Features of competitive guns

M/77 MarkII

. .

• ,

~ }

- 3 position safety near bolt plug

- - - - - -----

- bolt lock
- stainless steel (bright) tapered barrel to muzzle
- synthetic stock
- Mauser claw type of extractor
- integral scope mounts
- use of investment castings
- traditional trap door magazine

A-Bolt

- 3 lug lock up
- stainless steel (satin/matte)
- synthetic stock
- magazine box
- tapered barrel to muzzle
- magnum barrel 4" longer than standard
- 2 position tang safety
- bolt lock
- fluted bolt
- extractor in shroud like M16

M/70

- 3 position safety on bolt plug
- barrel contour Mauser claw type extractor
- integral recoil lug

Weatherby

- safety on bolt plug
- stock styling
- multi-lug lock up
 extractor in shroud (M16 type)

Colt Sauer

1

- rear lock up
- box magazine
- loaded chamber indicator

Sauer 200

- interchangable barrels
- two piece stock

Blaser

- interchangable barrels
- unique receiver design
- two piece stock

Sako

- integral scope mounts
- probably one of the heaviest guns

.....

- RH tang mounted safety

M/700

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER **KINZER V. REMINGTON**

Types of people for a focus panel

1.4

. . .

(::::

...

- hunters (provide practical input)
- benchrest shooters (provide accuracy input) plaintiff's lawyer (L.S. Martin?)
- mechanical engineer (practical production)
 electrical engineer (new electronic technology)
 doctor (\$\$\$\$\$ for high end product)
 lawyer (" " " , product lia

- , product liability) - ballistics expert (accuracy, gun/ammo system approach) - women (size consideration in design)
- rancher (gun is an everyday tool)

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER KINZER V. REMINGTON

1.14

ñ. ì