












X-MARK PRO Highlights



- o Improved out-of-the-box feel
- o Better surface finish on key components for crisper trigger pull
- o Designed to accommodate all products in the Model 700 and Model Seven families
- o Up to 45% lower trigger pull settings from the factory
- o Enhanced corrosion resistance
- o Operates like current fire control
- o Safety blocks sear and trigger
- o Trigger pull adjustable by Authorized Repair Centers

Remington

MODEL 700™ SPSS Varmint (Stainless)



- 416 Stainless Steel Barrel and Action—Three Rings of Steel
- Newly designed SPS-Varmint stock (black synthetic) with Vented Beavertail Fore-End
- Dual Front Sling Swivel Studs
- 26" Varmint contour barrel with the legendary Model 700 action
- Drilled and Tapped for scope mounts
- Outfitted with NEW **X-MARK-PRO** Trigger
- Special Laser Engraved "Remington-America's Oldest Gunmaker" logo on the hinged floorplate
- Padded sling included and packaged in hard plastic gun case

Remington

Model 700™ SPSS—VARMINT Product Specs




Caliber	RAMAC #	UPC #
204 Ruger	85368	0 47700 85368 0
22-250 Rem	85369	0 47700 85369 7
223 Rem	85370	0 47700 85370 3

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Standard Short STAINLESS	5+1 (22-250 4+1)	26" Varmint Contour	46 1/2"	8 1/2

LOP: 13 3/8"; Drop at Comb: 1 1/8"; Drop at Heck: 1 3/8"

Remington

MODEL 700™ SPS Camo



- Blasted Black Oxide "Blued" Barrel and Action—Three Rings of Steel
- SPS-style stock & R3 pad with Mossy Oak New Break-Up Camo
- 24" Standard contour barrel with the legendary Model 700 action
- Outfitted with **NEW X-MARK-PRO** Trigger
- Laser Engraved "Remington-America's Oldest Gunmaker" logo on the hinged floorplate
- Padded sling included and packaged in hard plastic gun case
- Includes Sku - 70006212 - Cabela's Pine Ridge 3-9x40 Matte Finish Duplex Scope

Remington

MODEL 700™ SPS Camo Product Specs




Caliber	FAMAC #	UPC #
.223 Remington	85357	0 47700 85357 4
.243 Win	85358	0 47700 85358 1
.25-06 Remington	85359	0 47700 85359 8
.270 Win	85360	0 47700 85360 4
.30-06 Sprg	85361	0 47700 85361 1

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Standard Long	4+1	24"	44 1/2"	7 3/8
Standard Short	4+1	24"	43 5/8"	7 1/4

LOP: 13 3/8"; Drop at Comb: 1 1/8"; Drop at Heck: 1 3/8"

Remington

MODEL 700™ SPS YOUTH Camo Product Specs




***NOTE:** Model 700 SPS YOUTH Camo—same features as standard SPS Camo, but with 20" barrel and a 1" shorter Length-of-Pull (LOP)

Caliber	RAMAC #	UPC #
.223 Remington	85362	0 47700 85362 8
.243 Win	85363	0 47700 85363 5

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Standard Short	4+1	20"	39 5/8"	7

LOP: 12 3/8"; Drop at Comb: 1 1/8"; Drop at Heel: 1 3/8"

Remington

MODEL 700™ SPSS (Stainless) Camo



- 416 Stainless Steel Barrel and Action—Three Rings of Steel
- SPS-style stock & R3 pad with Mossy Oak New Break-Up Camo
- 24" Standard contour barrel on Standard Calibers
- 26" MAGNUM contour barrel on Magnum Calibers
- Outfitted with NEW **X-MARK-PRO** Trigger
- Laser Engraved "Remington-America's Oldest Gunmaker" logo on the hinged floorplate
- Padded sling included and packaged in hard plastic gun case
- Includes Sku - 70006213 - Cabela's Pine Ridge 4-12x44 Matte Finish Duplex Scope

Remington

MODEL 700™ SPSS Camo Product Specs





Caliber	FAMAC #	UPC #
.270 Win	85364	0 47700 85364 2
30-06 Sprg	85365	0 47700 85365 9
7mm Rem Mag	85366	0 47700 85366 6
.300 RUM	85367	0 47700 85367 3

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Standard Long	4+1	24"	44 1/2"	7 3/8
Long Action Magnum	3+1	26"	46 1/2"	7 5/8

LOP: 13 3/8"; Drop at Comb: 1 1/8"; Drop at Heck: 1 3/8"





Remington

MODEL 870™ Express Magnum FR-RS



- Blasted Black Oxide "Blued" Barrel and Action
- Drilled and Tapped Receiver for scope rail (Weaver # 429M)
- Monte Carlo Style Express Brown Laminate wood stock
- 12 Gauge—20" Fully Rifled Rifle Sighted Barrel
- Adjustable rifle sights

Remington

MODEL 870™ Express Magnum FR-RS




Gauge	RAMAC #	UPC #
12—2 1/4" and 3" Mag	81107	0 47700 81107 9

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump	4+1	20"FR-RS	40 1/2"	7 1/4

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heck: 1 7/8"

Remington


MODEL 870™ Express Magnum FR-RS COMBO



- Blasted Black Oxide "Blued" Barrel and Action
- Drilled and Tapped Receiver for scope rail (Weaver # 429M)
- Monte Carlo Style Express Brown Laminate wood stock
- 12 Gauge—20" Fully Rifled Rifle Sighted Barrel with adjustable rifle sights
- 12 Gauge—28" Vent Rib Bbl (Bead Sight)-Modified Rem Choke

Remington

MODEL 870™ Express Magnum FR-RS COMBO



Gauge	RAMAC #	UPC #
12—2 1/4" and 3" Mag	81281	0 47700 81281 6

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump	4+1	28" VR	48 1/2"	7 1/2
Pump	4+1	20" FR-RS	40 1/2"	7 1/4

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heck: 2 1/2"

Remington

MODEL 870™ Express Synthetic Super Magnum



- Blasted Black Oxide "Blued" Barrel and Action
- Standard Express Black Synthetic stock
- 12 Gauge-28" Express Vent Rib Barrel-Modified Rem Choke
- Tru-Glo front sight
- R3 Recoil Pad

Remington

MODEL 870™ Express Synthetic Super Magnum



Gauge	RAMAC #	UPC #
12-2 3/4" 3" and 3.5" Mag	27044	0 47700 27044 9

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump	4+1	28" VR	48 1/2"	7 1/2

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heel: 2 1/2"

Remington

MODEL 870™ Express Synthetic Magnum



- Blasted Black Oxide "Blued" Barrel and Action
- Standard Express Black Synthetic stock
- 12 Gauge-28" Express Vent Rib Barrel-Modified Rem Choke
- 20 Gauge-26" Express Vent Rib Barrel-Modified Rem Choke
- Tru-Glo front sight
- R3 Recoil Pad

Remington

MODEL 870™ Express Synthetic Magnum



Gauge	RAMAC #	UPC #
12-2 3/4" and 3" Mag	27071	0 47700 27071 5
20-2 3/4" and 3" Mag	27045	0 47700 27045 5

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump (12 Gauge)	4+1	12/28"VR	48 1/2"	7 1/2
Pump (20 Gauge)	4+1	20/26"VR	46 1/2"	6 1/4

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heel: 2 1/2"

Remington

MODEL 870™ Express Magnum



- Blasted Black Oxide "Blued" Barrel and Action
- Standard Express Brown Laminate Wood stock
- 12 Gauge—28" Express Vent Rib Barrel
- 20 Gauge—26" Express Vent Rib Barrel
- Tru-Glo front sight
- **ALL** guns include Full, Modified, and Improved Cylinder Rem Chokes
- **YOUTH** Model also available: 20Ga.—21" Exp. VR Barrel

Remington

MODEL 870™ Express Magnum



Gauge	RAMAC #	UPC #
12-2 3/4" and 3" Mag	27040	0 47700 27040 1
20-2 3/4" and 3" Mag	27041	0 47700 27041 8
20-2 3/4" and 3" Mag	27039-YOUTH	0 47700 27039 5

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump (12 Gauge)	4+1	12/28"VR	48 1/2"	7 1/2
Pump (20 Gauge)	4+1	20/26"VR	46 1/2"	6 1/4
Pump (20 Ga.) YOUTH**	4+1	20/21"VR	40 1/2"	6

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heel: 2 1/2" **Youth 13" LOP

Remington

MODEL 870™ Express Magnum FR-CL COMBO



- Full Camo Mossy Oak Break-Up
- Synthetic Stock and Fore-End
- 12 Gauge—23" Fully Rifled Cantilever Barrel for Scope Mounting
- 12 Gauge—28" Vent Rib Bbl (Hi-Viz Front Sight)-Modified Rem Choke Included
- Matching camo padded sling included

Remington

MODEL 870™ Express Magnum FR-CL COMBO




Gauge	RAMAC #	UPC #
12—2 1/4" and 3" Mag	25665	0 47700 25665 8

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump	4+1	28" VR	48 1/2"	7 1/2
Pump	4+1	23" FR-CL	40 1/2"	7 1/4

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heck: 2 1/2"

Remington

MODEL 870™ Express Synthetic Super Magnum



- Full camo gun with Realtree All-Purpose Green-HD camo
- Standard Express Synthetic stock
- 12 Gauge-28" Express Vent Rib Barrel-Modified Rem Choke
- Tru-Glo front sight
- R3 Recoil Pad

Remington

MODEL 870™ Express Synthetic Super Magnum



Gauge	RAMAC #	UPC #
12-2 3/4" 3" and 3.5" Mag	81108	0 47700 81108 6

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump	4+1	28" VR	48 1/2"	7 1/2

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heel: 2 1/2"

Remington

MODEL 870™ Express Syn. Super Magnum (Turkey)



- Full camo gun with Realtree All-Purpose Green-HD camo
- Standard Express Synthetic stock
- 12 Gauge-23" Express Vent Rib Barrel-Turkey Extra-Full Rem Choke included
- Tru-Glo front sight
- R3 Recoil Pad

Remington

MODEL 870™ Express Syn. Super Magnum (Turkey)



Gauge	RAMAC #	UPC #
12-2 3/4" 3" and 3.5" Mag	81109	0 47700 81109 3

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Pump	4+1	23" VR	43 1/2"	7 1/4

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heel: 2 1/2"

Remington

MODEL 11-87™ Sportsman Magnum



- Blasted Black Oxide "Blued" Barrel and Action
- Standard Express Brown Laminate Wood stock
- 12 Gauge—28" Sportsman Vent Rib Barrel
- 20 Gauge—26" Sportsman Vent Rib Barrel
- Tru-Glo front sight
- **ALL** guns include Full, Modified, and Improved Cylinder Rem Chokes
- **YOUTH** Model also available: 20Ga.—21" Spts. VR Barrel

Remington

MODEL 11-87™ Sportsman Magnum



Gauge	RAMAC #	UPC #
12-2 3/4" and 3" Mag	83650	0 47700 83650 8
20-2 3/4" and 3" Mag	83651	0 47700 83651 5
20-2 3/4" and 3" Mag	83652--YOUTH	0 47700 83652 2

Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight (Lbs)
Auto (12 Gauge)	4+1	12/28"VR	48"	8 1/4
Auto (20 Gauge)	4+1	20/26"VR	46"	7 1/4
Auto (20 Ga.) YOUTH**	4+1	20/21"VR	40 1/4"	6 1/2

LOP: 14"; Drop at Comb: 1 1/2"; Drop at Heel: 2 1/2" **Youth 13" LOP