





REMINGTON TACTICAL LINE OF
FIREARMS, AMMUNITION AND KNIVES

Remington




Tactical is more than just a type of gun or knife. Tactical is a state of mind. It's knowing you have the right tool for the job, and the confidence to do it, regardless of how intense. In situations where tactical performance matters, why would you rely on anything but the best? Remington, tactically smart.

MODEL 870™ TACTICAL SHOTGUNS



Model 1100™ Tactical Shotguns feature an oversized operating handle for fast action and quick response.




The Knocker™ SpecOps™ stock features a recoil compensation system that dramatically reduces felt recoil and muzzle jump.

Remington Tactical Shotguns Features:


- Model 870s are 12 gauge, 2 1/4" and 3" chambered and are available in 18" and 20" barrels with 2- and 3-shot magazine tube extensions.
- All models have bead sights (Model 1100™ TAC-4 has vent rib with front H&V™ sight).
- Model 1100s are 12 gauge, 2 1/4" chambered and are available in 18" and 22" barrels with 2- and 4-shot magazine tube extensions.
- Blasted black oxide finish with black synthetic tactical-style fore-ends.
- All stocks include sling swivel studs.




Model 870™ TAC-2
w/SpecOps™ Stock




Model 870™ TAC-3
w/SpeedFeed® IV Stock



Model 870™ TAC-2 FS
w/SpecOps™ Folding Stock




Model 870™ TAC-3 FS
w/SpecOps™ Folding Stock




Model 870™ TAC DESERT RECON
Tiger Stripe Products® Digital Tiger™
Desert Camo Synthetic Stock

Remington Tactical Firearms Specifications on back cover


MODEL 1100™ TACTICAL SHOTGUNS



Model 1100™ TAC-2
w/SpeedFeed® IV Stock



Model 1100™ TAC-4





Model 7615™ rifles standard with
10-round magazine and accept
aftermarket AR-15 magazine boxes.

MODEL 7615™ TACTICAL RIFLE

Model 7615™ Tactical Features:


- Unique carbine-style rifle is the perfect alternative sporting arm choice to the AR-15
- 10-round detachable AR-15 magazine box included
- Parkenized finish
- Knox® SpecOps™ NRS™ Stock
- Synthetic fore-end
- Sling swivel studs




Model 7615™ Tactical rifles equipped
with sling swivel studs.

MODEL 700™ SPS™ TACTICAL RIFLE

MODEL 700™ XCR COMPACT TACTICAL RIFLE



MODEL 700™ XCR TACTICAL LONG RANGE RIFLE



Model 700™ SPS™ Tactical Features:

- 20" heavy contour barrel
- Dual-pillar point bedding
- X-Mark Pro™ Trigger



Model 700™ XCR Tactical Features:

- Includes tactical precision shooting features for the tactical long range shooter

- New Tactical Bell & Carlson stock in OD Green w/black webbing
- Full length aluminum bedding block, tactical beavertail fore-end and recessed "thumbhook" behind pistol grip for off the bench shooting performance (long range rifle)
- Black TriNite™ Corrosion Control System for uncompromised corrosion/abrasion resistance

- 26" (Long Range) or 20" (Compact) variant contour 416 stainless steel barreled action with dish-style target crown and tactical-style firing, drilled and tapped for scope mounts
- 40-X externally adjustable trigger
- Hinged floorplate magazine
- Dual front swivel studs and rear stud
- Free floating barrel
- New extractor system

TACTICAL FIREARMS SPECIFICATIONS

Remington Tactical Shotguns Specifications:

	Model	Order#	Gauge	Mag. Cap.	BBL Length	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lb)
Model 870™ Tactical Shotgun (2 1/4" & 3")	Model 870 Desert RECON Speedfeed I™	81420	12	7	18"	Rem™ Choke	BS	OD Green Powder Coat	38"	13 3/4"	1 3/8"	2 3/8"	Synthetic	Desert Digital	7 1/2
	Model 870 Desert RECON Speedfeed IV™	81421	12	8	20"	Rem™ Choke	BS	OD Green Powder Coat	40"	13 3/4"	1 3/8"	2 3/8"	Synthetic	Desert Digital	7 1/2
	Model 870 TAC-2	81400	12	5	18"	Fixed Cylinder	BS	Blasted Black Oxide	Adj.	Adj.	1 1/2"	2 3/8"	Synthetic	Matte Black	7
	Model 870 TAC-3	81401	12	7	20"	Fixed Cylinder	BS	Blasted Black Oxide	38 1/2"	14"	1 3/8"	2 3/8"	Synthetic	Matte Black	7 1/2
	Model 870 TAC-3 FS	81402	12	6	18"	Fixed Cylinder	BS	Blasted Black Oxide	Adj.	Adj.	—	—	Synthetic	Matte Black	6 1/2
	Model 870 TAC-3 FS	81403	12	7	20"	Fixed Cylinder	BS	Blasted Black Oxide	Adj.	Adj.	—	—	Synthetic	Matte Black	7

	Model	Order#	Gauge	Mag. Cap.	BBL Length	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lb)
Model 1100™ Tactical Shotgun (2 1/2")	Model 1100 TAC-2	82800	12	6	18"	Fixed Imp. Cylinder	BS	Blasted Black Oxide	38 1/2"	14"	1 3/8"	2 3/8"	Synthetic	Matte Black	7 1/2
	Model 1100 TAC-4	82801	12	8	22"	Rem™ Choke	HViz™	Blasted Black Oxide	42 1/2"	14"	1 3/8"	2 3/8"	Synthetic	Matte Black	7 1/2

*Ortinal and tapered for Weaver-style scope mounts. (Weaver #429M rail not included). *Supplied with Modified, Improved Cylinder and Full Rem™ Choke Tubes. BS—Bead Sight.

Remington Tactical Rifles Specifications:

	Model	Order#	Caliber	Magazine Capacity	Barrel Length	Twist-R-H	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lb)
Model 7610™ Tactical Rifle	Model 7610	86400	223 Remington	10	16 1/2"	1 in 10"	36 3/4"	13 3/4"	1 3/8"	2 3/8"	Carbon Steel	Parkerized	Black Synthetic	Matte	6 1/2

	Model	Order#	Caliber	Magazine Capacity	Barrel Length	Twist-R-H	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lb)
Model 700™ SPS Tactical Rifle	Model 700	84206	223 Remington	5	20"	1 in 9"	39 3/4"	13 3/4"	1 3/8"	1 3/8"	Carbon Steel	Matte Blue	Black Overmold	Matte	7 1/2
	Model 700	84207	308 Win	4	20"	1 in 12"	39 3/4"	13 3/4"	1 3/8"	1 3/8"	Carbon Steel	Matte Blue	Black Overmold	Matte	7 1/2

	Model	Order#	Caliber	Magazine Capacity	Barrel Length	Twist-R-H	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lb)
Model 700™ XCR Davenport Tactical Rifle	Model 700	84468	223 Remington	5	20"	1 in 9"	39 3/4"	13 3/4"	1 3/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	Amend Fiber Reinf.	OD Green	8 1/2
	Model 700	84467	308 Win	4	20"	1 in 12"	39 3/4"	13 3/4"	1 3/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	Amend Fiber Reinf.	OD Green	7 1/2

	Model	Order#	Caliber	Magazine Capacity	Barrel Length	Twist-R-H	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lb)
Model 700™ XCR Tactical Long Rifle	Model 700	84406	223 Remington	5	26"	1 in 9"	45 3/4"	13 3/4"	1 3/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	Amend Fiber Reinf.	OD Green	8 1/2
	Model 700	84461	308 Win	4	26"	1 in 12"	45 3/4"	13 3/4"	1 3/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	Amend Fiber Reinf.	OD Green	8 1/2
	Model 700	84467	308 Win Mag	5	26"	1 in 10"	45 3/4"	13 3/4"	1 3/8"	1 3/8"	Stainless w/TriNyte®	Black TriNyte®	Amend Fiber Reinf.	OD Green	8 1/2

Remington

870 Remington Drive • Madison, NC 27025-0700

For More Info, Visit

www.REMINGTON.com

or Call 1-800-243-5700

REMINGTON® PREMIER® MATCH AMMUNITION

- Premier Match Ammunition is loaded with Sierra® MatchKing® Boat-tail bullets, high-grade primers, and specially blended powders for consistent velocity and exceptional accuracy to guarantee MOA accuracy out to 500 yds.



- 223 Remington HP Match uses a 62 gr. Remington bullet that produces superb match-grade accuracy regardless of 1:12 or 1:9 twist barrels. The special internal design of this flat base bullet delivers MOA performance equal to that of a boat tail bullet.

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® MATCH			
223 Remington	RM223R6	62	Hollow Point Match
223 Remington	RM223R1	69	MatchKing® BTHP
223 Remington	RM223R3	77	MatchKing® BTHP
8.4mm Rem. SPL	RM68R1	115	MatchKing® BTHP
300 Rem. SAUM	RM300SM7	190	MatchKing® BTHP
300 Win Mag	RM300M7	190	MatchKing® BTHP
308 Win	RM308W7	168	MatchKing® BTHP
308 Win	RM308W3	175	MatchKing® BTHP




EXPRESS® BUCKSHOT

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

Index/EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Buckshot Size	Pellet Count
EXPRESS® BUCKSHOT LEAD LOADS – BUFFERED					
12B000	12	2 1/4"	1325	000	8
12B001	12	2 1/4"	1325	00	8
12B0	12	2 1/4"	1275	0	12
12B1	12	2 1/4"	1250	1	16
12B4	12	2 1/4"	1325	4	27
20B3	20	2 1/4"	1220	3	20


HIGH-PERFORMANCE AMMUNITION




GOLDEN SABER™ HPJ

HIGH-PERFORMANCE HANDGUN AMMUNITION.

An outstanding example of Remington® bullet innovation. Designed for law enforcement, home security and personal defense applications, the Golden Saber™ High Performance Jacket successfully combines four critical elements of handgun bullet performance: Match-type accuracy, deep penetration, maximum expansion and virtually 100% weight retention. No other bullet has ever been able to fulfill these performance parameters so completely.



The high-performance jacket expands to a larger diameter than lead core — over 1.0x caliber diameter. The minimal lead deformation retains energy for deeper penetration.



Caliber	Index/ EDI No.	Primer No.	WL (grs.)	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory		Barrel Length
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	
PREMIER® GOLDEN SABER™ HPJ (HIGH PERFORMANCE JACKET)												
.357 Magnum™	GS357MA	5 1/2	125	1220	1095	1009	413	333	253	0.8"	3.5"	4"
9mm Luger	GS9MMB	1 1/2	124	1125	1031	963	345	293	255	1.0"	4.0"	4"
	GS9MMC	1 1/2	147	990	941	900	320	289	264	1.1"	4.9"	4"
9mm Luger (+P)	GS9MMD	1 1/2	124	1190	1089	1021	384	327	287	0.8"	3.8"	4"
380 Auto	GS380B	1 1/2	102	940	901	866	200	184	170	1.2"	5.1"	4"
38 Special (+P)®	GS38SB	1 1/2	125	975	929	885	261	238	218	1.0"	5.2"	4"
40 S&W	GS40SWA	5 1/2	165	1150	1040	964	485	396	340	1.0"	4.0"	4"
	GS40SWB	5 1/2	180	1015	960	914	412	368	334	1.0"	4.8"	4"
45 Auto.	GS45APA	2 1/2	185	1015	951	899	423	372	332	1.1"	4.5"	5"
	GS45APB	2 1/2	230	875	833	795	361	335	323	1.5"	6.1"	5"
45 Auto. (+P)	GS45APC	2 1/2	185	1140	1042	971	534	446	388	1.0"	4.0"	5"

*Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and as recommended by the gun manufacturer. Note: These ballistics reflected vertical barrel.


PREMIER™ TACTICAL KNIVES

TANGO®

- **Civilian:** 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- **G-10 handle**

- **Law Enforcement:** 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo
- **Military:** N690 stainless steel DLC coated blade with etched Remington® MPD logo

- **Series I:** Civilian – Cordura sheath; LE – Molle sheath; Military – Molle plus leg extension
- **Series I:** 5 1/2" Blade, 10 1/2" Overall Length
- **Series II:** 3 3/8" Blade, 4 1/2" Closed
- **Made in Italy**




PREMIER™ RESCUE™

- **Escape™ Series II Folder:** 440C stainless steel 3 1/2" Sheepfoot Combo blade with etched Remington® logo
- **Escape™ Series II Double Blade Folder:** 440C stainless steel 3" push button auto belt/web cutter and 3 1/2" Sheepfoot Combo blade with etched Remington® logo
- **Rugged, slip-resistant Forprene handle with glow-in-the-dark inserts (all models)**
- **Cordura sheath w/Molle**
- **Glass breaker**
- **Made in Italy**

ESCAPE SERIES II – FOLDER

BLACK HANDLE
Sheepfoot: 19847
Sheepfoot & Auto Seat Belt Blade: 19848

GREEN HANDLE
Sheepfoot: 19849
Sheepfoot & Auto Seat Belt Blade: 19850



ZULU®


- **Civilian:** 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- **Law Enforcement:** 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo
- **Military:** N690 stainless steel DLC coated blade with etched Remington® MPD logo
- **Anodized aluminum handle with 3M non-slip inserts**
- **Series I:** Civilian – Cordura sheath; LE – Molle sheath; Military – Molle plus leg extension (shown above)
- **Series I:** 4 1/2" Blade, 10 1/2" Overall Length
- **Series II:** 3 3/8" Blade, 4 1/2" Closed
- **Made in Italy**

ZULU SERIES II – FOLDER

CIVILIAN
Clip: 19569
Drop: 19570
Tanto: 19571

LAW ENFORCEMENT
Clip: 19572
Drop: 19573
Tanto: 19574

MILITARY
Clip: 19575
Drop: 19576
Tanto: 19577



ECHO®

- **Civilian:** 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- **Law Enforcement:** 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo
- **Military:** N690 stainless steel DLC coated blade with etched Remington® MPD logo
- **Anodized aluminum handle with 3M non-slip inserts**
- **4 1/2" Blade, 4 1/2" Closed**
- **Made in Italy**

ECHO SERIES II – FOLDER

CIVILIAN
Clip: 19578
Drop: 19579
Tanto: 19580

LAW ENFORCEMENT
Clip: 19581
Drop: 19582
Tanto: 19583

MILITARY
Clip: 19584
Drop: 19585
Tanto: 19586

