

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:36:03 2000

Feature Actual Nominal +Tol -Tol Dev/nom Out/tol

31 Text

Sample: ~~11~~

16 Distance

[11]

Distance

0.4699

X component

0.0019

Y component

~~0.4699~~ A

17 Distance

[11]

Distance

0.4438

X component

0.0014

Y component

~~0.4438~~ B

18 Angle

[11]

Angle

~~0.7229~~ C

X position

0.7229

Y position

0.2109

23 Distance

[11]

Distance

0.3425

X component

0.0030

Y component

~~0.3425~~ D

30 Distance

[11]

Distance

0.3117

X component

-0.0004

Y component

~~0.3117~~ E

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:37:21 2000

Feature Actual Nominal +Tol -Tol Dev/nom Out/tol

31 Text

Sample: ~~11~~

16 Distance

[11]

Distance

0.4697

X component

0.0019

Y component

~~0.4697~~

17 Distance

[11]

Distance

0.4446

X component

-0.0002

Y component

~~0.4446~~

18 Angle

[11]

Angle

~~0.7229~~

ET07803

Y component [REDACTED]
 18 Angle [11]
 Angle [REDACTED]
 X position 0.2221
 Y position [REDACTED]

23 Distance [11]
 Distance 0.3430
 X component -0.0036
 Y component [REDACTED]

30 Distance [11]
 Distance 0.3115
 X component 0.0011
 Y component [REDACTED]

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:39:12 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text
 Sample: [REDACTED]

16 Distance [11]
 Distance 0.4703
 X component 0.0019
 Y component [REDACTED]

17 Distance [11]
 Distance 0.4445
 X component 0.0013
 Y component [REDACTED]

18 Angle [11]
 Angle [REDACTED]
 X position 0.2146
 Y position 0.2258

23 Distance [11]
 Distance 0.3438
 X component -0.0070
 Y component [REDACTED]

30 Distance [11]
 Distance 0.3117
 X component 0.0018
 Y component [REDACTED]

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:41:08 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text
 Sample: [REDACTED]

16 Distance [11]
 Distance 0.4702
 X component 0.0019
 Y component -0.4702

CONFIDENTIAL

17 Distance [11]
Distance 0.4132
X component 0.0344
Y component 0.0344

18 Angle [11]
Angle 11.885
X position 0.7075
Y position 0.2271

23 Distance [11]
Distance 0.3520
X component 0.0319
Y component 0.0319

30 Distance [11]
Distance 0.3093
X component -0.0019
Y component 0.0093

Program: tlw0010v MVP Units: Inches Time: Tue Mar 21 11:43:40 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

G1 Text

Sample:

17 Distance [11]
Distance 0.4720
X component 0.0319
Y component 0.0319

18 Distance [11]
Distance 11.4472
X position 0.0023
Y position 0.0444

23 Angle [11]
Angle 11.725
X position 0.7060
Y position 0.2269

30 Distance [11]
Distance 0.3431
X component 0.0034
Y component 0.0420

30 Distance [11]
Distance 0.3094
X component -0.0029
Y component 0.0094

Program: tlw0010v MVP Units: Inches Time: Tue Mar 21 11:45:22 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

G1 Text

Sample:

17 Distance [11]

ET07805

16 Distance [11]
 Distance 0.4700
 X component -0.0019
 Y component -0.0000

17 Distance [11]
 Distance 0.4434
 X component 0.0028
 Y component -0.0000

18 Angle [11]
 Angle
 X position 0.7060
 Y position 0.2249

23 Distance [11]
 Distance 0.3431
 X component -0.0084
 Y component -0.0000

30 Distance [11]
 Distance 0.3094
 X component -0.0029
 Y component -0.0000

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:45:22 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/In
---------	--------	---------	------	------	---------	--------

31 Text

Sample #

16 Distance [11]
 Distance 0.4700
 X component -0.0019
 Y component -0.0000

17 Distance [11]
 Distance 0.4449
 X component 0.0007
 Y component -0.4449

18 Angle [11]
 Angle 34.246
 X position 0.7217
 Y position 0.2242

23 Distance [11]
 Distance 0.3439
 X component 0.0005
 Y component -0.3439

30 Distance [11]
 Distance 0.3134
 X component 0.0039
 Y component -0.3134

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:46:58 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/In
---------	--------	---------	------	------	---------	--------

31 Text

ET07806

Sample: 33-100

16 Distance [11]
 Distance 0.4703
 X component 0.0019
 Y component 0.4703

17 Distance [11]
 Distance 0.4458
 X component 0.0041
 Y component 0.4458

18 Angle [11]
 Angle 34.347
 X position 0.7182
 Y position 0.2241

23 Distance [11]
 Distance 0.3433
 X component 0.0002
 Y component 0.3433

30 Distance [11]
 Distance 0.3109
 X component 0.0008
 Y component 0.3109

Program: tiw0010v.MVP Units: Inches Time: Tue Mar 21 11:49:31 2000

Feature Actual Nominal +Tol -Tol Dev/nom Out/tol

16 Text

Sample: 33-100

16 Distance [11]
 Distance 0.4699
 X component 0.0019
 Y component 0.4699

17 Distance [11]
 Distance 0.4440
 X component 0.0013
 Y component 0.4440

18 Angle [11]
 Angle 34.262
 X position 0.7185
 Y position 0.2249

23 Distance [11]
 Distance 0.3433
 X component 0.0020
 Y component 0.3433

30 Distance [11]
 Distance 0.3109
 X component 0.0018
 Y component 0.3109

Program: tiw0010v.MVP Units: Inches Time: Tue Mar 21 11:52:01 2000

Feature Actual Nominal +Tol -Tol Dev/nom Out/tol

ET07807

31 Text
Sample: 2

16 Distance [11]
Distance 0.469
X component 0.0019
Y component 0.469

17 Distance [11]
Distance 0.4436
X component 0.0007
Y component 0.4436

18 Angle [11]
Angle 32.233
X position 0.7189
Y position 0.2225

22 Distance [11]
Distance 0.3432
X component 0.0019
Y component 0.3432

30 Distance [11]
Distance 0.3104
X component 0.0004
Y component 0.3104

Program: flw0010v.MVP Units: Inches Time: Tue Mar 21 13:06:03 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text
Sample: 2

16 Distance [11]
Distance 0.4700
X component 0.0019
Y component 0.4700

17 Distance [11]
Distance 0.4438
X component 0.0019
Y component 0.4438

18 Angle [11]
Angle 32.059
X position 0.7254
Y position 0.2182

23 Distance [11]
Distance 0.3430
X component 0.0018
Y component 0.3430

30 Distance [11]
Distance 0.3111
X component 0.0020
Y component 0.3111

Program: flw0010v.MVP Units: Inches Time: Tue Mar 21 13:09:05 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

ET07808

31 Text

Sample:

16 Distance [11]
 Distance 0.4701
 X component 0.0019
 Y component -0.4701

17 Distance [11]
 Distance 0.4445
 X component -0.0006
 Y component 0.4445

18 Angle [11]
 Angle 240
 X position 0.7218
 Y position 0.2268

23 Distance [11]
 Distance 0.3407
 X component 0.0071
 Y component 0.3407

30 Distance [11]
 Distance 0.3114
 X component 0.0025
 Y component 0.3114

Program: tlw0010v.MVP Unite: Inches Time: Tue Mar 21 13:16:13 2000

Feature Actual Nominal +Tol -Tol Dev/nom Out/tol

31 Text

Sample:

16 Distance [11]
 Distance 0.4690
 X component 0.0019
 Y component -0.4690

17 Distance [11]
 Distance 0.4447
 X component -0.0015
 Y component 0.4447

18 Angle [11]
 Angle 240
 X position 0.7198
 Y position 0.2256

23 Distance [11]
 Distance 0.3440
 X component 0.0010
 Y component 0.3440

30 Distance [11]
 Distance 0.3104
 X component 0.0030
 Y component 0.3104

ET07809