

REMINGTON M/710 DAT PHASE II

DAILY TEST DATA SHEET

BARBER - 5.22.06r0002998

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS AT START-	
				RDS. FIRED	TOTAL RDS.
JWI/ SW	9/11/00	HEADSPACE	Min +002		
JWI/ SW	9/11/00	PROOF, HEADSPACE	Proof Test, Min +003 + Stamp	1	1
JA/BU/UC	9-11-00	Trigger Pulls			
	9-11-00	Sear/Trigger Engagement/Sear Lift			
	9-11-00	Indents			
MRT	9-12-00	MAGNAFLUX Bolt Head - No Indications			
B Lee	9-12-00	BASIC JACK Functions Test	200 Rds per Gun 5 Ammo types	200	201
Jesse	9-13-00	BASIC Shoulder Function Test		50	251
SCOTT	9-13-00	CLEANED			
Jesse	9-14-00	Accuracy		60	311
Jesse	9-17-00	Endurance 1000 rds		1000	1311
Bob	9-17-00	Cleaned/Inspected			
ASH	9-18-00	Endurance	Rd Level 1740	740	2051
JA/ SW	9-19-00	Endurance	2000 Rd Level 1	260	2311
Jesse	9-19-00	Cleaned/Inspected			

Forms

ET18762

Confidential - Subject 5.2.2.06P0002598 Order

Order
Protective
- \$22.00
SHARPER -

Williams v. Remington

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT #

105067513

MALFUNCTIONS

MALFUNCTIONS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

REM SP CORE-LOKT 220 GR 27830

LOT # 3011C971

REM MC (UMC) 150 GR 23699

LOT # C04YAS713

51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REM NOSLER BAL. TIP 165 GR 29178

LOT # J27BA0713

FED SP 180 GR 3006B

LOT # 410810X003

Strengthen Mag Box

1 Str. Mag. Box

Remington Arms Confidential

ROUNDS AFTER 100

ET18763

GUN: # B-16

710 DAT FUNCTION

Tracking #: TLW 0010AC

DATE: 9-15-00

ENDURANCE TEST

PROJECT # 241095

SHOOTER: Joss R

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 4146782074	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	LOT # 3PL90
13		63	STRAIGHTEN MAG BOX
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	LOT # 410452321	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	LOT # ME61
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	LOT # 86RA70	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

2 Str. Box

ROUNDS AFTER 200

ET18764

BARBER - 5.22.06r0003001

GUN: # B-16

DATE: 9-18-00

SHOOTER: JEFF

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 200

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>LOS AC 7813</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL TIP 165 GR 29178
12		62	<u>5278A0714</u>
13		63	<u>STRAIGHTEN MAG BOX</u>
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22	<u>LOT # B30NC9714</u>	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	<u>710210R00J</u>
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42	<u>LOT # 615WB9613</u>	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

2 Str. Box
1 KTE

ROUNDS AFTER 300

ET18765

Sheet
2

BARBER-5.22.06r0003002

GUN: # B-16

DATE: 9-18-00

SHOOTER: JWC

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 300

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	4146782074
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	LOT # 3 PL 80
13		63	STRAIGHTEN ANG BAY
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	LOT # 4104572321	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	LOT # MDO 1
33		83	
34		84	
35		85	
36		86	BE STEAM LOW
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	PLA 70 67	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	STEAM LOW

Remington Arms Confidential

1 Str. Box
2 SL

ROUNDS AFTER 400

ET18766

BARBER-5.22.06r0003003

GUN: # B-16

DATE: 9-16-00

SHOOTER: JCR

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>105211514</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	<u>Springton mag OK</u>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	<u>LOT # 7279A0714</u>
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22	<u>LOT # A10208426</u>	72	
23		73	
24		74	
25	<u>FTE</u>	75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32	<u>FTE</u>	82	<u>410210X003</u>
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42	<u>LOT # 217089614</u>	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
3 FTEROUNDS AFTER 500

ET18767

Sheet
2

GUN : # B - 16

DATE : 9-16-00

SHOOTER : JWR

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 500

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 4146782074	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2	STRAIGHTEN MAG BOX	52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	LOT # 31280
13		63	
14		64	STRAIGHTEN MAG BOX
15		65	83
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	LOT # 4104572321	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	LOT # M001
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	LOT # 862A70	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

2 Str. Box

ROUNDS AFTER 600

ET18768

Sheet
1.

BARBER - 5.22.06r0003005

GUN : # B - 16

DATE : 9-16-00

SHOOTER : *Test 2*

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	605 MC 7513	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4	<i>1 FTE</i>	54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	REM NOSLER BAL. TIP 165 GR 29178	
12		62	<i>STearns mag 180</i>	
13		63		
14		64		
15		65		
16		66		
17	<i>1 FTE</i>	67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830	71		
22	<i>LOT # 030 MC 5517</i>	72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	FED SP 180 GR 3006B	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699	91		
42	<i>LOT # 415 WB 9613</i>	92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

*1 Str. Box
2 FTE*

ROUNDS AFTER 200

ET18769

Confidential - Subject to Protective Order
BARBER - 5.22.06r0003005
Williams v. Remington

Sheet
2

GUN : # B - 16

DATE : 9-12-00

SHOOTER : Jern

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095ROUNDS BEFORE 700

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 4146782074	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	32280
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	LOT # 4104572321	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	MD01
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	A42A70	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 str. Box

ROUNDS AFTER 800

ET18770

Sheet
1.

BARBER - 5.22.06r0003007

GUN: # B-16

DATE: 9-17-00

SHOOTER: Talc

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	605NC7513	
MALFUNCTIONS		MALFUNCTIONS		
1	STraighten mag box	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11	F T E	61	REM NOSLER BAL TIP 165 GR 29178 JL7B A1914	
12				
13				
14				
15				
16				
17				
18				
19				
20		70		
21	REM SP CORE-LOKT 220 GR 27830 LOT# 030 NC5513	71	83	
22				
23				
24				
25				
26				
27				
28				
29				
30		80		
31	CONFIDENTIAL	81	FED SP 180 GR 3006B U10510 X005	
32				
33				
34				
35				
36				
37				
38				
39				
40		90		
41	REM MC (UMC) 150 GR 23699 LOT# 415 W39618	91		
42				
43				
44				
45				
46				
47				
48				
49				
50		100		

Remington Arms Confidential

1st. Box
& FTE

ROUNDS AFTER 900

ET18771

Sheet
2

GUN: # B-16

DATE: 9-17-00

SHOOTER: Jell

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # <u>416782074</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	<u>37680</u>
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	<u>410452321</u>	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	<u>noel</u>
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	<u>UNDA70</u>	92	
43		93	
44		94	
45		95	<u>52</u>
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
2 SL

ROUNDS AFTER 1000

ET18772

Clean & Inspect Checklist

Model: 710Project: 241095Rifle: B-16TLW #: TLW 0010ADDate: 09 / 12 / 00Inspector: Bob LeeRound Level: 1000☒ Measure Headspace Min+.002☒ Firing Pin Indent 1st. 0.15 2nd. 0.18 3rd. 0.17 Ave. _____☒ Sear Engagement: .0249☒ Trigger Pull: 1st. 5.0 2nd. 5.5 3rd. 5.75 Ave. _____☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

☒ Receiver insert☒ Rear surface of Bolt Lugs☒ Check for "galling" on rear of Bolt Lugs☒ Bolt Plug☒ Bolt Plug Insert "ears" on firing pin assembly☒ Check for loose or missing pins - make note and re-stake if necessary☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18773

GUN - B-16
DATE - 9-18-00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1600

AMMO TYPE - REM R30064 180GR		LOT# - C035C1726	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4 ✓
3	3	53	1
4	4 ✓	54	2
5	1	55	3
6	2	56	4 ✓
7	3	57	1
8	4 ✓	58	2
9	1	59	3
10	2	60	4 ✓
11	3	61	1
12	4 ✓	62	2
13	1	63	3
14	2	64	4 ✓
15	3	65	1
16	4 ✓	66	2
17	1	67	3
18	2	68	4 ✓
19	3	69	1
20	4 ✓	70	2
21	1 Oiled Bolt	71	3
22	2	72	4 ✓
23	3	73	1
24	4 ✓	74	2
25	1	75	3
26	2	76	4 ✓
27	3	77	1
28	4 ✓	78	2
29	1	79	3
30	2	80	4 ✓
31	3	81	1
32	4 ✓	82	2
33	1	83	3
34	2	84	4 ✓
35	3	85	1
36	4 ✓	86	2
37	1	87	3
38	2	88	4 ✓
39	3	89	1
40	4 ✓	90	2
41	1	91	3
42	2	92	4 ✓
43	3	93	1
44	4 ✓	94	2
45	1	95	3
46	2	96	4 ✓
47	3	97	1
48	4 ✓	98	2
49	1	99	3
50	2	100	4 ✓

ET18774

BARBER - 5.22.06r0003011
GUN - B-16
DATE - 9-18-00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1100

AMMO TYPE - REM R30064 180GR		LOT# - C03SC1326	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 8-16
DATE - 9-18-00
SHOOTER - Jelle

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1200

AMMO TYPE - REM R30064 180GR			LOT# - C03SC1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - *16*
 DATE - *9-18-00*
 SHOOTER - *B. Lee*

M/710 FUNCTION
 AND ENDURANCE

PROJECT# 241095
 TLW 0010AC

1300

AMMO TYPE - REM R30064 180GR		LOT# - <i>COL SC 2025</i>	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 16
DATE - 7-18-02
SHOOTER - B-LRL

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1400

AMMO TYPE - REM R30064 180GR		LOT# - 001 SC 2626	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 76
DATE - 9-18-00
SHOOTER - Blee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1500

AMMO TYPE - REM R30064 180GR		LOT# - C03 SC 20 26	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 16
DATE - 9-18-03
SHOOTER - B. Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1600

AMMO TYPE - REM R30064 180GR		LOT# - 201502005	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 16
DATE - 9-18-00

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

SHOOTER - B Lee / SW

1700

AMMO TYPE - REM R30064 180GR			LOT# - 001SC 2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	✓
7	3		57	1	
8	4		58	2	Fail To eject
9	1		59	3	
10	2		60	4	✓
11	3		61	1	Oiled Bolt
12	4		62	2	
13	1		63	3	
14	2		64	4	✓
15	3		65	1	
16	4		66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	✓
23	3		73	1	
24	4		74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3		77	1	
28	4		78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3		81	1	
32	4		82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3		85	1	
36	4	Fail To Eject	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3		89	1	
40	4		90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3		93	1	
44	4		94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3		97	1	
48	4		98	2	✓
49	1	Fail To eject	99	3	✓
50	2		100	4	

3 FTE

GUN - 18-16
DATE - 9/19/00
SHOOTER - SWM/710 FUNCTION
AND ENDURANCEPROJECT# 241095
TLW 0010AC

1800

AMMO TYPE - REM R30064 180GR			LOT# - C015C2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1	51	3	✓	
2	2	52	4	✓	
3	3	53	1		
4	4	54	2		
5	1	55	3	✓	
6	2	56	4	✓	
7	3	57	1		
8	4	58	2		
9	1	59	3	✓	
10	2	60	4	✓	
11	3	61	1		C015C1325
12	4	62	2		
13	1	63	3		
14	2	64	4	✓	
15	3	65	1		
16	4	66	2		
17	1	67	3	✓	
18	2	68	4	✓	
19	3	69	1		
20	4	70	2		
21	1	71	3	✓	
22	2	72	4	✓	
23	3	73	1		
24	4	74	2		
25	1	75	3		
26	2	76	4	✓	
27	3	77	1		
28	4	78	2		
29	1	79	3	✓	
30	2	80	4	✓	
31	3	81	1		
32	4	82	2		
33	1	83	3	✓	
34	2	84	4	✓	
35	3	85	1		
36	4	86	2		
37	1	87	3	✓	
38	2	88	4	✓	
39	3	89	1		
40	4	90	2		
41	1	91	3	✓	
42	2	92	4	✓	
43	3	93	1		
44	4	94	2		
45	1	95	3	✓	
46	2	96	4	✓	
47	3	97	1		
48	4	98	2		
49	1	99	3	✓	
50	2	100	4	✓	

ET18782

GUN - 1376
DATE - 9/19/00
SHOOTER - SN

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

AMMO TYPE - REM R30064 180GR			LOT# - C01SC1325		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3	✓	57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3	✓	61	1	C03SC2026
12	4	✓	62	2	
13	1		63	3	Fail To Eject
14	2		64	4	✓
15	3	✓	65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3	✓	69	1	
20	4	✓	70	2	
21	1	C01SC2025	71	3	✓
22	2		72	4	✓
23	3	✓	73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3	✓	77	1	
28	4	✓	78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1	C03SC1326	91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

1 FTE

Clean & Inspect Checklist

Model: 710Project: 241095Rifle: B-16TLW #: TLW 0010ADDate: 9 / 18 / 00Inspector: JessieRound Level: 2000

- ☐ Measure Headspace + .003
- ☐ Firing Pin Indent 1st. .018 2nd. .017 3rd. .017 Ave. 83
- ☐ Sear Engagement: .0259
- ☐ Trigger Pull: 1st. 4.5 2nd. 4.5 3rd. 4.5 Ave. 83
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert *Some wear*
- ☒ Rear surface of Bolt Lugs *Some wear*
- ☒ Check for "galling" on rear of Bolt Lugs
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly *Some wear*
- ☐ Check for loose or missing pins - make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. *Some wear*

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18784