

TRACKING # TLW0010
PROJECT #241095

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS AT START-	B
				RDS. FIRED	TOTAL RDS.
JWI SW	9/11/00	HEADSPACE	MIA T002		
JWI SW	9/11/00	PROOF, HEADSPACE	Proof Test, MIA T003 & Stamp	1	1
JA/HL/OC	9-11-00	Trigger Pulls			
	9-11-00	Sear/Trigger Engagement/Sear Lift			
	9-11-00	Endants			
MET	9-12-00	MAGNAFLUX BOLT HEAD - NO INDICATIONS			
BLOE	9-12-00	BASIC JACK FUNCTIONS Test	WORDS per Gun Same types	200	201
Jesse	9-13-00	Asst. Shoulder Function Test		50	257
SCOTT	9-14-00	Cleaned			
Jesse	9-15-00	Accuracy		60	311
Jesse	9-17-00	Endurance	1000 Rds Level	1000	1311
Jesse	9-18-00	Cleaned/Inspected			

Forms

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT #

LOSNC 7513

MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 100

ET18833

Sheet
2

BARBER - 5.22.06r0003070

GUN : # B - 20

DATE : 9-18-00

SHOOTER : JBR

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5	STRAIGHT MAG BOX	55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

1 Str. Box

ROUNDS AFTER 200

ET18834

Sheet
1.

BARBER - 5.22.06r0003071

GUN : # B - 20

DATE : 9 - 15 - 00

SHOOTER : Jess R

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 200

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	AMMO REM PT SP CORE-LOKT 180 GR 27828	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		REM NOSLER BAL. TIP 165 GR 29178
12		62		<i>Straighten mag, Box</i>
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		FED SP 180 GR 3006B
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 300

ET18835

Sheet
2

GUN: # B - 20

DATE: 9-16-00

SHOOTER: Jellie

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62	5 Trajectory mag Box	
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22	5 Trajectory mag Box	72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT. + 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

2 Str. Box

ROUNDS AFTER 400

ET18836

BARBER - 5.22.06r0003073

GUN: # B - 20

DATE: 9-16-00

SHOOTER: JENL

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	
MALFUNCTIONS			MALFUNCTIONS
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	straighten mag box
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

2 str. box

ROUNDS AFTER 500

ET18837

Sheet
2

BARBER- 5.22.06r0003074

GUN: # B-20

DATE: 9-16-00

SHOOTER: *Test 2*

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 500

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	MALFUNCTIONS	
1	<i>Straight on mag box</i>	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62	<i>Straight on mag box</i>	
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30			80	
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96	<i>5 Rem Low</i>	
47		97		
48		98		
49		99		
50			100	

Remington Arms Confidential

*2 Str. BOX
1 SL*

ROUNDS AFTER 600

ET18838

Sheet

BARBER - 5.22.06r0003075

1.

GUN : # B - 20

DATE : 9-16-00

SHOOTER : *Test 2*

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	MALFUNCTIONS	
1	<i>Straighten Mag Box</i>	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11	61	REM NOSLER BAL. TIP 165 GR 29178		
12	62			
13	63			
14	64			
15	65			
16	66			
17	67			
18	68			
19	69			
20	70			
21	71			
22	72			
23	73			
24	74			
25	75			
26	76			
27	77			
28	78			
29	79			
30	80	FED SP 180 GR 3006B		
31	81			
32	82			
33	83			
34	84			
35	85			
36	86			
37	87			
38	88			
39	89			
40	90			
41	91			
42	92			
43	93			
44	94			
45	95			
46	96			
47	97			
48	98			
49	99			
50	100			

Remington Arms Confidential

1 Str. Box

ROUNDS AFTER 700

ET18839

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #		
MALFUNCTIONS			MALFUNCTIONS	
1	Straight away box	51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

1 Str. Box

ROUNDS AFTER 800

ET18840

Sheet
1.

BARBER - 5.22.06r0003077

GUN: # B-20

DATE: 9-17-00

SHOOTER: *Will*

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC

PROJECT # 241095

ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	MALFUNCTIONS	
1	<i>Straighten mag box</i>	51	<i>15712</i>	
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11	REM SP CORE-LOKT 220 GR. 27830	61	REM NOSLER BAL. TIP 165 GR 29178	
12				
13				
14				
15				
16				
17				
18				
19				
20				70
21		71		
22				
23				
24				
25				
26				
27				
28				
29				
30				80
31	REM MC (UMC) 150 GR 23699	81	FED SP 180 GR 3006B	
32				
33				
34				
35				
36				
37				
38				
39				
40				90
41		91		
42				
43				
44				
45				
46				
47				
48				
49				
50				100

Remington Arms Confidential

*1 Str. Box
2 FTE*

ROUNDS AFTER 900

ET18841

Sheet
2

BARBER - 5.22.06r0003078

GUN : # B - 20

DATE : 9-17-00

SHOOTER : *Test 2*

710 DAT FUNCTION

ENDURANCE TEST

Tracking #: TLW 0010AC

PROJECT # 241095

ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1	<i>STRAIGHT IN mag box</i>	51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11	FED BT SP 150 GR P3006G	61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20				
21		71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30				
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40				
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50				

Remington Arms Confidential

15th BOX

ROUNDS AFTER 1000

ET18842

Clean & Inspect Checklist

Model: 710
 Rifle: B-20
 Date: 9/18/00
 Round Level: 1000

Project: 241095
 TLW #: TLW 0010AD
 Inspector: Teste

- ☐ Measure Headspace 7.004
☐ Firing Pin Indent 1st. .018 2nd. .017 3rd. .018 Ave. 83
☐ Sear Engagement: .028
☐ Trigger Pull: 1st. 4 2nd. 4 3rd. 3.75 Ave. 83
☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert
☒ Rear surface of Bolt Lugs
☒ Check for "galling" on rear of Bolt Lugs
☒ Bolt Plug
☒ Bolt Plug Insert "ears" on firing pin assembly
☒ Check for loose or missing pins – make note and re-stake if necessary
☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18843