

Remington Arms Co., Inc.
Product Service
Legal Case #:3319

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
164328	3/11/2009	3/12/2009	3/12/2009				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Reporter	Bass Pro Shops		Bass Pro Shops	7970 E 49th Ave	Denver	CO	80239		W 720-385-3674 E relongone@basspro.com

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4038 Could Not Duplicate Concern		Unknown	
S	fired after releasing safety Concern:1007 Fired on Safe Release			
C				

3/17/09 per note with firearm, customer states firearm discharged when safety was moved from safe to fire.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/6MM REM	20000	A6466294	PO	6/10/1977
Date Purchased	Where Purchased	Accessories	Original Owner			
	SIMMONS GUN OLATHE KS	HARD CASE	U			

CONCERN:FSR

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
repair at special price under BLSM program						

Repair/Replacement Cost	Repair/Replacement Date
77.39	3/17/2009

3/17/09 per Bruce, could not duplicate concern. Trig assm very dirty, bolt stop sticks. Replace TPA, check over, clean under BLSP for \$20 + S&H.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B.TRAVIS
	Exam Date		3/12/2009
	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4038	Could Not Duplicate Concern	
	Description		22" 6MM REM
	Date Code		PO

Barrel	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
Bolt	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	STICKS
Extractor	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
Locking	Block Condition	---Select---	
	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	---Select---	
Overall	Exterior Condition	Worn; Functioning	
	Stock Condition	Worn; Functioning	
	Fore End Condition	---Select---	
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
Safety	Description		STANDARD M/700 BOLT LOCK SAFETY
	Function	Like new; Functioning	
Sear	Lift	---Select---	.010
	Notch	Slightly Worn; Functioning	
	Tests	Test Fired	False
Feeding Test		False	
Trigger	Condition	Slightly Worn; Functioning	VERY DIRTY
	Pull	---Select---	6#
	Altered	False	
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		HARD CASE

12
35
15
35.39

97.39
20

77.39 Payment

RECEIVED
MAR 13 2009

BY: _____

3319


 2211
 POW/77
 6#
 0/10

Factory Repair Form

Return to Previous Page

NOTE: Please complete and print this form, and then include it with your firearm.

Model Number: 700		Serial Number: A6466294	
Are you the original owner?: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
Name: Bass Pro Shops 034		Date of Purchase: Unknown	
Address (no PO Boxes): 7970 Northfield Blvd			
City: Denver	State: CO	Zip: 80238	
Phone (Daytime): (720) 385-3674		Fax: (303) 373-0504	
E-mail Address: (if e-mail address is provided, notification of receipt and shipment will be sent) relongone@basspro.com			
E-mail Address: <input type="checkbox"/> I would like to receive future e-mail updates from Remington.			
Please describe your problem and date of occurrence:			
Customer states firearm discharged when safety was moved from safe to fire.			
Robert E. Longone Gunsmith		could not duplicate concern. TRIG. ASSM. VERY DIRTY. SOCTSTEP. STICKS. replace TPA, check over, clean under bolt lock mechanism. Ron \$20.00 + svt.	
394 characters left			
Ammunition Information:			
Manufacturer:		Type:	
Other (i.e. bullet weight/type, shot size, powder):			
Powder Weight:			
Primer Used:			
Reloader Used:			
ounds)			

Number:

A6466294

Model: 700



RE00164328