Remington Arms Co., Inc. **Product Service** Legal Case #:2746

Case Information

RE# **Date Opened** Date Opened(PS) **Date Closed Incident Date** Pre Lit Lit Obsolete 9/30/2008 10/24/2008 10/31/2008 153951 - 154555

**Customer Information** 

Business First Name Last Name Street City State Zip Age Contact 205 Langland Ron Vinton H 540-890-2638 VA 24179 Reporter Gray H 703-878-9220 12406 Abbey Knoll Ct. Incident Andy Gray Woodbridge VA 22192 C 703-730-7144

**Incident Information** 

Claims Codes Repair Est. Medical Treatment Medical Status

PI

PD Shot hole in bedliner of truck

Concern: 1007 Fired on Safe Release S

C

9/30/08-Ron Gray owns firearm, hasnt used it in 30 years. Gave to son, Andy to use, gun fired when releasing safety to unload. Shot hole in bedliner of truck. Gun had not been serviced or looked at by gunsmith prior to using. Customer wants trigger replaced. Andy also has another 700 that he would like for us to look at lw 10/27/2008 Rifle received and Placed in PS Back Rack holding for disposition. We can offer to clean the action and install a new TA at n/c as a gesture of goodwill fls.

т.	T C	
Firearm	Intor	mation
т и Сани	шиот	manon

Mfg. Model/Ga. SKU Serial Bbl. DOM Type Remington CF/BA 700/22-250 20000 A6253438 BI 1/16/1976 Date **Original** Where Purchased Accessories Purchased Owner TWO PIECE SCOPE SANDY DISTR CHARLESTON W

Y

VA **BASE** 

CONCERN:FSR

Mfg. Model/Ga. SKU Type Serial Bbl. DOM Remington CF/BA 700/25-06 REM 20000 A6283111 AI 3/30/1976

**Date Purchased** Where Purchased Accessories Original Owner U

ODELL HDWE CO GREENSBORO NC SCOPE BASE

CONCERN:FSR

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/700/CF/BA

Reim. Cash Cash Settlement Release of Claims Release Date Reimbursement Date Date Settlement APV APV

repair one no charge, BLS program price for 2nd

> Repair/Replacement Repair/Replacement Cost Date

65.00

### 10/31/2008

10/1/08-sending 2 ars labels for each gun, boxes, letters.lw 10/30/08 Left message for Andy Gray to call about inspection of the 700 rifle.cm 10/31/08 Spoke with Andy about condition of the rifle. I will send him an owner's manual and explained cleaning the triggers with RemAction Cleaner to prevent build-up in the triggers again. He's sending a 700 22-250 to be checked and the bolt lock removed. He did not ask about assistance with repairs to his truck.cm 11/4/2008 2nd rifle # A628311 received and sent to AS for the bolt lock modification program at BLS program price fls.

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		B.TRAVIS
	Exam Date		10/27/2008
Examination	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4006	Altered Adjustments or Components	
	Description		24" 22-250 REM
	Date Code		BI
	Bore Plugged	False	
Barrel	Bulged	False	Ī
Dailei	Fired	False	· ·
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Worn; Functioning	LEAKING PRIMERS
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Slightly Worn; Functioning	
Overall	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Slightly Worn; Functioning	
Receiver	Bulged	False	
Safety	Description		STANDARD M/700 BOLT LOCK SAFETY
	Function	Like new; Functioning	
	Lift	Select	.012
Sear	Notch	Like new; Functioning	
	Tests	Test Fired	False
Feeding Test	Tests	False	

1	Condition	Slightly Worn; Functioning	_
	Pull	Select	2#
Trigger	Altered	True	SET SCREWS ALTERED MIN TRIG RETURN
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		TWO PIECE SCOPE BASE

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		B.TRAVIS
	Exam Date		11/4/2008
Examination	Product Type		RF
	Action Type	·	A
	Assigned To		F.SUPRY
Cause	4006	Altered Adjustments or Components	
	Description		24" 25-06 REM
	Date Code	]	AI
	Bore Plugged	False	
Barrel	Bulged	False	
Dario	Fired	False	
	Fired while Obstructed	]	
	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	]
	Ext/Eject Test	False	
	Block Condition	Select	]
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Slightly Worn; Functioning	
Overall	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Slightly Worn; Functioning	
140001701	Bulged	False	
Safety	Description		STANDARD M/700 BOLT LOCK SAFETY
	Function	Like new; Functioning	
·	Lift	Select	.009
Sear .	Notch	Slightly Worn; Functioning	
	Tests	Test Fired	False

Feeding Test		False	
	Condition	Slightly Worn; Functioning	DIRTY AND STICKY
	Pull	Select	2#
Trigger	Altered	mie	SET SCREWS ALTERED MIN TRIG RETURN
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		SCOPE BASE

	Callingon	311.1 Model 700 Center Fire Caliber	and the second s		
Number  RE00154555 epai	2506 REM P	Produced 03/30/1976	Status New 11/3/2008	1:51:29 RM	
ss Information					
Gustomer ne: ANDY GRAY	্	Received From Return To		eceived From	and the second s
12406 ABBEY KNOLL CT	a continuent i de artendonido estas comune	Control Commence of the Control of t	BEY KNOLL CT		
2	POBox	k [	PO Box		
ity MOODBRIDGE ite MA Zip Gode: [22192		WOODBRI ountry: WS State VA Zi	p Code: 22192 Country	j: US	
20 A C C C C C C C C C C C C C C C C C C		FFL:			
tact // Condition	Problems	E strnate 4	History / Status	pping / Billing	
				ient Status	هر و از حصصه از این است. در این است. مستوند های در این این است کرد در این است. این
Code 72008 1.48 2 New	User ID	Desc1 Repair Added		New New	
/2008 1:51 Update	valentds	Repair information change		008 1:51:29 PM Valentos	
/2008 1:53:1 Expedite /2008 8:52:2 Comment	valentds supryfl	From: Check In Returned for repair	Pioc	duct Services	
		· · · · · · · · · · · · · · · · · · ·	Hej	pair Location LN	
				ent Location	
			i naspeen Approved	TILN ster Number	
Commence of the Commence of th			I Internal Repair III		
	selection selections				
epair Search			<u>Refresh</u>	Close	
ppair Search			Refresh	Cluse	
epair/Search			<u>Refresh</u>	Sinse	
epair Search			<u>Refresh</u>	Succession of the succession o	
ppair Search			<u>Befresh</u>		

Cheis, The trigger adjustment screw positions had been altered, trigger was sticking and would not always return under sear, sear engagement seems was below our min. spec. We returned this gam to AS for new TA & cleaning under the Bolt lock modification program - billing customer.

Tred

# Remington.

October 1, 2008

Andy Gray 12406 Abbey Knoll Ct. Woodbridge, VA 22192

Subject: Model 700 Serial #A6253438

RE: Case #2746

Dear Mr. Gray,

We were sorry to learn about the unfortunate incident you experienced with your father's Model 700. We are certainly glad that no one was injured, and that you are anxious to get back to enjoying the shooting sports.

Per my conversation with your father, I have enclosed a prepaid UPS shipping label for you to ship the firearm back to our factory for examination and replacement of the trigger assembly under our Safety Modification Program. I have included some further information from our website pertaining to this program. I have also included a copy of this letter to put inside the shipping box. (The box will come under separate cover). The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Please also write "Supry" on the small ends of the box to help us expedite the inspection of your firearm. On the factory repair form, please provide additional information about the incident, including the date of the last occurrence, type of weather, type of ammunition being used, etc.

A second shipping label has been included if you wish to send your other Model 700 in for inspection. Once we receive the firearms, our Product Service Administrator, Chris Mitchell will contact you with the results of our inspection. She can also be reached at 800-243-9700 ext 8684. We apologize for the inconvenience that this incident has caused and we hope that our actions will keep you as a loyal Remington customer.

Sincerely,

Laura Watson

Administrative Asst., Service Operations

Remington Arms Company

TRIG. ASSM. SET SCREWS
ALTERED. TRIG. ASSM. DIRTY.
STICKY. Replace TPA, checilor
clean, under BOCT LOUIL
PROGRAM for \$ 20.00 + SA

Quete

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com

# Remington


(NOTE: Please print and complete t	epair Instructions this form, and then include it with your firearm.)
Model Number: 700	Serial Number: A6283111
Are you the original owner?: Last YES	NO
	2A-V Date of Purchase:
Address (no PO Boxes): 12406 A	BBEY KNOLL COUPT
City: WOODBPIDGE	State: VA   Zip: 22192
Phone (Daytime): 703730 7144	Fax:
E-mail Address: 703878 9220  would like to receive future e-mail updates fr	om Remington.
Please describe your problem:	
MY other moder	" 700 (22 - 250) ACCIDENTAL
DISCHARGED AND HA	S BEEN SENT IN SEPARATE
FOR SAFETY MODIFICA	TION LAUPA WATSON
SMD I COULD SEN	D IN THIS GUN TO SEE I
IT MEEDS THE SAM	IE ADJUSTMENT.
et eue	
at a the ag energy of	
Ammunition Information:	• •
والمرابع المرابع المرابع المرابع والمرابع المرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع	· Type: PREVIUM 90-CRAIN
Other (i.e. bullet weight/type, shot size, powder):	25-0.6 VAPMINT POUM
Handload Information:	
Powder Used:	Powder Weight:
Case/Hull Used:	Primer Used:
Bullet Type/Shot Size:	Reloader Used;
Firearms Care (Cleaning and Lubrication):	
Brand of deaning solution used:	
How often do you clean the bore? (Months or Numbe	r of rounds)
How often do you clean the action? (Months or Numb	per of rounds)
How often do you clean the trigger assembly? (Mont	ns or Number of rounds)
Brand of lubricant used:	

How often do you lubricate the bore? (Months or Number of rounds) How often do you lubricate the action? (Months or Number of rounds) How often do you lubricate the trigger assembly? (Months or Number of rounds) our reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? Comments: When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith? What were the services performed? Ship your INSURED firearm by either UPS or Parcel Post to: REMINGTON ARMS CO., INC ATTN: Arms: Service Divison - 14 Hoeffer Ave \_\_Tijon, NY 13357.... WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM, THIS IS A VIOLATION OF FEDERAL LAW: IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR PIREARM. :: Record the serial number of your firearm before sending it. :: Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.)

- :: Remove all accessories from your firearm to prevent loss or damage.
- :: Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused.
- :: Ship your INSURED firearm by either UPS or Parcal Post, Remington is not responsible for clamage or loss during shipment, so you may elect to purchase insurance from your carrier.

Charge repairs will be processed using the following guidelines:

- :: Repairs \$75.00 and under will be completed and returned to you.C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)
- :: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card.



Sticky residue from long
Storage - trigger not returning
properly under sear,
we can offer Boit lack program
at NIC as gestire of goodwillThat would be cleaning the Action and
installing a new Trigger assembly.

## BARBER - Kinzer PPS GAL RE0008747 Renuing to the second s

2746

75 176 24 24

October 1, 2008

Andy Gray 12406 Abbey Knoll Ct. Woodbridge, VA 22192

Subject: Model 700 Serial #A6253438

RE: Case #2746

Dear Mr. Gray,



We were sorry to learn about the unfortunate incident you experienced with your father's Model 700. We are certainly glad that no one was injured, and that you are anxious to get back to enjoying the shooting sports.

Per my conversation with your father, I have enclosed a prepaid UPS shipping label for you to ship the firearm back to our factory for examination and replacement of the trigger assembly under our Safety Modification Program. I have included some further information from our website pertaining to this program. I have also included a copy of this letter to put inside the shipping box. (The box will come under separate cover). The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Please also write "Supry" on the small ends of the box to help us expedite the inspection of your firearm. On the factory repair form, please provide additional information about the incident, including the date of the last occurrence, type of weather, type of ammunition being used, etc.

A second shipping label has been included if you wish to send your other Model 700 in for inspection. Once we receive the firearms, our Product Service Administrator, Chris Mitchell will contact you with the results of our inspection. She can also be reached at 800-243-9700 ext 8684. We apologize for the inconvenience that this incident has caused and we hope that our actions will keep you as a loyal Remington customer.

Sincerely,

Laura Watson

Administrative Asst., Service Operations

Remington Arms Company

Trig. Set Screus Acrered Trightretun N/Mg properly. Hymae TDA, check over, clear under 60 It Lock program

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com

### minoto

1011	16.010
	air Instructions orm, and then include it with your firearm.)
Model Number: 700	Serial Number: A 6253438
Are you the original owner?: YES CONO (	GIFT FROM MY DAD WHO
Name: ANDREW T. GRAY	Date of Purchase:
Address (no PO Boxes): 12406 ABBE	y know court
City: WOODBRIDGE	State: VA Zip: 22192
Phone (Daytime): 703 730 7144	Fax:
E-mail Address: 703 878 9220	Remington.
Please describe your problem:	*
ACCIDENTAL DISC	HAPGE DE GUN
	9 - I PUT THE
والمراقب	FIRE POSITION AND
WHEN I LISTED	THE BOLT THE
GUN FIRED INT	O THE BACK OF MY
PICK-UP TRUCK	
- 2008 WINCH	ESTER ANNO
Ammunition Information:	•••
Menufacturer:	Туре;
Other (i.e. bullet weight/type, shot size, powder):	** ** ** ** ** ** ** * * * * * * * * *
Handload Information:	
Powder Used:	Powder Weight:
Case/Hull Used:	Primer Used:
Bullet Type/Shot Size:	Reloader Used:
Firearms Care (Cleaning and Lubrication):	
Brand of cleaning solution used;	
How often do you clean the bore? (Months or Number of	rounds)
How often do you clean the action? (Months or Number of	of rounds)
How often do you clean the trigger assembly? (Months o	r Number of rounds)
Brand of lubricant used:	

\* WHEN THE MODIFICATION IS COMPLETE, I WOULD LIKE TO HAVE A TRASER PULL AS

### BARBER - Kinzer PPS GAL RE0008749 "

How often do you lubricate the bore? (Months or Number of rounds)
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds)
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual?
Comments:
When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?
What were the services performed?
V(N)
Ship your INSURED firearm by either UPS or Parcel Post to: ""
REMINGTON ARMS CO., INC  ATTN: Arms Service Divison  - 14 Hoefler Ave  - Lijon, NY 13357
WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE PIREARM. THIS IS A VIOLATION OF FEDERAL-LAW: IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.  :: Peck your irrearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.)  :: Remove all accessories from your firearm to prevent lose or damage.  :: Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused.  :: Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for damage or loss during shipment, so you may elect to purchase insurance from your carrier.
Charge repairs will be processed using the following guidelines:
:: Repairs \$75.00 and under will be completed and returned to you.C.Q.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)
:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable texes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card.