.

| | | | | Remington Arms | s Co., Inc. | | | | | | |
|----------------------|--------------|-------------------------|-------------------------|-------------------------|-------------------------|-----------------|-------------------|---------|--------|---------|--------------|
| | | | | Product Ser | rvice | | | | | | |
| | | | | Legal Case # | #:1962 | | | | | | |
| Case Inform | mation | | | | | | | | | | |
| RE# 140628 | | Opened //2008 | Date Opened 1/7/2008 | | C losed /2008 | Incide 12/30 | nt Dat /2007 | e F | re Lit | Lit | Obsolete |
| Customer 1 | Informati | on | | | | | | | | | |
| Туре | Busines | | e Last Nan | ne Street | (| City | State | Zip | Age | С | ontact |
| Reporter | | Jim | Keal | 3206 Park V | | er Park | ΤХ | 77536 | | H 832 | -256-1505 |
| Incident In | formation | n | | | | | | | | | |
| | Claims | | • | Codes | F | Repair E | st. Me | dical T | reatme | ent Me | dical Status |
| Ы | | | | | | | | | | | |
| PD | | Cau | se:4038 Cor | uld Not Duplicate | Concern | | | | | | |
| S fired v | when open | ning bolt Con | | ed on Bolt Openin | | | | Unkr | lown | | |
| С | - | - | | - | - | | | | | | |
| 1/7/08-cus | t rifle fire | d when bolt m | oved to open. | No injuries or dan | nages.lw | | | | | | |
| Firearm In | formation | 1 | | | | | | | | | <u> </u> |
| Mfg. | | Туре | · | Model | l/Ga. | | SKI | IJ | Seria | l Bbl | DOM |
| Remingt | | CF/BA | | 700/30-0 | | | 2000 | | | | 10/11/1978 |
| Date Purchas | | Where Purc | hased | Access | ories | | Origi Own | nal | | | |
| r urchas | scu | JERRYS SP | T CTR | TWO PIEC | E SCOPE | | | CI | | | |
| | | MONTDAL | | BASE,HAF | | | U | | | | |
| CONCERI | N:FBO | | | | | | | | | | |
| Ammuniti | on Inform | nation - None I | Defined | | | | | | | | |
| | | rmation - None | | | | | | | | | |
| Settlement | | | | | | | | | | | |
| | - | | | Remington/700 | 0/CF/BA | | | | | | |
| G 44 | | | n . • | • | | | . (| Cash | Rein | n. Date | Cash Date |
| Settlen | nent | Release of C | laims | Release Date | Keimbi | ursemen | ^r Seti | lement | t A | PV | APV |
| Replace under S | | | | | | | | | | | |
| | | Repair/Repla Cost | cement Re | pair/Replacemen Date | it | | | | | | |
| 1/8/08-seir | nding ars | & ltr.lw 1/25/0 | 8-quote sent t | o replace Tpa und | er smp.lw | | | | | | |

Examination[Remington/CF/BA]

| Part | Sub-Part | Code | Comment |
|-------------|--------------|------|-----------|
| | Examiner | | B.TRAVIS |
| | Exam Date | | 1/25/2008 |
| Examination | Product Type | | RF |
| | Action Type | | A |
| | Assigned To | | F.SUPRY |
| | | | |

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=1962&Type=Case

1/30/2008

BARBER - Kinzer PPS GAL RE0008842

| Cause | 4038 | Could Not Duplicate Concern | |
|-----------------------------|---------------------------|--------------------------------|------------------------------------|
| | Description | | 22" 3006 SPR |
| | Date Code |] | EQ |
| | Bore Plugged | False | |
| Barrel | Bulged | False | |
| Darier | Fired | False | |
| | Fired while Obstructed | | |
| | Muzzle/Crown Condition | Slightly Worn; Functioning | |
| | Firing Pin | Slightly Worn; Functioning | |
| | Shroud | Slightly Worn; Functioning | |
| Bolt | Face | Slightly Worn; Functioning | |
| | Handle | Slightly Worn; Functioning | |
| | Stop | Slightly Worn; Functioning | WORKS SLUGGISH |
| | Condition | Slightly Worn; Functioning | |
| Extractor | Cut Condition | Slightly Worn; Functioning | |
| | Ext/Eject Test | False | |
| | Block Condition | Select | |
| Locking | Lug Condition | Slightly Worn; Functioning | |
| | Notch Condition | Select | |
| · | Exterior Condition | Slightly Worn; Functioning | |
| Overall | Stock Condition | Slightly Worn; Functioning |] |
| | Fore End Condition | Select | |
| Dessiver | Condition | Slightly Worn; Functioning | |
| Receiver | Bulged | False |] |
| | Description |] | STANDARD M/700 BOLT LOCK SAFETY |
| Safety | Function | Like new; Functioning |] |
| | Sub-Assembly | Non-ISS |] |
| | Lift | Select | .011 |
| Sear | Notch | Like new; Functioning | |
| | Tests | Test Fired | False |
| Feeding Test | 10313 | False | |
| | Condition | Like new; Functioning | |
| Trigger | Pull | Select | 4# |
| Trigger | Altered | False | |
| | Sub-Assembly | M/700 Bolt Lock | |
| Non-Remington Components | Description | | TWO PIECE SCOPE BASE,HARD CASE |



January 7, 2008

Jim Keal 3206 Park Vista Deer Park, TX 77536

Subject: Model 700 Serial #A6671658 RE: Case #1962

Dear Mr. Keal,

We were sorry to learn about your Model 700 firing when opening the bolt assembly. We are certainly glad that no one was injured, and that you are anxious to get back to enjoying the shooting sports.

As we discussed, I have enclosed a prepaid UPS shipping label and orange "Factory Only" label for you to ship the firearm back to our factory for examination. We will also replace the trigger assembly with a new one under our Safety Modification Program at a cost of \$20. I have also included a copy of this letter to put inside the shipping box. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. On the factory repair form, please provide additional information about the incident, including the date of the last occurrence, type of weather, type of ammunition being used, etc.

We apologize for the inconvenience that this incident has caused and we hope that our actions will keep you as a loyal Remington customer.

Sincerely,

Una Waton

Laura Watson Consumer Affairs Administrator Remington Arms Company

Phone: 800-243-9700 ext 8789 Fax: 336-548-7890 E-mail: <u>laura.watson@remington.com</u>

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com

BARBER - Kinzer PPS GAL RE0008843

.

./

JIM KEAL 3206 PARK VISTA DEER PARK TX 77536

10 LBS

1 OF 1

RS

SHIP TO: ATTN: PRODUCT SERVICES REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357



BARBER - Kinzer PPS GAL RE0008844

BARBER - Kinzer PPS GAL RE0008845

Oakley, Anita B.

From:Watson, Laura M.Sent:Monday, January 07, 2008 4:15 PMTo:Media Coordinator ScheduleSubject:ARS requests

Remington.

www.remington.com

Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

ARS LABEL REQUEST

| DATE: | | 1/7/2008 REC | QUESTED BY: | | Laura Watson | |
|--|---------------|--------------|--------------|--------|--------------|----|
| QUANTITY: | | 1WE | IGHT PER PAG | CKAGE: | | 10 |
| PLEASE CHECK ONE: MEDIA COORDINATOR TO MAIL | | IW | ILL MAIL | | xxxx | |
| DESCRIPTION: | REF: A6671658 | | | | | |

LABEL INFORMATION


| MAIL LABEL TO: | Jim Keal 3206 Park Vista Deer Park, TX 77536 | 4XX596 JAN 8, 2008 SERVICE GNDCOM ACT TRACKING# 124XX5969065270 REF 1:JIM KEAL/LW REF 2:REF# A6671658 | | D 1 OF 1 |
|----------------|---|---|---------|-------------------------------------|
| RETURN ITEM | llion, NY Attn: Product Service Factory Only (Need a label please) | AH 0.00 DG PR | 0.00 RS | T/P 0.50 0.00 0.00 9.04 |


PLEASE COMPLETE ALL PARTS OF THIS FORM AND SEND TO THE MEDIA COORDINATOR

| Add Repair Estimate Repair E | ot CAystem Gedte Repair: Ingury Repair Tools, CSR Tools / Reports, Table Maintenance, System Maintenance, Help | |
|---|--|--|
| Repairlingdisy | | |
| Repair Number RE00140628 | Serial: A6671658 Model: 700 Center Fire Caliber: Repairman 30.06 SERG: Produced: 10/11/1978 | |
| Venty Repair Address. Information | Status Status View Closed 1/24/2009 8:53 38 AM | |
| Customer | Received From Return To C Received From | |
| Name UIM KEAL Address 1 3206 PARK VISTA | JIM KEAL 3206 PARK VISTA | |
| Address 2: | PD/Box | |
| City DEER PARK State: TX Zip Code: 77538 | DEER PARK County US State ITX Zip Code 177536 County/US | The second s |
| | | |
| Contact / Condition | Problems aEstimateHistory / StatusShipping / Billing | |
| Date User ID. | Desc1 Desc2= C Shoppo Hdd | |
| 1/24/2008/8:50.1 sanguinegf | Repair Added | |
| 1/24/2008 8:53: sanguinegf 1/24/2008 12:05: ArmEmail | Repair Received JKEAL@COMCAST.NET Claimate Sent | |
| 1/224/2008/12:05 ArmEmail 1/25/2009/8:21:C supryfl | Receipt JKEAL@COMCAST.NET Pats Received Hepar Location Returned to AS for repair Bolt lock modification program Pressed inspection ILN | |
| | Return As Received Current Location | |
| | Image: second | |
| | I unternal.Hepar | |
| Repair <u>S</u> earch | <u>R</u> efresh <u>C</u> lose | |
| | | |
| | | |
| | | |
| | | |
| | | |
| rtele soleric | | |
| | 1725/2008 8 21 AM CAPS NUM INS SCRUSSER SOLO CLARK AND CAPS NUM INS SCRUSSER SCRUS | ্র জাওয়ের (এ) রাজ্য প্রা |

BARBER - Kinzer PPS GAL RE0008847







Model:

Jim Keal 3206 Park Vista

Deer Park, TX 77536

Subject: Model 700 Serial #A6671658 RE: Case #1962

Dear Mr. Keal,

We were sorry to learn about your Model 700 firing when opening the bolt assembly. We are certainly glad that no one was injured, and that you are anxious to get back to enjoying the shooting sports.

As we discussed, I have enclosed a prepaid UPS shipping label and orange "Factory Only" label for you to ship the firearm back to our factory for examination. We will also replace the trigger assembly with a new one under our Safety Modification Program at a cost of \$20. I have also included a copy of this letter to put inside the shipping box. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. On the factory repair form, please provide additional information about the incident, including the date of the last occurrence, type of weather, type of ammunition being used, etc.

We apologize for the inconvenience that this incident has caused and we hope that our actions will keep you as a loyal Remington customer.

Sincerely,

Una libition

Laura Watson Consumer Affairs Administrator Remington Arms Company

Phone: 800-243-9700 ext 8789 Fax: 336-548-7890 E-mail: <u>laura.watson@remington.com</u> could not duplicate concern reprodute TPA, clean over, clean under BOLT COCK PROGRAM ROR \$20.00 + 5+ H

A6671658

406ZC

700

RE00

Quote

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com • • •

٠

| Llow | 1770 0000 |
|---|--|
| Ken | ington. |
| | |
| | Repair Instructions e this form, and then include It with your firearm.) |
| Model Number: Model 700 BDL | Serial Number: A667/658 |
| Are you the original owner?: | NO |
| Name: James Keal | Date of Purchase: 1970s |
| Address (no PO Boxes): 3206 Par | |
| | ······································ |
| city: Deer Park | State: TX Zip: 77536 |
| Phone (Daytime): 832-256-150 | 75 Fax: |
| E-mail Address: jkeal@comca | ast.net |
| Please describe your problem: | · · · · · · · · · · · · · · · · · · · |
| Discharged when i | un loading. This happened on |
| Dec. 30, 2007, W | half was close and a lid |
| Dec. 30, 2007 | rather was clear, cold and a |
| | |
| · | |
| <u></u> | |
| · · · · · · | |
| | |
| | |
| \mathbf{D} | |
| Manufacturer: Remington On | |
| Manufacturer: Remington On | |
| Manufacturer: <u>Reming ton</u> On Other (i.e. buliet weight/type, shot size, powder): | |
| Manufacturer: <u>Remington</u> On Other (i.e. bullet weight/type, shot size, powder): Handload Information: Never Used | d |
| Manufacturer: <u>Remington</u> On Other (i.e. buliet weight/type, shot size, powder): Handload Information: <u>Never</u> Usec Powder Used: | م Powder Weight: |
| Manufacturer: <u>Remington</u> On Other (i.e. buliet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: | Powder Weight: Primer Used: |
| Manufacturer: <u>Remington</u> On Other (i.e. buliet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: | م Powder Weight: |
| Manufacturer: <u>Remington</u> On Other (i.e. buliet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: Bullet Type/Shot Size: | Powder Weight: Primer Used: |
| Manufacturer: <u>Reming ton On</u> Other (I.e. bullet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): | Powder Weight: Primer Used: Reloader Used: |
| Manufacturer: <u>Reming ton On</u> Other (i.e. bullet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: Hop | A Powder Welght: Primer Used: Reloader Used: |
| Manufacturer: <u>Reming ton On</u> Other (i.e. bullet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: <u>Hop</u> How often do you clean the bore? (Months or Num | A Powder Weight: Primer Used: Reloader Used: PopS nber of rounds) Always clean after 1 |
| Manufacturer: <u>Reming ton On</u> Other (i.e. bullet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: <u>Hop</u> How often do you clean the bore? (Months or Nur How often do you clean the action? (Months or Nur | A Powder Weight: Primer Used: Reloader Used: OOS nber of rounds) Always clean after under of rounds) Inter of rounds) |
| Other (i.e. bullet weight/type, shot size, powder): Handload Information: Never Usec Powder Used: Case/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): | A Powder Weight: Primer Used: Reloader Used: OOS nber of rounds) Always clean after under of rounds) Inter of rounds) |
| Manufacturer: <u>Reming ton On</u> Other (i.e. bullet weight/type, shot size, powder): Handload Information: <u>Never Usec</u> Powder Used: Case/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: <u>Hop</u> How often do you clean the bore? (Months or Nur How often do you clean the action? (Months or Nur | A Powder Weight: Primer Used: Reloader Used: OOS nber of rounds) Always clean after under of rounds) Inter of rounds) |

BARBER - Kinzer PPS GAL RE0008848

i de la companya de l

.

•

.

.

| | onths or Number of rounds) Atter Shooting |
|--|--|
| How often do you lubricate the action? (M | |
| How often do you lubricate the trigger as | sembly? (Months or Number of rounds) |
| Have you reviewed the cleaning and main | tenance recommendations on our web site or in our owners manual? |
| Comments: | |
| When was the last time that your firearm i | was serviced by a Remington authorized repairman/gunsmith? |
| What were the services performed? | Has not needed service until |
| | new |
| | |
| Ship your INSURED firearm by either l | UPS or Parcel Post to: |
| REMÍ | NGTON ARMS CO., INC |
| | and a set of the set o |
| ATTN: | : Arms Service Divison |
| · · · · · · · · · · · · · · · · · · · | 14 Hoefler Ave |
| | Lion, NY 13357 |
| - | |
| | |
| TREARM. THIS IS A VIOLATION OF FEI SEND THEM IN A SEPARATE PACKAGE AND 4ODEL AND SERIAL NUMBER OF YOUR FIR 2 Record the serial number of your firearm 2 Pack your firearm for safety and to preve ship in a firearm box. (Note: Original box 3 Remove all accessories from your firearm 4 Provide a return address on both the out 3 return address will be refused. 4 Ship your INSURED firearm by either UP | n before sending it. ent further damage in shipping and handling. Preferably, xes may not be returned.) |
| TREARM. THIS IS A VIOLATION OF FEI SEND THEM IN A SEPARATE PACKAGE AND 4ODEL AND SERIAL NUMBER OF YOUR FIR 2 Record the serial number of your firearm 2 Pack your firearm for safety and to preve ship in a firearm box. (Note: Original box 3 Remove all accessories from your firearm 4 Provide a return address on both the out 3 return address will be refused. 4 Ship your INSURED firearm by either UP | DERAL LAW: IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE DINCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND REARM, The before sending it. The further damage in shipping and handling. Preferably, was may not be returned.) In to prevent loss or damage. Tailed and inside the box. Shipments without a proper S or Parcel Post. Remington is not responsible for may elect to purchase insurance from your carrier. |
| TREARM. THIS IS A VIOLATION OF FEI SEND THEM IN A SEPARATE PACKAGE AND MODEL AND SERIAL NUMBER OF YOUR FIR Record the serial number of your firearm Pack your firearm for safety and to preve ship in a firearm box. (Note: Original box Remove all accessories from your firearm Provide a return address on both the out return address will be refused. Ship your INSURED firearm by either UP damage or loss during shipment, so you Charge repairs will be processed using the | DERAL LAW: IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE DINCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND REARM, a before sending it. ent further damage in shipping and handling. Preferably, xes may not be returned.) in to prevent loss or damage. Iside and inside the box. Shipments without a proper S or Parcel Post. Remington is not responsible for may elect to purchase insurance from your carrier. following guidelines: eted and returned to you C.O.D. (To avoid C. O.D. Charges, please |

and a summer of the second second

.