Remington Arms Co., Inc.
Product Service

Legal Case #:2825

Case Information

RE# Date Opened Date Opened(PS) Date Closed Incident Date Pre Lit Lit Obsolete

153862 10/27/2008 10/29/2008 10/29/2008

Customer Information

First Name **Last Name** Street City State Age Contact Type **Business** 1045 Hill St H 541-863-1996 Myrtle Creek OR 97457 Incident James Hoyle

Incident Information

Claims Codes Repair Est. Medical Treatment Medical Status

ΡI

PD Cause:4014 Defective Parts

S fired on safe release

Concern:1007 Fired on Safe Release

Unknown

С

As received the bolt was apart and the cross pin was missing. Customer says that the gun fired when he released the safety and when he ejected the shell the bolt came apart in his hand.

Firearm Information

Mfg. Type Model/Ga. SKU Serial Bbl. DOM

Remington CF/BA 770/270 WIN 85632 71430045 LC 2/25/2008 2:27:44 AM

Date Purchased Where Purchased Accessories Original Owner

8/12/2008 WAL-MART STORE 2477 SCOPE BASE Y

CONCERN:FSR,THEN BOLT CAME APART

Ammunition Information - None Defined
Other Products Information - None Defined

Settlement

Remington/770/CF/BA

Settlement Release of Claims Release Date Reimbursement Cash Reim. Date Cash Date Settlement APV APV

Repair/Replacement Cost Repair/Replacement Date

10/29/2008 returned to AS for n/c repair under warranty fls.

Remington/770/CF/BA

Settlement Release of Claims Release Date Reimbursement Cash Settlement APV APV

Repair/Replacement Cost Repair/Replacement Date

10/29/2008 returned to AS for n/c repair under warranty fls.

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment	
Examination	Examiner		B.TRAVIS	
	Exam Date		10/29/2008	
	Product Type		RF	

<u> </u>	Action Type	1	A
	Assigned To	7	F.SUPRY
Cause	4014	Defective Parts	APPEARS FIRING PIN CAME OUT OF THE BOLT CROSS PIN MISSING
Barrel	Description		22" 270 WIN
	Date Code	Ī	LC
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Like new; Functioning	
	Firing Pin	Like new; Functioning	BOLT RECEIVED UNASSM
	Shroud	Like new; Functioning	
Bolt	Face	Like new; Functioning	
	Handle	Like new; Functioning	
	Stop	Like new; Functioning	·
	Condition	Like new; Functioning	
Extractor	Cut Condition	Like new; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Like new; Functioning	
	Notch Condition	Select	
	Condition	Select	
Magazine	Box Condition	Like new; Functioning	
	Exterior Condition	Like new; Not Functioning	
Overall	Stock Condition	Like new; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Like new; Functioning	
	Bulged	False	
Safety	Description		STANDARD M/770 SAFETY
	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
Sear	Lift	Select	N/A
	Notch	Like new; Functioning	
	<u></u>	Test Fired	False
Feeding Test	Tests	False	
	Condition	Like new; Functioning	
Trigger	Pull	Select	N/A
Trigger	Altered	False	
	Sub-Assembly	Other Remington	

n Number RE00153862 Repair	Serial: 71 430045 270 WIN Produce	Model 770 Center Fire Calibe ed: 02/25/2008		Charles Swanson g 10/29/2008 8:14:26 AM	
ress Information Customer:	Rece Rece	sived From Return Fo		C-Received From	
lame: JAMES HOYLE	en e	varpanal rescuelation and the second	HOYLE	<u> </u>	
ess 2 1 1045 HILL STREET	PO Box	JIU45 HIL	L STREET	O Box	
City: MYRTLE CREEK		MYATLE	CREEK		
State OR Zip Code: 197457	Country	US State OR 2	Zip Code: (97457	Country US	
		FFL [
ontact / Condition	Problems	E stimate	History / Status	Shipping / Billing	
CINES SECONDO	eituillankuulla	17 / 5/57 20 - 15 11 11 11		Current Status	
le 20 constant	A True To the Arken The Company of the	esc1	Till Shipping Hold	Repairing	
1/23/2008 10:2 New 1/24/2008 10:2 Expedite	······································	Repair Added From: Check In	TinterFace Hold	10/29/2008 8:14:26 AM	
1/24/2008 10:31 Expedite		From: Repair Bench	Estimate Sent	swansonch	
V27/2008 12:3 Estimate	swansonch	Estimate Update	Parts Received) Repair Bench Repair Location	
1/29/2008 6:41: Maint		Repair Maintenance	Passed Inspection	ILN	
1/29/2008 8:08 Estimate		Estimate Update	T Retuin As Receive		
V29/2008 9:14 Estimate	swansonch	Estimate Update	Has been Approve	a TILN	
			I Internal Repair	Transfer Number	
Repair <u>S</u> earch			P.	fresh Close	
rehmi Zemrii		- 196 196	<u></u>	itesii <u>Q</u> iose	
	14 000				
え おにゅうぜん しょうし せんしょりん		法 多类 沙萨蓬马克			

Repairing under warranty ok

2825

22" 2/0X

Remington.

Factory Repair Instructions (NOTE: Please print and complete this form, and then include it with your firearm.)						
Model Number: 770	Serial Number: 7/4300 45					
Are you the original owner?: TYES TO NO						
Name: James Houle	Date of Purchase: $\S - 12 - 0 \S$					
Address (no PO Boxes): 1045 Hil	1 st.					
·						
city: Myrtle creek	State: () ve Zip: 97457					
Phone (Daytime): \$63-1996	Fax:					
E-mail Address: 54(would like to receive future e-mail updates from Remington.						
Please describe your problem: I Took	The ain out					
On Opening Page	and thever got					
To shoot "t. T	L went OFF when					
I Relased the So	ifty. I Ejecked					
The Spent Shell	and The Bolt					
Came a Don't In	My hand					
to you as written about	Control of the Contro					
Ammunition Information:						
Manufacturer: Deminston	Type: 270 Win.					
Other (i.e. bullet weight/type, shot size, powder): ISO Ore - lakt 75 P.						
1600 K 270 W 4	er in the second of the second					
Handload Information:						
Powder Used:	Powder Weight:					
Case/Hull Used:	Primer Used:					
Bullet Type/Shot Size:	Reloader Used:					
Firearms Care (Cleaning and Lubrication): $\mathcal{H}_{\mathcal{O}}$	OPES #9 Solvent					
Brand of cleaning solution used:						
How often do you clean the bore? (Months or Number of	rounds) Allter 12 rounds					
How often do you clean the action? (Months or Number of						
How often do you clean the trigger assembly? (Months or	•					
Brand of lubricant used: 140 DD & 5 # 9	LUBRICA-in Oil					

ouen

How often do you lubricate the bore? (Months or Number of rounds) Same as Alconoms
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds)
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? YES NO
Comments: I Try to Kern My asns as clean
as Possible
When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?
What were the services performed? 7000 it is Brane Red

Ship your INSURED firearm by either UPS or Parcel Post to:

REMINGTON ARMS CO., INC

ATTN: Arms Service Divison 14 Hoefler Ave Ilion, NY 13357

WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW: IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.

- :: Record the serial number of your firearm before sending it.
- :: Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.)
- :: Remove all accessories from your firearm to prevent loss or damage.
- :: Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused.
- Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for damage or loss during shipment, so you may elect to purchase insurance from your carrier.

71430045

Model: 770



RE00153862

idelines:

rned to you C.O.D. (To avoid C.O.D. Charges, please th your gun)

stimate detailing the nature of the repair, applicable taxes air estimate. Repairs can be paid by check, money order, i, or VISA). If you wish, you can expedite repairs over billed to your credit card.

check our completely suppose complete bolt using TPA.

Function test AT N/C

WARRANTY