Test Lab Work Request Form

Date Submitted: 19 May, 1999	Tracking #: TLW 9142I
Project #: 241095	Engineer: SNEDEKER, J.R.
Test Objective:	
COMPLETE STANDARD S.A.A.M.I. DROP, JAR-OFF AND ROTATION TESTING	
ON EACH OF THE M/710 EET SAMPLE RIFLES SUBMITTED FOR EVALUATION	
ON 18 MAY '99.	
Test Description:	
 Perform standard procedure, S.A.A.M.I. Drop, Jar-Off And Rotation Testing on all submitted samples of M/710 EET rifles. Examine each rifle after each drop using standard S.A.A.M.I. procedures. Load chamber and close bolt over a fresh primed case for each drop, jar-off or rotation orientation. "Fire" the primed case after each drop to make sure the round did not fire when dropped. Use the standard forms for S.A.A.M.I. Drop, Jar-Off And Rotation Testing procedure for recording the results. In addition to the test results, and as a minimum, each data sheet should list the tester's initials, the date, the beginning and ending round level covered by that data sheet. Also, the "TLW" number, the serial number of the fire arm and the sample number and the ammunition type used when the malfunction occurred should be recorded on each data sheet. Due to the construction of the EET samples, the drop procedure may require modification. Before proceeding with this test, discussion should occur between the engineer technician and testing manager to determine the proper methods to be used. 	
Resource Usage:	Test Results Required:
Manpower Requirements -	Formal Report: Data Only: X
1 Technician	REQUESTED Completion Date:
Facility Requirements -	28 May '99
Required Materials/Parts/Equipment (include quantities):	
Approximately 120 rounds of standard .30-06 ammunition, with bullets and powder removed	
to make primed cases.	
85 durameter rubber mat.	
Test Parts Availability Date: 18 May '99	
Start Date:	Test Assigned To: Jeff Wade
Completion Date:	5/19/99
Report Date:	
INDEXED ASSIGNED SCHEDULED	

ET19833