## **Test Lab Work Request Form**

Date Submitted: 19 May, 1999	Tracking #: TLW 9142I
Project #: 241095	Engineer: SNEDEKER, J.R.
Test Objective:	
COMPLETE STANDARD S.A.A.M.I. DROP, JAR-OFF AND ROTATION TESTING	
ON EACH OF THE M/710 EET SAMPLE RIFLES SUBMITTED FOR EVALUATION	
ON 18 MAY '99.	
Test Description:	
1. Perform standard procedure, S.A.A.M.I. Drop, Jar-Off And Rotation Testing on	
all submitted samples of M/710 EET rifles. Examine each rifle after each drop	
using standard S.A.A.M.I. procedures. Load chamber and close bolt over a	
fresh primed case for each drop, jar-off or rotation orientation. "Fire" the primed case after each drop to make sure the round did not fire when dropped.	
2. Use the standard forms for S.A.A.M.I. Drop, Jar-Off And Rotation Testing	
procedure for recording the results. In addition to the test results, and as a	
minimum, each data sheet should list the lester's initials, the date, the beginning	
and ending round level covered by that data sheet. Also, the "TLW" number,	
the serial number of the firearm and the sample number and the ammunition	
type used when the malfunction occurred should be recorded on each data sheet.	
	T samples, the drop procedure may require
modification. Before proceeding with this test, discussion should occur between	
the engineer technician and testing manager to determine the proper methods to	
be used.	
Resource Usage:	Test Results Required:
Menpower Requirements -	Formal Report: Data Only: X
1 technician	REQUESTED Completion Date:
Facility Requirements - 28 May '99	
Required Materials/Parts/Equipment (include quantities):	
Approximately 120 rounds of standard .30-06 ammunition, with bullets and powder removed	
to make primed cases. 85 durameter rubber mat.	
Test Parts Availability Date: 18 May '99	
Start Date:	Test Assigned To: Jeff Wade 5/19/99
Completion Date: Report Date:	3113133
Report Date.	
□ INDEXED □ ASSIGNED □ SCHEDULED	

ET19834