Remington Arms Co., Inc. **Product Service** Legal Case #:4883

Case Information

RE# Date Opened Date Opened(PS) **Date Closed Incident Date** Pre Lit Lit Obsolete

209880 11/10/2010 10/28/2010 11/11/2010

Customer Information

City State Zip Age Type Business First Name Last Name Street Contact H 740-865-3556 Incident Dye 44419 Joe Frobish Rd. Sardis OH 43946 Thomas E jrdeedye@yahoo.com

Incident Information

Claims Codes Repair Est. Medical Treatment **Medical Status** 

PΙ

PD Cause:4038 Could Not Duplicate Concern

Unknown

Concern:1007 Fired on Safe Release

C FSR

10/28/10: Customer called in. Stated he experienced FSR 1 time in the 90's & 1 time 2 wks ago. df

Firearm Information

Mfg. Remington

Type CF/BA

Model/Ga. 700/7MM MAG

SKU 25803

Serial B6817440

DOM Bbl.

**Date Purchased** 

Where Purchased

Accessories

**Original Owner** 

EG 10/1/1986

SHYDA'S GUN SHOP

Y

CONCERN:FSR

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/700/CF/BA

Settlement Release of Claims

Release Date

Reimbursement

Cash Settlement Reim. Cash Date

APV

Date APV

Per Ilion - Repair @ 1/2 normal charges

> Repair/Replacement Cost

Repair/Replacement Date

10/28/10: Sending ARS, ltr, & form. df 11/16/10: Per Fred S. - Could not duplicate concern. Some light dirt & rust on TA. Functioning as designed. Offer to replace TA per request. Clean & test fire @ 1/2 normal charges - quote. df 11/16/10: I called cust. & left msg for him to call me about quote. I mailed the quote for him to review. df

Examination[Remington/CF/BA]

| Part | Sub-Part     | Code_ | Comment    |  |
|------|--------------|-------|------------|--|
|      | Examiner     |       | F.SUPRY    |  |
|      | Exam Date    |       | 11/11/2010 |  |
|      | Product Type |       | RF         |  |
|      | Action Type  |       | A          |  |
|      | Assigned To  |       | F.SUPRY    |  |
|      |              |       |            |  |

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=4883&Type=Case

11/16/2010

| Cause        | 4038                   | Could Not Duplicate Concern | CUST.REQUESTS EST. ON INSTALLING XMP   |
|--------------|------------------------|-----------------------------|--|
|              | Description            |                             | 24" 7 MM REM MAG   |
|              | Date Code              |                             | EG   |
|              | Bore Plugged           | False                       |  |
| Barrel       | Bulged                 | False                       |  |
|              | Fired                  | False                       |  |
|              | Fired while Obstructed |                             | · construction of the contract |
|              | Muzzle/Crown Condition | Slightly Worn; Functioning  |  |
|              | Firing Pin             | Slightly Worn; Functioning  |  |
|              | Shroud                 | Slightly Worn; Functioning  |  |
| Bolt         | Face                   | Slightly Worn; Functioning  |  |
|              | Handle                 | Slightly Worn; Functioning  |  |
|              | Śtop                   | Slightly Worn; Functioning  |  |
|              | Condition              | Slightly Worn; Functioning  |  |
| Extractor    | Cut Condition          | Slightly Worn; Functioning  |  |
|              | Ext/Eject Test         | False                       |  |
|              | Block Condition        | Select                      |  |
| Locking      | Lug Condition          | Slightly Worn; Functioning  |  |
|              | Notch Condition        | Select                      |  |
|              | Exterior Condition     | Slightly Worn; Functioning  |  |
| Overall      | Stock Condition        | Slightly Worn; Functioning  |  |
|              | Fore End Condition     | Select                      |  |
| Receiver     | Condition              | Slightly Worn; Functioning  |  |
| Receiver     | Bulged                 | False                       |  |
|              | Description            |                             | STANDARD M/700 SAFETY  |
| Safety       | Function               | Like new; Functioning       |  |
|              | Sub-Assembly           | Non-ISS                     |  |
|              | Lift                   | Select                      | .017   |
| Sear         | Notch                  | Like new; Functioning       |  |
|              | Tests                  | Test Fired                  | False  |
| Feeding Test | 10313                  | False                       |  |
|              | Condition              | Slightly Worn; Functioning  | LITE DIRT/RUST   |
| Trigger      | Pull                   | Select                      | 4.5#   |
| 1115501      | Altered                | False                       |  |
|              | Sub-Assembly           | M/700 Non-Bolt Lock         |  |

# QUOTATEONR - Kinzer PPS GAL RE 001057 870 Remington Dr. P.O. Box 700

Madison, NC 27025-0700

**ESTIMATING REPORT** 

Parts/Repairs Fax

800-243-9700 336-548-7801 www.remington.com info@remington.com

#### ALL PRICES QUOTED ARE IN EXCHANGE FOR REPLACED PARTS.

THIS IS NOT AN INVOICE. THIS IS AN ESTIMATE TO REPAIR, RECONDITION, OR REPLACE THE ITEM(S) DESCRIBED BELOW. IF THIS IS SATISFACTORY, PLEASE APPROVE BY SIGNING BELOW AND RETURNING TO THE ABOVE ADDRESS. REPAIR TO TAKE APPROXIMATELY (4) WEEKS AFTER RECEIPT OF APPROVAL. IF WE DO NOT RECEIVE YOUR APPROVAL IN 15 DAYS, WE SHALL RETURN THE ITEM(S) AS RECEIVED POSTAGE DUE.

| Repair Order Number<br>RE00209880<br>Account # - R-                 | Description/Serial Number B6817440 |                   |                                 | Date Received - 11/10  Estimate Date - 11/11  Current Date - 11/16 |                     |                   |  |  |
|---|------------------------------------|-------------------|---------------------------------|--|---------------------|-------------------|--|--|
| Customer<br>THOMAS DYE<br>44419 JOE FROBISH RD.                     |                                    |                   | Return To<br>THOMAS<br>44419 JO | DYE  | ISH RD.             |                   |  |  |
| SARDIS. OH 43946 US   |                                    |                   | SARDIS.                         | OH 4394  | 16 US               |                   |  |  |
| Phone (H) (740)-865-3556<br>Phone (W)                               | Fax<br>Email                       |                   |                                 |  |                     |                   |  |  |
| Please Circle One VISA MC AMEX DISCOVER Card No. PO Number          |                                    |                   | Exp. [                          | Date   |                     |                   |  |  |
| Daytime Phone ()  | Time To Call                       |                   | Оре                             | п Acct. <u>R</u>   |                     | <del></del>       |  |  |
| Approval: Customer Signature  If You Desire Any Change Please Use T | he Reverse Side For You            | Comments          | And Mark T                      | his Rov  | Date_               |                   |  |  |
| 11  | ice: We process checks electr      | onically throu    |                                 |  |                     | h+                |  |  |
| Reported  | Problem                            | S<br><u>Found</u> |                                 |  |                     |                   |  |  |
| M100 SEE CUSTOMERS LET M123 FORWARD TO PRODU- FOR INSPECTIO         |                                    | M123              | FORW                            | ARD TO   | PRODUC              | T SERVICE F       |  |  |
|   |                                    |                   | <u>.</u>                        |  |                     |                   |  |  |
|   | Technician's Co                    | mments            |                                 |  |                     |                   |  |  |
| ProblemNotes could not duplicate concreplace trigger plate assi     | n per request, clean and           | test fire at      | 1/2 normal                      | charges  |                     |                   |  |  |
| Estimate **C.O.D./S   | hipping and Handling C             | harges are        | NOT Include                     | ed in this (   | <b>Quote</b>        |                   |  |  |
| Material # Material Description                                     |                                    | <u>Qty</u>        | Warranty<br>Y/N                 | Price/<br>Unit   | Discount<br>Percent | Extended<br>Amt   |  |  |
| F305570B X-MARK PRO 700 TRIG A                                      | SSR RH RLACK (O                    | 1                 | N                               | \$94.00  | 50%                 | \$47.00           |  |  |
| Service   |                                    | •                 | 1,                              | Ψ24.00   | 5070                | ψ. τ /            |  |  |
| 4000114 GR-SHIPPING & HANDLI  | NG (GUN REPAIR)                    | 1                 | N                               | \$17.00  | 0%                  | \$17.00           |  |  |
| 4000119 GR-TEST   |                                    | i                 | N                               | \$23.00  | 50%                 | \$11.50           |  |  |
|   |                                    |                   | 1                               | Sub Total<br>Est. Sales 1  | -                   | \$75.50<br>\$3.78 |  |  |
|   |                                    |                   |                                 | Joen Calts 1   | 44.                 | 33.10             |  |  |

\$79.28

**Grand Total:** 

| Add Repair Es                                    | FG  Repairs<br>stimate Repair Expedite Repair Inquir                              | y Repair Tools CSR Tools Re  | ports Table Maintenance S  | System   | iner Mild Wish Verberlitenber ver den zu | ar trackosta (1919) |
|--|---|--|--|--|--|---------------------|
| m Rangulay<br>air Number: PRE002<br>rifly Repair | Repair Inquiry    Serial 86817448 Mode 703 Certe   MM REM MAG Produced: 10/01/138 | 16 SKU: 25803  | g 11/11/2010 7 38:31 AM  |  |  |                     |
| DRESS INFORMATION<br>Customei<br>Name: THOMAS    | rl GReceived to<br>DYE  | THOMAS DYE   | د Received from 2: و المحادثة |  |  |                     |
| Address 2. City: SARDIS                          | FO Box PO Box Dip Code: 43946 County US   | 44419 JOE FROBISH RD. PO J SARDIS UP 10H 27b Code: 43346 C.C.                | Gox Sox  |  |  |                     |
|  | FFL Hens   Estmate: History / Status   Shapping / Status                          |  | Current Status   |  |  |                     |
| Date   | lopatafi Repair Added   | Desc2 Shipping Hold Interace Hold Status: Repa Estimate Sent Paris Received  | Reparing<br>11/11/2010 7:38:31 AM<br>lopataf<br>Repart Bench   |  |  |                     |
|  |   | Passed Inspection   Return as Received   Has Been Approved   Internal Repair | Repai Location LN Current Location LN Transfer Number  |  |  |                     |
| Repair Search                                    | Section 1997  | □ Exclude TATC   | Refresh Close  |  |  |                     |
|  |   |  |  |  |  |                     |
|  |   |  |  |  |  |                     |
|  |   |  | hi pedie   |  |  |                     |
|  |   |  |  |  |  |                     |
|  |   |  |  | Company of the Compan |  |                     |
| supryfi : ILN/Prod                               | frmRepairMain   |  | D1102R7XPIL  | Wednesday, Nov 1   | 0 2010 7:5                               | 57 AM               |

|   | IC. | 2 | 1  | V区<br>2010 |  |
|---|-----|---|----|------------|--|
| M | NOA | 1 | 63 | 2010       |  |
| В | Y:  |   |    |            |  |

COPY

24" \$600|81 4.5\*\*

October 28, 2010

Thomas Dye 44419 Joe Frobish Rd. Sardis, OH 43946 Ph: 740-865-3556

Ref: # 4883

Dear Mr. Dye,

Enclosed is a prepaid UPS shipping label to cover shipment of your firearm to our factory for examination.

Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the boxes with the name "Supry". Mr. Supry will be inspecting the firearm and will contact me with the results.

Fax: 336-548-7872

I hope that this action will keep you a loyal Remington customer.

Sincerely,
D. Fulcher
Consumer Affairs Administrator
Remington, H&R, Marlin
Phone: 1-800-243-9700

B6817440

Model: 700

RE00209880

could not dyo/icale concern some lite dist + must ontiera. ASSM. Functioning as pesigned. Offento implace TPA, per moust, clear + rest fine A+ 1/2 worms) cost.

anote

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com



# Factory Repair Form

Return to Previous Page

NOTE: Please complete and print this form, and then include it with your firearm.

| Model Number: 700 7MM BDL Serial Number: B6817440  |   |            |  |  |  |  |  |
|--|---|------------|--|--|--|--|--|
| Are you the original owner?: 🔀 YES 🖸 NO  |   |            |  |  |  |  |  |
| Name: Thomas DyE, JA   | Date of Purchase: 19  | 8?         |  |  |  |  |  |
| Address (no PO Boxes): 44419 JoE   | Robish Rd.  |            |  |  |  |  |  |
| City: SARDIS   | State: OHIO   | Zip: 43946 |  |  |  |  |  |
| Phone (Daytime): 740 - 865 - 3556 Fax:   |   |            |  |  |  |  |  |
|  | E-mail Address:(if e-mail address is provided, notification of receipt and shipment will be   |            |  |  |  |  |  |
| sent) JADEE DYEC YALOO, CO.  | 7   |            |  |  |  |  |  |
| E-mail Address:  I would like to receive future e-mail updates from Re   | emington.   |            |  |  |  |  |  |
| GUN HAS FIRED TWICE OFF ONCE BACK IN TH  | Please describe your problem and date of occurrence:  GUN HAS FIRED TWICED WHEN Flipping SAFORY  OFF- ONCE BACK IN THE 1990- AND RECENTLY  IN. Cc. 10/11/2010 - EOSTING ME AN EIK.  HOW EVER SAFETY FIRST.  I WOULD A/SO LIKE AN ESTIMATE ON INSTAlling  AX MARK PROTRIGGER |            |  |  |  |  |  |
| 500 characters left  | [hAn  | Kyou Town  |  |  |  |  |  |
| Ammunition Information:  |   |            |  |  |  |  |  |
| Manufacturer. REMINGTON  | Type: Scikocco  |            |  |  |  |  |  |
| Other (i.e. bullet weight/type, shot size, powder): 15   |   |            |  |  |  |  |  |
| Handload Information:  |   |            |  |  |  |  |  |
| Powder Used:   | Powder Weight   |            |  |  |  |  |  |
| Case/Hull Used:  | Primer Used:  |            |  |  |  |  |  |
|  |   |            |  |  |  |  |  |
| Bullet Type/Shot Size:   | Reloader Used:  |            |  |  |  |  |  |
|  | Reloader Used:  |            |  |  |  |  |  |
| Firearms Care (Cleaning and Lubrication):  |   |            |  |  |  |  |  |
|  |   |            |  |  |  |  |  |
| Firearms Care (Cleaning and Lubrication):  | -hoice  |            |  |  |  |  |  |
| Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Shee Tak.  | counds) 4 mo  |            |  |  |  |  |  |
| Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Shee Tell (Months or Number of   | rounds) (MO   |            |  |  |  |  |  |
| Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Shoots R  How often do you clean the bore? (Months or Number of How often do you clean the action? (Months or Number)  | rounds) (MO   |            |  |  |  |  |  |
| Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: ShooTeR  How often do you clean the bore? (Months or Number of How often do you clean the action? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of | rounds) (MO   |            |  |  |  |  |  |
| Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: ShooTeR  How often do you clean the bore? (Months or Number of How often do you clean the action? (Months or Number of How often do you clean the trigger assembly? (Months of Brand of lubricant used: Hoppa's  | red rounds) ( MO  |            |  |  |  |  |  |

http://www.remington.com/support/repair\_services/factory\_repair\_form.asp

11/24/2009

#### BARBER - Kinzer PPS GAL RE 0010583

| How often do you lubricate the trigger assembly? (Months or Number of rounds)  |  |  |  |  |
|--|--|--|--|--|
| Have you reviewed the deaning and maintenance recommendations on our web site or in our owners manual? YES NO MoveD LOST MANUAL  |  |  |  |  |
| When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?)/G - \$7   |  |  |  |  |
| What were the services performed?) SafrTy KEAL, REAL ST. FF  |  |  |  |  |
| Ship your INSURED firearm by either UPS or Parcel Post to:   |  |  |  |  |
| Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue . Ilion, NY 13357   |  |  |  |  |
| ① WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.   |  |  |  |  |
| Record the serial number of your firearm before sending it. Record the serial number of your firearm before sending it. Reck your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.) Remove all accessories from your firearm to prevent loss or damage. Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused. Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for damage or loss during shipment, so you may elect to purchase insurance from your carrier. |  |  |  |  |
| Charge repairs will be processed using the following guidelines:   |  |  |  |  |
| :: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)  |  |  |  |  |
| :: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by satting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.   |  |  |  |  |

© 2009 Remington Arms Company, Inc. All Rights Reserved. Investor Relations | Other Remington Brand Products | Legal Notices | About Us

|             | Visit Cut | r Other We | ebsites |
|-------------|-----------|------------|---------|
| Other Sites |           |            |         |





Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

## ARS LABEL REQUEST FORM

| DATE:  |                    | 10/28/2010 | REQUESTED BY:             | Dell  |  |
|--|--------------------|------------|---------------------------|-------|--|
| QUANTITY:  |                    | 1          | 1 WEIGHT PER PACKA(10 lbs |       |  |
| PLEASE CHECKONE<br>MEDIA<br>COORDINATOR<br>TO MAIL |                    |            | I WILL MAIL               | XXXXX |  |
| DESCRIPTION:                                       | Ref# 4883<br>Rifle |            |                           |       |  |

#### LABEL INFORMATION

MAIL LABEL TO: Thomas Dye

44419 Joe Frobish Rd. Sardis, OH 43946 Ph: 740-865-3556

RETURN ITEM TC Remington Arms

Attn: Product Service

Ilion, NY

### PLEASE COMPLETE ALL PARTS OF THIS FORM AND SEND TO THE MEDIA COORDINATOR

OCT 28, 2010 ALL CURR USD ACT UT 10.0 LBS 1 OF 1 4XX596 SVC GNDCOM TRACKINGH 124XX5969066086725 REF 1: THOMAS DYE/CD/DMF REF 2:4883/RIFLE HANDLING CHARGE 0.00 SVC T/P USD STNGLE-PIECE PUB RATE CHRGS: COD 0.00 RS 0.50 SD 0.00 DV 0.00 DC 0.00 OCD 00.0 SP 0.00 PR AH 0.00 PUB+HANDLING TOT PUB CHG 8.24