				Proc	n Arms Co., Inc. luct Service					
				Legal	Case #:4993					
Case Infor	mation									
RE#	Dat	te Opened	Date O	ened(PS)	Date Closed	Incident	Date	Pre Lit	Lit	Obsolete
212049	12	2/1/2010	11/5	/2010	12/14/2010					
Customer	Informatio	on								
Туре	Business	First Name	Last Name	Street	City	State	Zip	Age	Con	tact
Incident		John F.	Strong	1802 Brentwood	Dr. Mountain Hom	e AR	72653		Н 870-42 опg@pn	25-6052 1d34.hbs.edu
Incident II	nformatior	n								
Claim	s		Code	3	Repair Est	t. M	edical	Treatment	Me	lical Status
PI										
PD		Cause:4038	3 Could Not	Duplicate Concern	n Unknown					
S		Concern:10	07 Fired on S	afe Release						
C FS	R									
11/5/10. 0	SP broug	ht over a letter	from oustome	r He stated that he	experienced ESP with	h his rifla	Henny	t the our in o		a wit using it

11/5/10: CSR brought over a letter from customer. He stated that he experienced FSR with his rifle. He put the gun in gun case & quit using it. He saw CNBC show & now knows he is not the only one that has experienced this. He wants rifle to be safe to use. He wants to hand it down to grandson. He did not include his phone number. Asked us to contact him at his mailing address. df

Firearm Information						
Mfg.	Туре	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/7MM REM MA	n/a	6610896	XW	12/1/1972
Date Purchased	Where Purchased	Accessories	Original Owner			
	H P H SPT GDS AMARILLO TX	two-oiece scope base	Y			

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA						
Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date Cash APV Date APV	
Repair under BLM program						
	Repair/Replacement Cost	Repair/Replacement Date				
	\$45.23	12/14/2010				
11/5/10: Sending AI	RS, ltr, form. df 12/3/10: Unab	le to duplicate concern at benc	h. The trigger mechai	nism was slow t	o respond due to sticky	

11/5/10: Sending ARS, ltr, form. df 12/3/10: Unable to duplicate concern at bench. The trigger mechanism was slow to respond due to sticky residue build up and the bolt release had to be forced open to remove bolt. fls 12/8/10: Left msg for customer to call me. We can install new TA, clean, under BLM program. df 12/8/10: Customer called. Apprvd repair & pd by credit card. I will close case when I get parts list. df 12/14/10: Got parts list - closed file. df

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment	
	Examiner]	supry	
	Exam Date]	12/3/2010	
Examination	Product Type]	RF	
	Action Type]	Α	
	Assigned To]	Supry	
Cause	4038	Could Not Duplicate Concern	Build up of stichy residue, plant debris found stuck to trigger assembly and to follower spring.	
	Description		24 inch Model 700 &mm Rem Mag caliber	
	Date Code]	XW	
Barrel	Bore Plugged	False		
	Bulged	False]	
	Fired	False		

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=4993&Type=Case


12/14/2010


.

BARBER - Kinzer PPS GAL RE 0012473

	Fired while Obstructed]		
	Muzzle/Crown Condition	Slightly Worn; Functioning		
L.W -	Firing Pin	Slightly Worn; Functioning	some sticky residue on outside of bolt body	
	Shroud	Slightly Worn; Functioning		
Bolt	Face	Slightly Worn; Functioning		
	Handle	Slightly Worn; Functioning		
	Stop	Slightly Worn; Not Functioning	Stuck in receiver due to build up of sticky residue	
	Condition	Slightly Worn; Functioning		
Extractor	Cut Condition	Slightly Worn; Functioning		
	Ext/Eject Test	True		
	Block Condition	Select		
Locking	Lug Condition	Slightly Worn; Functioning		
	Notch Condition	Select		
· · · ·	Condition	Select		
Magazine	Box Condition	Slightly Worn; Functioning		
	Exterior Condition	Worn; Functioning		
Overall	Stock Condition	Worn; Functioning		
	Fore End Condition	Select		
Receiver	Condition	Slightly Worn; Functioning		
	Bulged	False		
	Description]	Model 700 Bolt Lock]
Safety	Function	Slightly Worn; Functioning		_
	Lift	Select	not measured	7
Sear	Notch	Slightly Worn; Functioning		_
	Non-Remington Components	Description		Two-pe scope b

12/14/2010





HBARBER - Kinzer PPS GAL RE 0012475 Bolt stop frozen. up

212049. leon. Coppel

November 5, 2010

John F. Strong 1802 Brentwood Dr. Mountain Home, AR 72653 Ph: n/a

Ref: # 4993

Dear Mr. Strong,

Enclosed is a prepaid UPS shipping label to cover shipment of your firearm to our factory for examination.

Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the box with "Product Service". Product Service will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington customer.

Sincerely, D. Fulcher Consumer Affairs Administrator Remington, H&R, Marlin Phone: 1-800-243-9700 Fax: 336-548-7872

enclosure

Packed because customer wanded to be contacted - offer to clean an install New TA under the both lock modification program. FRED 12/3/10

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com

1802 Brentwood Dr Mountain Home, AR 72653-4267 November 01, 2010

Remington Arms Company, Inc. 870 Remington Drive P.O. Box 700 Madison, NC 27025-0700 Attn: Consumer Services

Ref: Remington Model 700 self firing

Gentlemen:

In the early 1970's, I purchased a Remington Model 700 (S/N 6610896) for deer/elk hunting. I made several trips to the Rocky Mountain states in the immediate years following my purchase and I can recall on several occasions the rifle fired with out my touching the trigger. A couple of times this occurred as I was in the process of taking off the safety in preparation to unload the gun. Thank goodness no damage was done as I had the rifle pointed at the ground. However, as a result on these mysterious firing I determined I was not going to use this rifle again as I believed it to be unsafe and gave up rifle hunting. The rifle has been kept in its gun case ever since.

Last month I was watching CNBC when they programmed <u>Remington Under Fire</u> on October 20, 2010. It was clear from watching that program I was not the only one to experience an accidental firing with a Model 700. It was clear this issue has been experienced by many gun users several of whom have informed Remington of this safety issue with the safety/trigger mechanism of the Model 700 but it was unclear during my viewing the program if Remington has recalled the rifle or offered owners a fix for the problem.

Thus, I'm writing to seek your help in advising me on how to make my rifle safe to use without the worry that it will fire by it's self with out the shooter contacting the trigger. Advise me of your recommendations as I would like to give it to my grandson. You may contact me at the above letter head address.

Yours truly,

John F. Strong



PS 14364

Factory Repair Form

. i

Print	Reset					
Model	Serial					
Number: REM MUNEL 700	Number: 66/0896					
Are you the original ow	ner?: 🖄 YES 🖾 NO					
Name: JOHN STRONG	Date of Purchase: 1971 <u>ナ</u>					
Address (no						
1802 BRENTWOO	D DR					
City: MOUNTAIN HOME	State: AR Zip: 72653					
Phone (Daytime): どう0 - 425 -605 ユ	Fax: N/A					
E-mail Address:(if e-mail address is provid	ed, notification of receipt and shipment will					
be sent) jstrong @ pmd:	34. hbs.edy					
E-mail A	ddress:					
I would like to receive future e	e-mail updates from Remington.					
Please describe your problem and date of occurrence: SELF FIRES, ON SEVERAL OCCASSIONS THE RIFLE ACCIDENTAL FILED W/O CONTACTING THE PLIGGER. THIS HAPRENED A COUPLE OF TIMES WHILE TAKING THE RIFLE "OFF" SAFETT. I HAVE NOT SHOT THIS RIFLE SHOETING LETS THAN A ROX. SEE ATTACKED LETS THAN A ROX. 500 characters left Ammunition Information:						
Manufacturer: REMING DN	Type: 7 mm MAG					
	Other (i.e. bullet weight/type, shot size, powder): 175 GR 50ft PT					
Handload Information:						
Powder Used: N/A	Powder Weight: N/A					
Case/Hull Used:	Primer Used:					
Bullet Type/Shot Size:	Reloader Used:					
Firearms Care (Cleaning and Lubrication):						

http://www.remington.com/asp/factory_repair_form.asp

BARBER - Kinzer PPS GAL RE 0012477 11/5/2010 PS 14365 Factory Repair Form

۰.

BARBER - Kinzer PPS GAL RE 0012478

Brand of cleaning solution used: RIFLE 1495 B=22
How often do you clean the bore? (Months or Number of rounds)
How often do you clean the action? (Months or Number of rounds)
How often do you clean the trigger assembly? (Months or Number of rounds) てみないの の ノブ
Brand of lubricant used: OF SEMCE
How often do you lubricate the bore? (Months or Number of rounds) $1973 t$
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds)
Have you reviewed the cleaning and maintenance recommendations on our web site of in our owners manual? > YES INO
When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?)
What were the services performed?)
Ship your INSURED firearm by either UPS or Parcel Post to:
- Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357
WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.
:: Record the serial number of your firearm before sending it. :: Pack your firearm for safety and to prevent further damage in shipping and handling Preferably, ship in a firearm box. (Note: Original boxes may not be returned.) :: Remove all accessories from your firearm to prevent loss or damage. :: Provide a return address on both the outside and inside the box. Shipments without proper

http://www.remington.com/asp/factory_repair_form.asp

BARBER - Kinzer PPS GAL RE 0012478 11/5/2010 PS 14366 Factory Repair Form

BARBER - Kinzer PPS GAL RE 0012479

return address will be refused. Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for

damage or loss during shipment, so you may elect to purchase insurance from your carrier.

Charge repairs will be processed using the following guidelines:

:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)

:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.

NOTE- SEE GAY OF MY LETTER DATED 11-01-2010 TO CONSUMER SERVIES WHICH IS ATTRIATED. NO. D =D. 178-2010 11-15-2010

4993

November 01, 2010

1802 Brentwood Dr Mountain Home, AR 72653-4267

NOV 0 4 2010

Remington Arms Company, Inc.				
870 Remington Drive				
P.O. Box 700				
Madison, NC 27025-0700				
Attn: Consumer Services				

Ref: Remington Model 700 self firing

Ressived Defe:	
CS :	(iason
Response Daie:	11/5/10
Response/File:.	Product Service

Gentlemen:

In the early 1970's, I purchased a Remington Model 700 (S/N 6610896) for deer/elk hunting. I made several trips to the Rocky Mountain states in the immediate years following my purchase and I can recall on several occasions the rifle fired with out my touching the trigger. A couple of times this occurred as I was in the process of taking off the safety in preparation to unload the gun. Thank goodness no damage was done as I had the rifle pointed at the ground. However, as a result on these mysterious firing I determined I was not going to use this rifle again as I believed it to be unsafe and gave up rifle hunting. The rifle has been kept in its gun case ever since.

Last month I was watching CNBC when they programmed <u>Remington Under Fire</u> on October 20, 2010. It was clear from watching that program I was not the only one to experience an accidental firing with a Model 700. It was clear this issue has been experienced by many gun users several of whom have informed Remington of this safety issue with the safety/trigger mechanism of the Model 700 but it was unclear during my viewing the program if Remington has recalled the rifle or offered owners a fix for the problem.

Thus, I'm writing to seek your help in advising me on how to make my rifle safe to use without the worry that it will fire by it's self with out the shooter contacting the trigger. Advise me of your recommendations as I would like to give it to my grandson. You may contact me at the above letter head address.

Yours truly; and a second i ju su kun su su suge as reserve e kreeke kak ^ar lang law sing sign free water was any the water each A CHARLES AND A CH ram i i ma i kuzisti i i mikaki wakita i ang wagola kiaf John F. Strong and the second (b) State of the state of the High state of the state

MADISON, NC 27025-0700 BARBER - Kinzer PPS GAL RE 0012481 Reminieron Arms Compare, tur E70 Rominierou Or P.U. Box 700 ATV: CONSUMA SAMICE ý, سم المنوز درگذش TIM ARKANSAS AR TIT NATURE NON TO 12 Trubucuo OL tuby MTW Hum

Remington. www.remington.com

Ĵ

Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

ARS LABEL REQUEST FORM

DATE:		11/5/2010	REQUESTED BY:	Dell
QUANTITY:		1	WEIGHT PER PACK	(A) 10 lbs
REASECHECKONI MEDIA COORDINATOR TO MAIL			I WILL MAIL	XXXXXX
DESCRIPTION:	Ref# 4993 Rifle			

LABEL INFORMATION

MAIL LABEL TO: John F. Strong 1802 Brentwood Dr. Mountain Home, AR 72653

RETURN ITEM TC Remington Arms Attn: Product Service Ilion, NY

MRLEASE COMPLEME ALL PARTIS CORTHIST FORM AND SENDING THE MEDIA COORDINATION

1 OF 1 ALL CURR USD NOV 8, 2010 4XX596 ACT UT 10 0 LBS SVC CNDCOM TRACKING# 124XX5969066255051 REF 1: JOHN F STRONG/CD/DMF REF 2:4993/RIFLE HANDLING CHARGE 0.00 SVC TZP USD SINGLE-PIECE PUB RATE CHROS RS 0.50 COD 0.00 00.0 VQ DC 0.00 SD 0.00 0 00 DGD SP 0.00 0.00 PR AH 0.00 PUB+HANDL1HG 9 45 TOT PUB CHG 9.45