

CONFIDENTIAL

Remington Arms Company Inc.
Research & Development Technical Center
315 West Ring Road
Elizabethtown, KY 42701

Clean & Inspect Checklist

Model: 710 Magnum

Project: 241314

Rifle: A-7

TLW #: TLW 1430

Date: 3 / 15 / 04Inspector: SW/DLRound Level: 151

☒ Measure Headspace Min 4.002 When GO Gauge went (0 Round) 83

☒ Inspect Take Down Screws for loosening. Slight movement

☒ Sear Engagement: 1st .0339 2nd .0331 3rd .0330 Ave. .0330 spec- .025" to .030"

☐ Reset Sear Engagement if Required: 1st 2nd 3rd Ave.

☒ Trigger Pull: 1st 5.119 2nd 5.126 3rd 5.058 Ave. 5.101 spec- 4.5 lb. to 5.5 lb.

☐ Reset Trigger Pull if Required: 1st 2nd 3rd Ave.

☒ Inspect cam surface, locking lugs and bolt stop for signs of excessive

wear: Cam surface, Lock Lugs, some sign of wear.

☐ Inspect stock for any signs of cracking or other failure: No cracks

☒ Other items of

note: Bolt face some wear

TLW 1430

Remington Confidential

ET21507

GUN: A7
SHOOTER: BL
CAL: 7MM REM MAG

M/710 MAGNUM INITIAL TESTING
JACK FUNCTION TEST
0 - 150 RDS

PROJECT: # 241314
TLW: # 1430
DATE: 3/12/04

AMMO FED	MALFUNCTIONS	LOT# 3500314287	MALFUNCTIONS
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	Fed P7RE Lot 355747H195
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

0 Malfunctions

GUN: A7
SHOOTER: B. Lee
CAL: 7MM REM MAG

M710 MAGNUM INITIAL TESTING
JACK FUNCTION TEST
0 - 150 RDS

PROJECT: #241314
TLW: #1430
DATE: 3/12/04

AMMO FED	LOT#
MALFUNCTIONS	MALFUNCTIONS
1	51
2	52
3	53
4	54
5	55
6	56
7	57
8	58
9	59
10	60
11	61
12	62
13	63
14	64
15	65
16	66
17	67
18	68
19	69
20	70
21	71
22	72
23	73
24	74
25	75
26	76
27	77
28	78
29	79
30	80
31	81
32	82
33	83
34	84
35	85
36	86
37	87
38	88
39	89
40	90
41	91
42	92
43	93
44	94
45	95
46	96
47	97
48	98
49	99
50	100

100

83