

G-653 5390

Arms Services Repair & Estimate System

File Add Repair Estimate Repair Expedite Repair Inquiry Repair Tools CSR Tools Reports Table Maintenance System Maintenance Help

Repair Number: RE00148305

Serial: G6535390 Model M24 SWS Center Fire
Caliber: 7.62 NATO Produced: 03/28/2006

Repairman:

Status: Closed 7/30/2008 2:39:41 PM

Verify Repair High Priority

Address Information

Customer:

☒ Received From

Return To:

☐ Received From

Name: EMBASSY OF THE USA

EMBASSY OF THE USA

Address 1: MUTUAL DEFENCE ASSISTANCE OFFICE

MUTUAL DEFENCE ASSISTANCE OFFICE

Address 2: UNIT 45004 BOX 225

PO Box:

UNIT 45004 BOX 225

PO Box:

City:

State:

Zip Code: APO

Country: IT

State:

Zip Code: APO

Country: IT

FFL:

Contact / Condition

Problems

Estimate

History / Status

Shipping / Billing

Contact Information

Phone: NN

Fax:

Email:

Comments:

Received Condition

Fair

Condition
Notes:CSR
Notes:

Accessories Received

Code	Desc	Qty
D000	FULL SYSTEM	1

Repair Search

Refresh

Close

naglej

8/5/2008

9:35 AM

CAPS

NUM

INS

SCPL



9:35 AM

Serial Number: G6535390

Model: M24 SWS



RE00148305

Arms Services Repair & Estimate System

File Add Repair Estimate Repair Expedite Repair Inquiry Repair Tools CSR Tools Reports Table Maintenance System Maintenance Help

Repair Number: RE00148304

Serial: G6534979 Model M24 SWS Center Fire
Caliber: 7.62 NATO Produced: 04/12/2006

Repairman:

Status:

Closed 7/30/2008 2:39:38 PM

Verify Repair

High Priority

Address Information

Customer:

☒ Received From

Return To:

☐ Received From

Name: EMBASSY OF THE USA

EMBASSY OF THE USA

Address 1: MUTUAL DEFENCE ASSISTANCE OFFICE

MUTUAL DEFENCE ASSISTANCE OFFICE

Address 2: UNIT 45004 BOX 225

PO Box:

UNIT 45004 BOX 225

PO Box:

City:

State:

Zip Code: APO

Country: IT

State:

Zip Code: APO

Country: IT

FFL:

Contact / Condition

Problems

Estimate

History / Status

Shipping / Billing

Contact Information

Phone: NN

Fax:

Email:

Comments:

Received Condition

Fair

Condition

Notes:

CSR

Notes:

Accessories Received

Code	Desc	Qty
A007	With Stud	3
A008	With Swivel	2
A010	Hard Case	1
A017	Scope Base	1
A026	Scope	1
A045	Bi Pod	1

Repair Search

Refresh

Close

naglej

8/5/2008

9:36 AM

CAPS

NUM

INS

SCRL

start

12 Mi...

3 Mic...

2 Int...

Arms S...

Part S...

DCSIA...

9:36 AM

Serial Number: G6534979

Model: M24 SWS




RE00148304

M-24 INSPECTION CHECKLIST
 CONTRACT #: DAAE-20-02-C-0149

R & B NUMBER 148305SERIAL NUMBER G 6535390LOG-IN DATE 7-30-2008

OPERATION #	OPERATION NAME		DATE	INITIAL
500	DIS-ASSEMBLE GUN			
505	RE-BARREL			
560	ASSEMBLE			
600	PROOF			
605	CHECK HEADSPACE	Replace Stock	8-13-08	RSN
610	DIS-ASSEMBLE GUN			
612	MAGNAFLUX			
510	DRILL AND TAP			
615	ROLLMARK CALIBER			
618	ROTO-BLAST			
620	APPLY COATINGS			
625	FINAL ASSEMBLY			
640	FUNCTION TEST AND	PASS FAIL		
650	TARGET	PASS FAIL		
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
670	FINAL INSPECTION A) HEADSPACE	PASS FAIL		
	B) TRIGGER PULL	+- .5 LBS MIN 2.50 LBS MAX 4.0 LBS		
680	F) SAFETY ON FORCE	2 LBS MIN 10 LBS MAX		
	G) SAFETY OFF FORCE	2 LBS MIN		
	H) FIRING PIN INDENT	.020		
690	PACK		8/13/08	Fen



EMBASSY OF THE UNITED STATES OF AMERICA
MUTUAL DEFENSE ASSISTANCE OFFICE, JAPAN
UNIT 45004, BOX 225
APO AP 96337-5004



0809-04
Ser MDO-21:ak/0559
14 April 2008

From: Chief, Mutual Defense Assistance Office, Japan
To: Director, Import Division, Equipment Procurement and Construction Office,
Ministry of Defense

Subj: SDR - A0004-JA-B-XAX/001

Encl: (1) USASAC-NC (AMSAC-MA-CM-AP) memo of 31 Mar 08

1. Enclosure (1) is forwarded for your appropriate action.

2. POC is Joe Sweeney, LTC, USA; Director, Army Programs; e-mail jmsweeney@san.osd.mil, phone CM 03-3224-5406, fax 03-3224-5418.


JOE SWEENEY
By direction



DEPARTMENT OF THE ARMY
U.S. ARMY SECURITY ASSISTANCE COMMAND
54 M Avenue Suite 1
New Cumberland, PA 17070-5096

REPLY TO
ATTENTION OF

AMSAC-MA-CM-AP (12-12A)

31 MARCH 2008
s: 27 SEPTEMBER 2008

MEMORANDUM FOR CHIEF, MUTUAL DEFENSE ASSISTANCE OFFICE,
ATTN: MDO-21, UNIT 45004, BOX 225, APO AP 96337-5000

SUBJECT: Security Assistance Supply Discrepancy Report (SDR)

1. Reference Supply Discrepancy Report, Country Code JA, Case XAX, SDR Number A0004, NSN: 1005-01-240-2136, Requisition Number BJAB95 5357 9001, (encl 1).
2. Request the discrepant material, NSN: 1005-01-240-2136, SER#s: G6535390, M24 SNIPER RIFLE, 7.62mm, Quantity: 1 EA, be returned to U.S. using the enclosed Issue Release/Receipt Document (encl 2) as authority for the return and as a source document for preparing bills of lading and other shipping papers. Ship under a Collect Commercial Bill of Lading (CCBL) via the most economic mode of transportation available to the address indicated below.

Fleet and Industrial Supply Center, Ocean Terminal Division, ATTN: Code 302.1, Building CEP 201, Norfolk VA 23511-3392 for onward movement to the CONUS location indicated in block 3 of the enclosed Issue Release/Receipt Document (IRRD).

Defense Distribution Depot San Joaquin Receiving Warehouse 10, Attn: Branch Chief, 25600 South Chrisman Road, Tracy CA 95304-9150 for onward movement to the CONUS location indicated in block 3 of the enclosed Issue Release/Receipt Document (IRRD).

☒ Other. Directed Return. Air Mobility Command (AMC) Channel Airlift Authorized. Offer to the theater air clearance authority for AMC Channel Airlift from APOE to SUU. SUU Trans MVMOT Office will forward shipment to DoDAAC: CMATDX.
3. Since the enclosed IRRD contains essential data for reimbursing carriers, clearing Customs etc., one copy should be attached to outside of the shipment unit (box, skid, pallet etc.) used to return the material. One copy should also be attached to outside of the CCBL issued by the over ocean carrier for the return. One copy of the IRRD and the SDR should be placed inside the shipment unit. Do not mix individual returns in the same shipment unit; the entire unit must be forwarded intact to its final CONUS destination.
4. A credit adjustment, if applicable, will be processed upon receipt of the material at the CONUS depot specified in the enclosed IRRD. The signed LOA under which this material was originally purchased imposes a 180 day limit from the date these instructions are issue to the date the material must be in U.S. Government custody. There this material must be in U.S. Government custody no later than 27 SEP 2008, the above suspense date. Otherwise, the SDR will be cancelled. The U.S. Government will not be responsible for any transportation or related costs if material is not received by this date. Debit billing will be processed for wrong items not returned within this time limit.
5. The U.S. Army Security Assistance Command (USASAC) point of contact regarding this SDR is
KIM D. ETZEL
E-mail: kim.etzel@usasac.army.mil
Phone: 717-770-6498 / DSN 771-6498

FOR THE COMMANDER

[Signature]
MARTIN COX
CHIEF, ASIA/PACIFIC PROGRAMS BRANCH
ASIA/PACIFIC/AMERICAS
CASE MANAGEMENT DIVISION

2 Encls
CF (w/ encls):


AMSAC-O FL 815-A 19 MAY 05


DD FORM 1348-1A, JUL 91		ISSUE RELEASE/RECEIPT DOCUMENT		24. DOCUMENT NUMBER & SUFFIX (30-44)		25. NATIONAL STOCK NO. & ADD (8-22)		26. RIC (4-6) UI (23-24) CITY (25-29) CON CODE (71) DIST (15-16) UP (24-30)		27. ADDITIONAL DATA	
BJAB95 5357 9001 SDR JA-B-XAX-A0004 AEPS SDR#: 206075		M24 SNIPER RIFLE SERIAL#: G6353390 NSN: 1005-01-240-2136 RIC: BKZ RIC: BKZ UI/QTY: EA 00001 SDR: JA-B-XAX-A0004		24. DOCUMENT NUMBER & SUFFIX (30-44)		25. NATIONAL STOCK NO. & ADD (8-22)		26. RIC (4-6) UI (23-24) CITY (25-29) CON CODE (71) DIST (15-16) UP (24-30)		27. ADDITIONAL DATA	
This material is to be forwarded to DoDAAC: CMATDX (Mr. Tom Nagle) for repair and/or replacement action.		BKZ DIRECTED RETURN. AIR MOBILITY COMMAND (AMC) CHANNEL AIRLIFT AUTHORIZED. OFFER TO THE THEATER AIR CLEARANCE AUTHORITY FOR AMC CHANNEL AIRLIFT FROM APOE OKO TO APOD SUU. SUU TRANS MVMT OFFICER WILL FORWARD SHIPMENT TO: DoDAAC: CMATDX; REMINGTON ARMS COMPANY INC., ATTN: TOM NAGLE, 14 HOEFLER AVENUE, ILION, NY 13357-1816. (TEL#: 315-423-8541). MARK "SDR RETURN". ENCLOSE A COPY OF THIS SDR WITH THE RETURN MATERIAL. MUST USE TRACEABLE AND MOST ECONOMIC MEANS AVAILABLE.		24. DOCUMENT NUMBER & SUFFIX (30-44)		25. NATIONAL STOCK NO. & ADD (8-22)		26. RIC (4-6) UI (23-24) CITY (25-29) CON CODE (71) DIST (15-16) UP (24-30)		27. ADDITIONAL DATA	
TRANS ACCT CODE (TAC) BIII APPLIES TO AMC CHANNEL MOVEMENT AND TO INLAND CONUS TRANSPORTATION FROM SUU TO DoDAAC: CMATDX.		TRANSPORTATION CHARGEABLE TO FUND CITE: 97-11X8242.L009 8401 (JA) GBL S843000 TAC CODE: BIII		24. DOCUMENT NUMBER & SUFFIX (30-44)		25. NATIONAL STOCK NO. & ADD (8-22)		26. RIC (4-6) UI (23-24) CITY (25-29) CON CODE (71) DIST (15-16) UP (24-30)		27. ADDITIONAL DATA	


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80																				
UNIT PRICE										DOLLARS										CTS										1. TOTAL PRICE										2. SHIP FROM										3. SHIP TO DoDAAC: CMATDX: Remington Arms 14 Hoefler Ave. Ilion, NY 13357																																																	
DOLLARS										CTS										6 4 1 4 4 0										6 4 1 4 4 0										4. MARK FOR FMS SDR (JA-XAX/A0004) RETURN ATTN: Mr. TOM NAGLE										5. DOC DATE										6. NMFC										7. FRT RATE										8. TYPE CARGO										9. PS									
10. QTY. REC'D										11. UP										12. UNIT WEIGHT										13. UNIT CUBE										14. UFC										15. SL																																																	
16. FREIGHT CLASSIFICATION NOMENCLATURE																																																																																																			
17. ITEM NOMENCLATURE M24 SNIPER RIFLE, 7.62mm																																																																																																			
18. TY CONT										19. NO CONT										20. TOTAL WEIGHT										21. TOTAL CUBE										22. RECEIVED BY										23. DATE RECEIVED																																																	

PREVIOUS EDITION MAY BE USED

USAPA V1.00

SUPPLY DISCREPANCY REPORT (SDR)		1. DATE OF PREPARATION	2. REPORT NUMBER
☐ SHIPPING ☐ PACKAGING		AUG 24 2007	A9004-JA-B-XAX/001
3. TO (Name and address, include ZIP Code)		4. FROM (Name and address, include ZIP Code)	
Commander, U.S. Army Security Assistance Command ATTN: AMSAC-MA-CN-PA, 54M Avenue, Suite 1, New Cumberland, PA 17070-5096		Import Division, Equipment Procurement Office, Ministry of Defense, Japan 5-1 Ichigayabonmura-cho, Shinjuku-ku, Tokyo, Japan 162-8360	
5a. SHIPPER'S NAME		5b. NUMBER AND DATE OF INVOICE	1. TRANSPORTATION DOCUMENT NUMBER (GTR, D7, etc.)
REMINGTON ARMS COMPANY, INC 14 HOEPLER AVE ILION NY 13357 USA		19 Dec 2006	DOCUMENT NUMBER: BJAB95 5357 9001 XBX
7a. SHIPPER'S NUMBER (Purchase Order, Shipment, Contract, etc.)	7b. OFFICE ADMINISTERING CONTRACT		8. REQUISITIONER'S NUMBER (Request, Order, Purchase Request, etc.)
9. SHIPMENT, BILLING, AND RECEIPT DATA		10. DISCREPANCY DATA	
NSA/PART NUMBER AND NOMENCLATURE (a)	UNIT OF ISSUE (b)	QUANTITY SHIPPED/BILLED (c)	QUANTITY RECEIVED (d)
NSN: 1005-01-240-2136 M24 SNIPER RIFLE 7.62MM	EA	100 (157)	100 (157)
		QUANTITY (e)	UNIT PRICE (f)
		1	6,379.12
			6,414.40
		TOTAL COST (g)	CODE* (h)
		6,414.40	Q1
		AC-TION CODE (i)	12
12. REMARKS (Continue on separate sheet if necessary)			
FMS Case: JA-B-XAX (Ser # 66535370) Q1: 1BA Sniper Rifle (Serial #6535290) has discrepancy. Since received, found a crack in the stock. 12: Request for exchanging the defective material. The material will be held by the KANTO Depot, JGSDF can be returned to 374 AW, YOKOTA AB, Japan for transshipment. ATTACH: DD FORM 1348-1A, photos			
DISCREPANCY CODES		ACTION CODES	
CONDITION OF MATERIAL C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged barrel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete invoice or without authority MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt document O2 - Quantity in excess of that requested O3 - Quantity duplicates shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper packing P3 - Improper markings P4 - Improper unitization		DEFICIENT QUALITY DEFICIENCIES Q1 - Deficient material (Applicable to Ground Aid and FMS shipment only) SHORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested S3 - Non-receipt of parcel post shipment ITEM TECHNICAL DATA MISSING T1 - Missing T2 - Illegible or mutilated T3 - Precautionary operational marking missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing WRONG ITEM (Identify item as a separate entry in Item # column) W1 - Incorrect item received W2 - Unacceptable substitute OTHER DISCREPANCIES Z1 - See remarks	
13. FUNDING AND ACCOUNTING DATA		28 AUG 2007	
14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OR PREPARING OFFICIAL		4b. SIGNATURE	
Hiroshi Oda Director Import Div BPO/NOB			
15. DISTRIBUTION ADDRESSES FOR COPIES			
384-103 754D-00-16S-4442 (Previous edition is obsolete.) STANDARD FORM 364 (REV. 2-80) 064-0271-11 Prescribed by GSA FPMR 101-25.6			





7/30/08

Embassy of the U.S.A.
mutual defense Assistance office
unit 45004 Box 225
ABO

G6534979

Hard case
Scope
Scope Base
B. Rod
Stubs 3
Swivels 2

G6535390

Full system

ORDER 25716
M/24 7.62 NATO S.W.S. (COMPLETE SYSTEM)

UPC



ORDER 25716
M/24 7.62 NATO S.W.S. (COMPLETE SYSTEM)

UPC



SERIAL NO.



M/24 7.62 NATO S.W.S. (COMPLETE SYSTEM)
BOLT ACTION CENTERFIRE RIFLE
24" BARREL 7.62 NATO

- INSTRUCTION BOOK 3518

DD FORM

proof of purchase



owner registration sticker



ORDER NO.

25716

BARREL LENGTH


24"

CAPACITY

6

G6535390

UPC



INSPECTION CHECKLIST-NEW GUNS

GUN SERIAL # G653 5390

OP #	OPERATION NAME	READINGS	DATE	INITIAL
420 & 430	ASSEMBLE ACTION ASSEMBLE TO STOCK		2-10-06	RTZ
440	PROOF		2-10-06	TRW
460	CHECK HEADSPACE	MAGNA-FLUX INSPECTED	2-10-06	AC
470	DIS-ASSEMBLE ACTION		2-10-06	AC
480 & 490	MAGNAFLUX BBL ACTION MAGNAFLUX BOLT	OP # 480 FEB 14 2006 OPERATOR <u>APD</u>	2-14-06	APD
500	ROLLMARK CALIBER		2-14-06	CW
510	DRILL AND TAP SIGHT HOLES		2-13-06	TRW
520	GOFF BLAST BBL / REC		2-14-06	LB
530 & 540	APPLY COATINGS (BARREL ACTION)			
	(BOLT)		2/20/06	REB
560	RE-ASSEMBLE ACTION A) CLEAN INSIDE OF BOLT ASSEMBLY		2/21/06	mgd
	B) INSPECT REAR FIRING PIN HOLE FOR CHAMFER IN BOLT HEAD		2/21/06	mgd
	C) INSPECT EJECTOR HOLE FOR CHAMFER		2/21/06	mgd
	D) OIL FIRING PIN ASSEMBLY		3-8-06	AC
	E) ADJUST TRIGGER PULL TO MIN. SETTING AND STAKE 2.50 LBS +/- .5 LBS			

REV-8405

OP # OPERATION NAME		READINGS			DATE	INITIAL			
560	F) SAFETY ON FORCE	2 LBS MIN 10 LBS MAX	<u>6.2</u>	<u>5.5</u>	<u>5.5</u>	3-14-06	DA		
CONT.	G) SAFETY OFF FORCE	2 LBS MIN	<u>2.5</u>	<u>2.5</u>	<u>2.5</u>	3-14-06	DA		
	H) TRIGGER PULL TEST AND RETAINABILITY								
	I) FIRING PIN INDENT	.020 MIN	<u>.023</u>	<u>.022</u>	<u>.022</u>	3-14-06	DA		
	J) ASSEMBLE STOCK					3-8-06	A		
	K) ASSEMBLE SWIVEL STUDS					3/27/06	MAD		
	L) ATTACH FRONT AND REAR SIGHT ASSY'S					3-8-06	A		
	M) IRON SIGHT ALIGNMENT					3-8-06	A		
	N) DETACH FRONT AND REAR SIGHTS AND PLACE IN NUMBERED CONTAINER					3-8-06	A		
640 & 650	FUNCTION TEST AND TARGET		<u>PASS</u>	FAIL		3-9-06	TRW		
			<u>PASS</u>	FAIL					
	MALFUNCTION		CORRECTION						
	MALFUNCTION		CORRECTION						
	MALFUNCTION		CORRECTION						
	MALFUNCTION		CORRECTION						
660	INSPECT FOR LIVE AMMO					3/9/06	R.P.		
670	FINAL INSPECTION A) HEADSPACE					3/27/06	MAD		
	B) TRIGGER PULL	+/- .5 LBS MIN 2.50 LBS MAX 4.0 LBS	<u>2.57</u>	<u>2.39</u>	<u>2.18</u>	<u>2.30</u>	<u>2.59</u>	3-14-06	TRW
	C) FUNCTION					3/27/06	MAD		
690	PACK					3-28-06	DA		

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50 LBS (plus or minus 0.50 LBS)

3.00 LBS (plus or minus 0.75 LBS)

4.00 LBS (plus or minus 1.00 LBS)

DATE 2.27-06

TESTER R.P.

	2.50 LBS INITIAL	2.50 LBS AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50 LBS		COMMENTS
PULL #1	2.55	2.40		2.45	
PULL #2	2.40	2.30		2.41	
PULL #3	2.37	2.30		2.35	
PULL #4	2.38	2.36		2.35	
PULL #5	2.39	2.35		2.37	
TOTAL	12.09	11.71		11.93	
AVERAGE	2.41	2.34		2.38	

	3.00 LBS INITIAL	3.00 LBS AFTER 20 CYCLES		COMMENTS
PULL #1	3.16	3.13		
PULL #2	3.09	3.05		
PULL #3	3.15	3.05		
PULL #4	3.09	3.06		
PULL #5	3.01	3.06		
TOTAL	15.50	15.35		
AVERAGE	3.10	3.07		

	4.00 LBS INITIAL	4.00 LBS AFTER 20 CYCLES	MAX SETTING GREATER THAN 4 LBS	RESET TO 4 LBS FOR TARGET & ACCURACY
PULL #1	4.14	3.95		3.99
PULL #2	4.11	4.07		4.13
PULL #3	4.07	4.00		3.97
PULL #4	4.07	4.13		4.25
PULL #5	4.02	4.05		4.00
TOTAL	20.41	20.20		20.34
AVERAGE	4.08	4.04		4.06

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: G6535390.__0
FILE DATE AND TIME: 03/09/2006 07:12

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	0.203
The Average Y Centroid of the Five Target Set:	0.012
The Average Point of Impact of the Five Target Set:	0.203
The Average Mean Radius of the Five Target Set:	0.773
The Distance from POA to Centroid Target #1:	0.781
The Distance from Centroid Target #2 to Centroid Target #1:	0.823
The Distance from Centroid Target #3 to Centroid Target #1:	0.695
The Distance from Centroid Target #4 to Centroid Target #1:	0.685
The Distance from Centroid Target #5 to Centroid Target #1:	0.710

SERIAL NUMBER: G6535390. __0

TARGET NUMBER: 1

FILE DATE: 03/09/2006

FILE TIME: 07:12

X CENTROID: 0.779

Y CENTROID: -0.054

POA TO CENTROID: 0.781

HORZ SPREAD: 3.103

VERT SPREAD: 1.497

GROUP SPREAD: 3.105

MIN RADIUS: 0.070

MAX RADIUS: 1.655


MEAN RADIUS: 1.114

IN 1 IN DIAMETER: 1

IN 2 IN DIAMETER: 3

in 3 IN DIAMETER: 8

POINT#	X	Y
1:	2.175	-0.459
2:	2.258	0.231
3:	1.979	0.268
4:	1.720	0.140
5:	0.767	0.015
6:	0.099	-0.939
7:	-0.142	-0.634
8:	-0.431	0.021
9:	-0.845	0.264
10:	0.212	0.558



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535390. 0

TARGET NUMBER: 2

FILE DATE: 03/09/2006

FILE TIME: 07:12

X CENTROID: -0.043

Y CENTROID: -0.032

POA TO CENTROID: 0.054

HORZ SPREAD: 2.026

VERT SPREAD: 2.867

GROUP SPREAD: 3.005

MIN RADIUS: 0.143

MAX RADIUS: 1.591


MEAN RADIUS: 0.943

IN 1 IN DIAMETER: 2

IN 2 IN DIAMETER: 5

in 3 IN DIAMETER: 9

POINT#	X	Y
1:	0.608	-1.328
2:	1.048	-0.457
3:	0.753	-0.326
4:	0.097	-0.007
5:	-0.138	-0.503
6:	-0.505	-0.345
7:	-0.978	-0.618
8:	-0.128	0.660
9:	-0.899	1.061
10:	-0.292	1.539



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535390. __ 0

TARGET NUMBER: 3

FILE DATE: 03/09/2006

FILE TIME: 07:12

POINT#	X	Y
1:	1.106	-0.228
2:	0.893	-0.226
3:	0.400	-0.743
4:	0.354	0.292
5:	0.243	0.242
6:	-0.266	0.349
7:	-0.412	-0.297
8:	-0.674	0.253
9:	-0.427	0.135
10:	-0.351	0.277

X CENTROID: 0.087

Y CENTROID: 0.005

POA TO CENTROID: 0.087

HORZ SPREAD: 1.780

VERT SPREAD: 1.092

GROUP SPREAD: 1.844

MIN RADIUS: 0.284


MAX RADIUS: 1.046

MEAN RADIUS: 0.629

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535390. __ 0

TARGET NUMBER: 4

FILE DATE: 03/09/2006

FILE TIME: 07:12

POINT#	X	Y
1:	0.546	-0.485
2:	-0.170	-0.687
3:	0.408	0.383
4:	0.230	0.849
5:	-0.093	0.460
6:	0.012	0.370
7:	0.037	0.192
8:	0.134	-0.406
9:	0.051	-0.196
10:	-0.183	-0.356

X CENTROID: 0.097

Y CENTROID: 0.012

POA TO CENTROID: 0.098

HORZ SPREAD: 0.729

VERT SPREAD: 1.536

GROUP SPREAD: 1.587

MIN RADIUS: 0.189


MAX RADIUS: 0.847

MEAN RADIUS: 0.489

IN 1 IN DIAMETER: 7

IN 2 IN DIAMETER: 10

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535390. __0

TARGET NUMBER: 5

FILE DATE: 03/09/2006

FILE TIME: 07:12

X CENTROID: 0.093

Y CENTROID: 0.129

POA TO CENTROID: 0.160

HORZ SPREAD: 1.220

VERT SPREAD: 2.251

GROUP SPREAD: 2.263

MIN RADIUS: 0.311

MAX RADIUS: 1.384


MEAN RADIUS: 0.691

IN 1 IN DIAMETER: 2

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.061	1.513
2:	-0.030	0.936
3:	-0.274	0.537
4:	-0.216	0.161
5:	-0.598	0.013
6:	0.611	-0.452
7:	0.622	-0.158
8:	0.339	-0.133
9:	0.121	-0.385
10:	0.297	-0.738



TARGET APPROX 1/2 SCALE