

E6374556

Repair Inquiry		Print Close																										
Repair Number: RE00062409	Serial: E6374556 Model 700 Center Fire Caliber: 7.62 NATO M-24 (SWS)	Repairman: _____	Status: Closed 2/28/2003 10:56:00 AM																									
Verify Repair: _____																												
Address Information																												
Customer: _____	☒ Received From _____	Return To: _____	☐ Received From _____																									
Name: COMMANDER		COMMANDER																										
Address 1: ATTN SSG DEAN		ATTN SSG DEAN																										
Address 2: 11 SFG A UNIT 35123 PO Box: _____		11 SFG A UNIT 35123 PO Box: _____																										
City: APO		APO																										
State: AP	Zip Code: 96376	State: AP	Zip Code: 96376																									
Country: XX		Country: XX																										
FFL: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Contact / Condition</th> <th style="width: 20%;">Problems</th> <th style="width: 20%;">Estimate</th> <th style="width: 20%;">History / Status</th> <th style="width: 20%;">Shipping / Billing</th> </tr> </thead> <tbody> <tr> <td colspan="5" style="padding: 10px;"> Contact Information Phone: _____ Fax: _____ Email: _____ Comments: Received Condition Poor Condition Notes: REC'D IN SAME HARD CASE W/ SER# E6374597 CSR Notes: Accessories Received <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Code</th> <th style="width: 70%;">Desc</th> <th style="width: 20%;">Qty</th> </tr> </thead> <tbody> <tr> <td>A007</td> <td>With Stud</td> <td>1</td> </tr> <tr> <td>A010</td> <td>Hard Case</td> <td>1</td> </tr> <tr> <td>A017</td> <td>Scope Base</td> <td>1</td> </tr> <tr> <td>X</td> <td>FRT & REAR SGT BA</td> <td>1</td> </tr> </tbody> </table> </td> </tr> </tbody> </table>				Contact / Condition	Problems	Estimate	History / Status	Shipping / Billing	Contact Information Phone: _____ Fax: _____ Email: _____ Comments: Received Condition Poor Condition Notes: REC'D IN SAME HARD CASE W/ SER# E6374597 CSR Notes: Accessories Received <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Code</th> <th style="width: 70%;">Desc</th> <th style="width: 20%;">Qty</th> </tr> </thead> <tbody> <tr> <td>A007</td> <td>With Stud</td> <td>1</td> </tr> <tr> <td>A010</td> <td>Hard Case</td> <td>1</td> </tr> <tr> <td>A017</td> <td>Scope Base</td> <td>1</td> </tr> <tr> <td>X</td> <td>FRT & REAR SGT BA</td> <td>1</td> </tr> </tbody> </table>					Code	Desc	Qty	A007	With Stud	1	A010	Hard Case	1	A017	Scope Base	1	X	FRT & REAR SGT BA	1
Contact / Condition	Problems	Estimate	History / Status	Shipping / Billing																								
Contact Information Phone: _____ Fax: _____ Email: _____ Comments: Received Condition Poor Condition Notes: REC'D IN SAME HARD CASE W/ SER# E6374597 CSR Notes: Accessories Received <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Code</th> <th style="width: 70%;">Desc</th> <th style="width: 20%;">Qty</th> </tr> </thead> <tbody> <tr> <td>A007</td> <td>With Stud</td> <td>1</td> </tr> <tr> <td>A010</td> <td>Hard Case</td> <td>1</td> </tr> <tr> <td>A017</td> <td>Scope Base</td> <td>1</td> </tr> <tr> <td>X</td> <td>FRT & REAR SGT BA</td> <td>1</td> </tr> </tbody> </table>					Code	Desc	Qty	A007	With Stud	1	A010	Hard Case	1	A017	Scope Base	1	X	FRT & REAR SGT BA	1									
Code	Desc	Qty																										
A007	With Stud	1																										
A010	Hard Case	1																										
A017	Scope Base	1																										
X	FRT & REAR SGT BA	1																										
Repair Search		Refresh Close																										

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: E6374556.___0
FILE DATE AND TIME: 10/12/2002 13:36

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	0.017
The Average Y Centroid of the Five Target Set:	0.027
The Average Point of Impact of the Five Target Set:	0.032
The Average Mean Radius of the Five Target Set:	0.532
The Distance from POA to Centroid Target #1:	0.053
The Distance from Centroid Target #2 to Centroid Target #1:	0.200
The Distance from Centroid Target #3 to Centroid Target #1:	0.183
The Distance from Centroid Target #4 to Centroid Target #1:	0.028
The Distance from Centroid Target #5 to Centroid Target #1:	0.217

SERIAL NUMBER: E6374556. __0

TARGET NUMBER: 1

FILE DATE: 10/12/2002

FILE TIME: 13:36

X CENTROID: -0.045

Y CENTROID: 0.027

POA TO CENTROID: 0.053

HORZ SPREAD: 2.412

VERT SPREAD: 1.059

GROUP SPREAD: 2.481

MIN RADIUS: 0.026

MAX RADIUS: 1.378


MEAN RADIUS: 0.563

IN 1 IN DIAMETER: 5

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-1.327	-0.479
2:	-0.886	-0.074
3:	-0.031	0.580
4:	1.085	0.100
5:	0.818	0.230
6:	0.249	-0.109
7:	0.095	0.015
8:	-0.075	0.020
9:	-0.339	-0.063
10:	-0.042	0.053




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374556. 0
 TARGET NUMBER: 2
 FILE DATE: 10/12/2002
 FILE TIME: 13:36

X CENTROID: 0.145
 Y CENTROID: 0.090
 POA TO CENTROID: 0.171
 HORZ SPREAD: 1.497
 VERT SPREAD: 1.022
 GROUP SPREAD: 1.539
 MIN RADIUS: 0.243
 MAX RADIUS: 0.993
 MEAN RADIUS: 0.477
 # IN 1 IN DIAMETER: 6
 # IN 2 IN DIAMETER: 10
 # in 3 IN DIAMETER: 10

POINT#	X	Y
1:	1.002	0.591
2:	0.359	0.381
3:	0.635	-0.216
4:	0.332	-0.065
5:	0.091	-0.431
6:	0.044	-0.183
7:	-0.094	-0.014
8:	-0.495	0.233
9:	-0.200	0.435
10:	-0.226	0.171



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374556. 0

TARGET NUMBER: 3

FILE DATE: 10/12/2002

FILE TIME: 13:36

X CENTROID: 0.075

Y CENTROID: 0.165

POA TO CENTROID: 0.181

HORZ SPREAD: 1.735

VERT SPREAD: 1.800

GROUP SPREAD: 2.309

MIN RADIUS: 0.165

MAX RADIUS: 1.198


MEAN RADIUS: 0.567

IN 1 IN DIAMETER: 6

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	1.069	0.655
2:	0.780	-0.693
3:	-0.666	1.107
4:	-0.624	0.332
5:	0.409	0.197
6:	-0.090	0.177
7:	-0.258	-0.049
8:	0.100	-0.128
9:	-0.054	0.062
10:	0.082	-0.009




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374556. 0
 TARGET NUMBER: 4
 FILE DATE: 10/12/2002
 FILE TIME: 13:36

X CENTROID: -0.020
 Y CENTROID: 0.040
 POA TO CENTROID: 0.045
 HORZ SPREAD: 1.873
 VERT SPREAD: 0.883
 GROUP SPREAD: 1.879
 MIN RADIUS: 0.100
 MAX RADIUS: 1.130
 MEAN RADIUS: 0.572
 # IN 1 IN DIAMETER: 3
 # IN 2 IN DIAMETER: 9
 # in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-1.140	-0.110
2:	-0.526	0.298
3:	-0.641	0.140
4:	-0.281	0.231
5:	0.109	0.170
6:	-0.120	0.031
7:	0.629	0.211
8:	0.733	0.045
9:	0.495	-0.031
10:	0.540	-0.585



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374556. __0

TARGET NUMBER: 5

FILE DATE: 10/12/2002

FILE TIME: 13:36

X CENTROID: -0.071

Y CENTROID: -0.189

POA TO CENTROID: 0.201

HORZ SPREAD: 1.214

VERT SPREAD: 1.378

GROUP SPREAD: 1.590

MIN RADIUS: 0.087

MAX RADIUS: 0.857


MEAN RADIUS: 0.482

IN 1 IN DIAMETER: 6

IN 2 IN DIAMETER: 10

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.396	0.417
2:	-0.400	-0.097
3:	-0.485	-0.784
4:	-0.441	-0.961
5:	0.034	-0.501
6:	0.729	0.115
7:	0.189	0.083
8:	-0.025	0.107
9:	-0.028	-0.264
10:	0.113	0.000



TARGET APPROX 1/2 SCALE

R & E NUMBER	62409		
SERIAL NUMBER	E16374556		
LOG-IN DATE	62409 2-28-03		
INSPECT AND VERIFY:			
OPERATION #	OPERATION NAME	DATE	INITIAL
550	DIS-ASSEMBLE GUN	3/4/03	RTL
560 A	RE-BARREL	3-5-03	RTL
B	DRILL AND TAP	3-6-03	TRL
575	ASSEMBLE	3-5-03	RTL
600	PROOF	3-5-03	AC
605	CHECK HEADSPACE	3-5-03	AC
610	DIS-ASSEMBLE GUN	3-5-03	AC
612	MAGNAFLUX OPERATOR	3-7-03	JO
615	ROLLMARK CALIBER	3-7-03	JB
618	ROTO-BLAST	3-10-03	KO
620	APPLY COATINGS	3-18	TA
625 A	FINAL ASSEMBLY	3-19-03	RTL
B	TRIGGER PULL TEST		
C	SAFETY "ON" FORCE		
D	SAFETY "OFF" FORCE		
E	FIRING PIN INDENT		
640	TARGET	3-20-03	TRL
655	FINAL INSPECT	3-21-03	RTL
660	PACK	3-21-03	JA
		SHIP DATE	
	QAR INSPECTION DATE		

OKINAWA

MAJAN - ANJAM
UTOTOMI

OPERATOR