

BARBER - M24 0118628

E 6374595 NEW
C6725730 OLD

RECEIVING AND ESTIMATING REPORT

BARBER - M24 0118629

COMMENTS

R

ORDER

98-05072

INITIAL JLM CUSTOMER ORDER NO. WOG 15 OF 23

DATE RECEIVED	DATE OPENED	DATE CODE	SERIAL NUMBER	NEW SERIAL NUMBER	MODEL AND GRADE
02/24/98	02/24/98		E6225250	E6374595	700 7.62 NATO
ACCESSORIES			SCOPE BASE		
W/STUDS					

FROM:

SHIP TO:

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

CUST NO: 113830 C.O.D

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN	AMMO	FUNCTION	FINISH	ACCURACY	FIT	INSPECT
------------------	------	----------	--------	----------	-----	---------

CYCLE

TRIGGER GROUP

BOLT ASSY.

BARREL ASSY.

REC. ASSY.

WOOD

METAL

MAIN FAULT

PARTS

COMMENTS

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

FORM 700 REV 7-97

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0118668

BARBER - M24 0118630

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374595
20 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .2524
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0854
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .266456

THE AMR FOR THIS RIFLE IS: 1.117

CENTROIDAL DISTANCES

0 TO	1	.300719
1 TO	2	.283143
1 TO	3	.213715
1 TO	4	.189169
1 TO	5	.402375

+ $\frac{1}{4}$ $\frac{3}{2}$ $\frac{5}{5}$ <----POA

BARBER - M24 0118631

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: ☐ 1 ☐

POA TO CENTROID: .300
MIN RADIUS : .383
MEAN RADIUS : 1.105
MAX RADIUS : 1.888
CENTROID X : .144
CENTROID Y : .264

20 May 1998

FILE:/Hqbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.62

1

VS= 2.86

4

GS= 2.99

8

BARBER - M24 0118632

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 2 ☐

POA TO CENTROID: .323

MIN RADIUS : .166

MEAN RADIUS : .834


MAX RADIUS : 1.577

CENTROID X : .321

CENTROID Y : .043

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 2

OF SHOTS= 10

IN CIRCLE

HS= 1.62

2

VS= 2.91

7

GS= 2.96

9

BARBER - M24 0118633

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: ☐ 3 ☐

POA TO CENTROID: .263
MIN RADIUS : .153
MEAN RADIUS : 1.217
MAX RADIUS : 1.959
CENTROID X : .251
CENTROID Y : .079

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 1.85

2

VS= 3.41

2

GS= 3.47

7

BARBER - M24 0118634

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: ☐ 4 ☐

POA TO CENTROID: .350
MIN RADIUS : .547
MEAN RADIUS : 1.280
MAX RADIUS : 2.195
CENTROID X : .307
CENTROID Y : .168

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 3.25

0

VS= 2.58

3

GS= 3.83

6

BARBER - M24 0118635

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 5 ☐

POA TO CENTROID:	:	.271
MIN RADIUS	:	.419
MEAN RADIUS	:	1.150
MAX RADIUS	:	1.800
CENTROID X	:	.239
CENTROID Y	:	-.127

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 5

OF SHOTS= 10

IN CIRCLE

HS= 2.94

1

VS= 2.69

4

GS= 3.23

5

BARBER - M24 0118636

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374595
19 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1652
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .391
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .424467

THE AMR FOR THIS RIFLE IS: 1.157

2 BADDY GROUPS

CENTROIDAL DISTANCES

0 TO	1	.69527
1 TO	2	.351602
1 TO	3	.16985
1 TO	4	.300674
1 TO	5	.714085

1
2 3
4
+ 5 <----POA

REDO

BARBER - M24 0118637

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 1 ☐

POA TO CENTROID: .695

MIN RADIUS : .174

MEAN RADIUS : 1.124


MAX RADIUS : 2.102

CENTROID X : .154

CENTROID Y : .678

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 1

OF SHOTS= 10

IN CIRCLE

HS= 2.30

1

VS= 3.38

4

GS= 3.66

7

BARBER - M24 0118638

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 2 ☐

POA TO CENTROID: .400

MIN RADIUS : .280

MEAN RADIUS : 1.411

MAX RADIUS : 2.485


CENTROID X : -.056

CENTROID Y : .396

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 4.04

2

VS= 2.70

2

GS= 4.06

5

BARBER - M24 0118639

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 3 ☐

POA TO CENTROID: .559

MIN RADIUS : .222

MEAN RADIUS : .642

MAX RADIUS : 1.476


CENTROID X : .211

CENTROID Y : .518

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.08

5

VS= 1.45

6

GS= 2.41

10

BARBER - M24 0118640

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 4 ☐

POA TO CENTROID: .441

MIN RADIUS : .222

MEAN RADIUS : 1.070


MAX RADIUS : 1.934

CENTROID X : .217

CENTROID Y : .384

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 4

OF SHOTS= 10

IN CIRCLE

HS= 1.71

2

VS= 3.31

4

GS= 3.32

8

BARBER - M24 0118641

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: ☐ 5 ☐

POA TO CENTROID:	.301
MIN RADIUS :	.273
MEAN RADIUS :	<u>1.538</u>
MAX RADIUS :	2.695
CENTROID X :	.300
CENTROID Y :	-.021

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS=	4.21
VS=	4.18
GS=	4.68

1
3
4