

G 641 4360
Replaced
C. 6225288

Arms Services Repair & Estimate System

File Add Repair Estimate Repair Expedite Repair Inquiry Repair Tools CSR Tools Reports Table Maintenance System Maintenance Help

Evaluate History

Repair Inquiry

Repair Number: **RE00163630** Serial: **G6414360** Model **M24 SWS** Center Fire Repairman: _____
 Verify Repair _____ Caliber: **7.62 NATO** Status: **Closed 3/3/2009 11:25:43 AM**

Address Information

Customer: _____ Received From: _____ Return To: _____ Received From: _____
 Name: **ISD ARMSROOM** **ISD ARMSROOM**
 Address 1: **8TH DESERT STORM** **8TH DESERT STORM**
 Address 2: **BLDG 5210 BAY DOOR #30** PO Box: _____ **BLDG 5210 BAY DOOR #30** PO Box: _____
 City: **FORT CAMPBELL** **FORT CAMPBELL**
 State: **KY** Zip Code: **42223** Country: **US** State: **KY** Zip Code: **42223** Country: **US**
 FFL: _____

Contact / Condition **Problems** **Estimate** **History / Status** **Shipping / Billing**

Contact Information **Received Condition** **Accessories Received**

Phone: **NN** Condition: **Fair**

Fax: _____ Condition Notes: _____

Email: _____ CSR Notes: _____

Comments: _____

Code	Desc	Qty
A010	Hard Case	1
A017	Scope Base	1
A026	Scope	1
A057	Fit Sgt Base	1

Repair Search **Refresh** **Close**

Refresh **Close**

Repair

negleij 3/4/2009 12:39 PM CAPS NUM INS SCRL

start 10 Micro... 8 Micros... My Docum... Arms Serv... DMS - Glo... Google Ne... Part Searc... 12:39 PM

Serial Number: **G6414360**
 Model: **M24 SWS**

RE00163630

INSPECTION CHECKLIST - REPAIRS

CONTRACT #: W52H09-07-C-0207

ISSUED 10/1/2007

R & E NUMBER

1163630

SERIAL NUMBER

G644360

LOG-IN DATE

3-3-09

OPERATION #	OPERATION NAME	DATE	INITIAL
500	DIS-ASSEMBLE GUN	3-10-09	RTZ
505	RE-BARREL	3-26-09	RTZ
420	ASSEMBLE	3-27-09	RTZ
440	PROOF	3-27-09	TL
460	CHECK HEADSPACE	3-27-09	TL
470	DIS-ASSEMBLE GUN		
480	MAGNAFLUX	4/2/09	AS
510	DRILL AND TAP	3-28-09	SP
500	ROLLMARK CALIBER	4/2/09	RT
520	GOFF BLAST BBL / REC	4-2	BT
530 & 540	APPLY COATINGS	4-3	
560	FINAL ASSEMBLY	4-4-09	RTZ
640	FUNCTION TEST AND	4-4-09	TL
650	TARGET	4-4-09	TL
	MALFUNCTION	CORRECTION	
	MALFUNCTION	CORRECTION	
	MALFUNCTION	CORRECTION	
	MALFUNCTION	CORRECTION	
670	FINAL INSPECTION	4-4-09	292
	A) HEADSPACE	4-4-09	292
	B) TRIGGER PULL	270 270 260 265 266 4-7-09	292
680	F) SAFETY ON FORCE	50 50 40 4-4-09	292
	G) SAFETY OFF FORCE	50 50 50 4-4-09	292
	I) FIRING PIN INDENT	.022 .022 .022 4-4-09	292
690	PACK	4-6-09	FM

F006 REV 1/2009

MAINTENANCE REQUEST For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG			PAGE NO	NO OF PAGES	REQUIREMENT CONTROL SYMBOL CSGLD-1047(R1)
SECTION I - CUSTOMER DATA			SECTION II - MAINTENANCE ACTIVITY DATA		
1a. UIC CUSTOMER W.P. 88-110	1b. CUSTOMER UNIT NAME HHC 3-187 INF	1c. PHONE NO 795-3915	3a. WORK ORDER NUMBER (WON) 2701-7198-3915	3b. SHOP Recon PLT	3c. PHONE NO 270-956-1448
2a. SAMS-2 UIC/SAMS-I/TDA	2b. UTILIZATION CODE	2c. MCSR	4a. UIC SUPPORT UNIT	4b. SUPPORT UNIT NAME	
SECTION III - EQUIPMENT DATA					
5. TYPE MNT REQ CODE	6. ID	7. NSN 101051011240211361	15a. FAILURE DETECTED DURING/WHEN DISCOVERED CODE (Enter code) See DA Pamphlets 738-750 and 738-751		
8. MODEL m24 sws			15b. FIRST INDICATION OF TROUBLE/HOW RECOGNIZED CODE (Enter Code) See DA Pamphlets 738-750 and 738-751		
9. NOUN			16. MILES/KILOMETERS/HOURS/ROUNDS M K		
10a. ORG WON/DOC NO			H R		
10b. EIC					
11. SERIAL NUMBER 66414369		12. QTY	13. PD	17. PROJECT CODE (if assigned)	18. ACCOUNT PROCESSING CODE
14. MALFUNCTION DESCRIPTION (for DSU, GSU/AVIM, DEPOT use)		19. IN WARRANTY? (enter Y or N)		20. ADMIN NO	
21. REIMBURSABLE CUSTOMER (if Intransit customer enter Y or N)		22. LEVEL OF WORK		23. SIGNATURE	
24. DESCRIBE DEFICIENCIES OR SYMPTOMS ON THE BASIS OF COMPLETE CHECKOUT AND DIAGNOSTIC PROCEDURES IN EQUIPMENT TM (Do not prescribe repairs) Barrel has logged over 5000 RDS and needs replacement					
25. REMARKS					
PREPARATION INSTRUCTIONS FOR THIS PAGE					
SECTION I Block 1a. Enter UIC of submitting organization. Block 1b. Enter name of submitting organization. Block 1c. Enter number to be called when maint. is completed. Block 2a. Enter UIC of supporting SAMS-2/SAMS-I/TDA if work is requested while intransit and away from your support maintenance unit. Block 2b. Enter utilization code. See DA Pamphlets 738-750 and 738-751. Block 2c. Enter "Y" if reportable under AR 700-138. If not, leave blank.			SECTION III (Cont'd) Block 12. Enter the quantity of items being submitted. Block 13. Enter the maintenance priority designator determined from DA PAM 710-2-1. Block 14. For DSU, GSU/AVIM, DEPOT use. Block 15a. Enter the code that most accurately describes when the fault or deficiency was detected. See DA Pamphlets 738-750 and 738-751. Block 15b. Select one. Enter the code. See DA Pamphlets 738-750 and 738-751. Block 16. Enter the accumulated usage data in blocks, when equipment is subject to usage reporting. Block 17. Enter the project code if one has been assigned. If not, leave blank. Block 18. See DA Pamphlets 738-750 and 738-751. Block 19. Enter "Y" or "N" to indicate whether equipment is still under manufacturer's warranty. Block 20. Enter the admin number assigned for property control purposes for the equipment being submitted. Block 21. For DSU/GSU/AVIM/Depot use. Block 22. Enter level of work performed "O" for UNIT LEVEL/AVUM, "F" for DSU/AVIM, "H" for GSU, "D" for DEPOT, "K" for contractor or "L" for Spc Rpr Act. Block 23. Enter the signature of the CO or the CO's designated representative when the priority designator is 01-10. For priority designators 11-15, leave blank. Block 24. Enter a brief description of the deficiencies or symptoms that you feel require attention at this level of maint. Block 25. Self-explanatory.		
SECTION II Leave blank. To be completed by the support maintenance DSU/GSU/AVIM/DEPOT.					
SECTION III Block 5. Enter the Type Maintenance Request Code. See DA Pamphlets 738-750 and 738-751. Block 6. Enter ID associated with block 7. See DA Pamphlets 738-750 and 738-751. Block 7. Enter the NSN or stock number of the item being submitted. Block 8. Enter model of item being submitted. Block 9. Enter noun/nomenclature of item being submitted. Block 10a. Enter Work Order Number (WON)/DOC NO assigned when item is submitted. Otherwise, leave blank. Block 10b. Enter End Item Code. See AMDF. Block 11. Enter serial number of item being submitted.					
34a. SUBMITTED BY	35a. ACCEPTED BY	35c. DATE	Block 34a. Enter first initial and last name of submitter. Block 34b. Enter ordinal date submitted (YYDDD). Block 35a. Enter first initial and last name of person accepting maint. request. Block 35b. Enter the initial status. See DA Pamphlets 738-750 and 738-751. Block 35c. Enter ordinal date accepted (YYDDD). Block 35d. Enter military time.		
34b. DATE	35b. STATUS	35d. TIME			

DA FORM 2407, JUL 94

PREVIOUS EDITIONS OF DA FORM 2407 AND DA FORM 5504 ARE OBSOLETE

RECEIPT COPY 1

[illegible]

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: G6414360.___0

FILE DATE AND TIME: 04/06/2009 05:33

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	0.029
The Average Y Centroid of the Five Target Set:	0.068
The Average Point of Impact of the Five Target Set:	0.074
The Average Mean Radius of the Five Target Set:	0.488
The Distance from POA to Centroid Target #1:	0.155
The Distance from Centroid Target #2 to Centroid Target #1:	0.223
The Distance from Centroid Target #3 to Centroid Target #1:	0.339
The Distance from Centroid Target #4 to Centroid Target #1:	0.040
The Distance from Centroid Target #5 to Centroid Target #1:	0.076

SERIAL NUMBER: G6414360. 0

TARGET NUMBER: 1

FILE DATE: 04/06/2009

FILE TIME: 05:33

POINT#	X	Y
1:	0.758	0.648
2:	0.630	0.076
3:	0.514	0.259
4:	0.185	-0.083
5:	0.067	0.236
6:	-0.008	-0.184
7:	-0.331	-0.169
8:	-0.466	0.166
9:	-0.122	0.019
10:	0.003	-0.022

X CENTROID: 0.123

Y CENTROID: 0.095

POA TO CENTROID: 0.155

HORZ SPREAD: 1.224

VERT SPREAD: 0.832

GROUP SPREAD: 1.361

MIN RADIUS: 0.152


MAX RADIUS: 0.842

MEAN RADIUS: 0.396

IN 1 IN DIAMETER: 6

IN 2 IN DIAMETER: 10

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. 0

TARGET NUMBER: 2

FILE DATE: 04/06/2009

FILE TIME: 05:33

POINT#	X	Y
1:	-0.359	1.180
2:	-0.491	0.967
3:	0.037	0.858
4:	-0.363	0.179
5:	-0.563	0.066
6:	-0.242	-0.356
7:	0.054	-0.711
8:	0.575	-0.340
9:	0.217	-0.149
10:	0.336	0.171

X CENTROID: -0.080

Y CENTROID: 0.187

POA TO CENTROID: 0.203

HORZ SPREAD: 1.138

VERT SPREAD: 1.891

GROUP SPREAD: 1.936

MIN RADIUS: 0.283


MAX RADIUS: 1.032

MEAN RADIUS: 0.655

IN 1 IN DIAMETER: 4

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. __0

TARGET NUMBER: 3

FILE DATE: 04/06/2009

FILE TIME: 05:33

POINT#	X	Y
1:	-1.629	-0.176
2:	-0.236	-0.370
3:	-0.365	0.430
4:	0.068	-0.183
5:	0.303	-0.173
6:	0.106	-0.005
7:	-0.034	0.148
8:	-0.131	0.057
9:	-0.051	-0.078
10:	0.080	-0.042

X CENTROID: -0.189

Y CENTROID: -0.039

POA TO CENTROID: 0.193

HORZ SPREAD: 1.932

VERT SPREAD: 0.800

GROUP SPREAD: 1.932

MIN RADIUS: 0.112


MAX RADIUS: 1.447

MEAN RADIUS: 0.415

IN 1 IN DIAMETER: 7

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. 0

TARGET NUMBER: 4

FILE DATE: 04/06/2009

FILE TIME: 05:33

POINT#	X	Y
1:	0.715	0.679
2:	0.203	0.563
3:	0.369	-0.088
4:	0.243	-0.418
5:	-0.162	-0.475
6:	-0.310	-0.015
7:	-0.053	0.246
8:	0.206	0.087
9:	0.014	-0.013
10:	-0.095	-0.003

X CENTROID: 0.113

Y CENTROID: 0.056

POA TO CENTROID: 0.126

HORZ SPREAD: 1.025

VERT SPREAD: 1.154

GROUP SPREAD: 1.449

MIN RADIUS: 0.098


MAX RADIUS: 0.866

MEAN RADIUS: 0.388

IN 1 IN DIAMETER: 7

IN 2 IN DIAMETER: 10

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. __0

TARGET NUMBER: 5

FILE DATE: 04/06/2009

FILE TIME: 05:33

POINT#	X	Y
1:	1.069	0.166
2:	0.638	0.576
3:	-0.126	-0.751
4:	0.100	-0.586
5:	0.382	-0.354
6:	0.137	-0.229
7:	-0.288	0.117
8:	-0.193	0.520
9:	-0.077	0.326
10:	0.142	0.637

X CENTROID: 0.178

Y CENTROID: 0.042

POA TO CENTROID: 0.183

HORZ SPREAD: 1.357

VERT SPREAD: 1.388

GROUP SPREAD: 1.506

MIN RADIUS: 0.274


MAX RADIUS: 0.899

MEAN RADIUS: 0.586

IN 1 IN DIAMETER: 4

IN 2 IN DIAMETER: 10

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

G6414360 (New)

~~C6225288~~

Model: M24 SWS



RE00095172

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: G6414360.__0
FILE DATE AND TIME: 04/28/2005 07:02

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	-0.036
The Average Y Centroid of the Five Target Set:	-0.052
The Average Point of Impact of the Five Target Set:	0.063
The Average Mean Radius of the Five Target Set:	0.951
The Distance from POA to Centroid Target #1:	0.209
The Distance from Centroid Target #2 to Centroid Target #1:	0.633
The Distance from Centroid Target #3 to Centroid Target #1:	0.109
The Distance from Centroid Target #4 to Centroid Target #1:	0.315
The Distance from Centroid Target #5 to Centroid Target #1:	0.223

SERIAL NUMBER: G6414360. __0

TARGET NUMBER: 1

FILE DATE: 04/28/2005

FILE TIME: 07:02

X CENTROID: -0.144

Y CENTROID: 0.151

POA TO CENTROID: 0.209

HORZ SPREAD: 1.612

VERT SPREAD: 2.745

GROUP SPREAD: 2.824

MIN RADIUS: 0.193

MAX RADIUS: 1.440


MEAN RADIUS: 0.780

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.374	-1.193
2:	0.181	-0.682
3:	0.587	-0.099
4:	-0.350	-0.354
5:	0.046	0.118
6:	-0.076	0.392
7:	-0.551	0.070
8:	-1.025	0.791
9:	-0.342	0.913
10:	-0.288	1.552



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. __0

TARGET NUMBER: 2

FILE DATE: 04/28/2005

FILE TIME: 07:02

X CENTROID: 0.367

Y CENTROID: -0.221

POA TO CENTROID: 0.429

HORZ SPREAD: 3.579

VERT SPREAD: 2.948

GROUP SPREAD: 4.332

MIN RADIUS: 0.573

MAX RADIUS: 2.303


MEAN RADIUS: 1.178

IN 1 IN DIAMETER: 0

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 7

POINT#	X	Y
1:	1.569	-1.400
2:	0.973	-0.859
3:	0.461	-1.166
4:	-0.209	-0.718
5:	-1.738	-0.893
6:	1.003	0.489
7:	0.164	0.320
8:	-0.137	0.050
9:	-0.253	0.415
10:	1.841	1.548



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. 0

TARGET NUMBER: 3

FILE DATE: 04/28/2005

FILE TIME: 07:02

X CENTROID: -0.171

Y CENTROID: 0.045

POA TO CENTROID: 0.177

HORZ SPREAD: 2.377

VERT SPREAD: 2.810

GROUP SPREAD: 3.468

MIN RADIUS: 0.248

MAX RADIUS: 1.875


MEAN RADIUS: 1.075

IN 1 IN DIAMETER: 2

IN 2 IN DIAMETER: 4

in 3 IN DIAMETER: 7

POINT#	X	Y
1:	0.886	-1.164
2:	0.096	-1.090
3:	-0.133	-1.090
4:	0.038	0.178
5:	-0.438	0.427
6:	0.018	0.662
7:	0.100	0.779
8:	0.360	1.073
9:	-1.146	1.646
10:	-1.491	-0.971



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. __0

TARGET NUMBER: 4

FILE DATE: 04/28/2005

FILE TIME: 07:02

X CENTROID: -0.107

Y CENTROID: -0.162

POA TO CENTROID: 0.194

HORZ SPREAD: 2.343

VERT SPREAD: 1.958

GROUP SPREAD: 2.797

MIN RADIUS: 0.233

MAX RADIUS: 1.696


MEAN RADIUS: 0.794

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 9

POINT#	X	Y
1:	0.634	-0.755
2:	-0.655	-1.333
3:	-1.633	-0.902
4:	0.710	0.625
5:	0.529	0.235
6:	0.124	-0.134
7:	-0.388	-0.308
8:	0.133	0.431
9:	-0.334	0.116
10:	-0.189	0.407



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6414360. 0

TARGET NUMBER: 5

FILE DATE: 04/28/2005

FILE TIME: 07:02

POINT#	X	Y
1:	1.143	1.131
2:	0.930	-0.032
3:	0.132	-0.037
4:	0.152	-0.705
5:	-0.003	-0.443
6:	-0.571	-0.470
7:	-0.757	-1.227
8:	-0.322	0.469
9:	-1.750	-0.327
10:	-0.183	0.929

X CENTROID: -0.123

Y CENTROID: -0.071

POA TO CENTROID: 0.142

HORZ SPREAD: 2.893

VERT SPREAD: 2.358

GROUP SPREAD: 3.240

MIN RADIUS: 0.257


MAX RADIUS: 1.746

MEAN RADIUS: 0.928

IN 1 IN DIAMETER: 2

IN 2 IN DIAMETER: 5

in 3 IN DIAMETER: 8



TARGET APPROX 1/2 SCALE

R & E NUMBER	95172		
SERIAL NUMBER	C6225288		G6414360 (New)
LOG-IN DATE	3-29-05		
INSPECT AND VERIFY:			
OPERATION #	OPERATION NAME	DATE	INITIAL
550	DIS-ASSEMBLE GUN	4-1-05	RTL
560 A	RE-BARREL	4-7-05	RTL
B	DRILL AND TAP	4-11-05	TRW
575	ASSEMBLE	4-7-05	RTL
600	PROOF	4-8-05	AC
605	CHECK HEADSPACE	4-8-05	AC
610	DIS-ASSEMBLE GUN	4-8-05	RTL
612	MAGNAFLUX	4-8-05	BS
615	ROLLMARK CALIBER	4-12-05	CW
618	ROTO-BLAST	4-18-05	LB
620	APPLY COATINGS	4-25-05	WJ
625 A	FINAL ASSEMBLY	4-27-05	RTL
B	TRIGGER PULL TEST		
C	SAFETY "ON" FORCE	4-29-05	AC
D	SAFETY "OFF" FORCE	4-29-05	AC
E	FIRING PIN INDENT	4-29-05	AC
640	TARGET	4-28-05	AC
655	FINAL INSPECT	4-29-05	AC
660	PACK	5-5-05	DAI
		SHIP DATE	
		QAR INSPECTION DATE	

06225288

SERIAL # G6414360 NewINSPECTED BY: RTLDATE REC'D: 3-29-05DATE RET'D: 5-05-05

ITEM

BARREL ASSEMBLY

☒ BARREL
☒ RECEIVER
☒ FRONT SIGHT BASE
☒ REAR SIGHT BASE
☒ SCREWS
☒ FINISH

SCOPE ASSEMBLY

☒ SCOPE
☒ SCOPE RINGS
☒ MOUNTING SCREWS
☒ MOUNTING BASE
☒ SCREWS
☒ FINISH
☒ CLARITY

ITEM

STOCK ASSEMBLY

☒ STOCK
☒ SLING AWIVEL STUDS
☒ ADJUSTABLE
☒ BUTT PLATE
☒ LOCK NUTS
☒ BARREL CLEARANCE
☒ COLOR / FINISH

SYSTEMS CASE

☒ SCOPE CASE
☒ IRON SIGHTS
☒ DEPLOYMENT KIT

TRIGGER ASSEMBLY

☒ SAFETY OPERATION
☒ RE-SET TO FACTORY SPECS

COMMENTS:

Remington®
REG. U.S. PAT. & TM. OFF.

VERY IMPORTANT:
Instruction Book
enclosed to assure
safe use of this
firearm.

MODEL 700™ H24

SERIAL NO.
C6225288

ORDER NO.
5716

MADE IN ILION, N.Y., U.S.A. Reg. U.S. Pat. & Tm. Off., Marca Registrada Marque Deposee.

Ø1

5716 C6225288

UPC

0 47700 25716 7



CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C6225288

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock	3 17	89	RW
600	Proof	3 17	89	RW
607	Check Headspace	3 17	89	RW
610	Dis-assemble Gun	3 17	89	RW
612	Magnaflux Barrel Action		3/21	KCR
	Magnaflux Bolt		3/21	KCR
615	Rollmark Caliber		3/21	h.s.
617	Drill and Tap Sight Holes	3 22	89	FB
618	Polish Barrel	3 22	89	BT.
620	Apply Coatings (Barrel Action)		3/21-89	TJA
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		4/4/89	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		4/4/89	RW
	C) Inspect Ejector Hole for Chamfer		4/4/89	RW
	D) Oil Firing Pin Ass'y		4/4/89	RW
	E) Adjust Trigger Pull to Min Setting and Stake		4-6-89	JH

op. #	BARBER - M24 0150898 OP. NAME	READINGS					DATE	INIT
625 cont.	F) Safety On Force	6	6	6			4-6-89	gll
	G) Safety Off Force	3	3	3			4-6-89	gll
	H) Trigger Pull Test & Retainability						4-6-89	g.s.
	I) Firing Pin Indent	.021	.020	.021			4-6-89	gll
	J) Assemble Stock						4/13/89	RW
	K) Assemble Swivel Studs						18 April 89	gss
	L) Attach Front and Rear Sight Assemblies						4/13/89	RW
	M) Iron Sight Alignment						4/13/89	RW
	N) Detach Front & Rear Sights & place in numbered container						4/13/89	RW
	O) Attach Scope to Rifle						4/13/89	gll
	P) Detach & Attach Scope 20 Times						4/14/89	gll
640	Gallery Target & Test	78 R	79 L				4-12-89	A
	A) Time						11	A
	B) Malfunctions						11	A
	C) Pierced Primers						11	A
	D) Optical Clarity of Scope						11	A
645	Inspect for Live Ammo						4-12-89	A
655	Final Inspection							
	A) Headspace						18 April 89	gss
	B) Trigger Pull	2.67	2.36	2.41	2.36	2.15	18 April 89	gss
	C) Function						18 April 89	gss
660	Pack						21 June 89	gss

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50# ± .50#

3.00# ± .75#

4.00# ± 1.00#

SERIAL NO. 66225288

DATE 4-11-90

TESTER JRU

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.44	2.32		2.42	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.31	2.29		2.28	
PULL #3	2.34	2.29		2.31	
PULL #4	2.32	2.28		2.37	
PULL #5	2.12	2.31		2.34	
TOTAL	11.53	11.49		11.72	
AVG.	2.306	2.298		2.344	

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.48	3.55		
PULL #2	3.51	3.59		
PULL #3	3.54	3.55		
PULL #4	3.43	3.60		
PULL #5	3.59	3.38		
TOTAL	17.55	17.67		
AVG.	3.51	3.534		

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.37	4.34		
PULL #2	4.41	4.33		
PULL #3	4.38	4.36		
PULL #4	4.38	4.05		
PULL #5	4.30	4.27		
TOTAL	21.84	21.35		
AVG.	4.368	4.27		

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # 06225288
18 Apr 1989

CENTROIDAL DISTANCES

0 TO	1	.649604
1 TO	2	.532905
1 TO	3	.622791
1 TO	4	.0980816
1 TO	5	1.08667

5 $\frac{1}{2}$ 4 (----POB

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .2132
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.1026
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .236603
THE AMR FOR THIS RIFLE IS: .9094


18 Apr 1985

FILE:/PATTERNING/CENTERFIRE_PATT/082252B6

CENTERFIRE PATTERNS

1

FOR



OF SHOTS= 10

IN CIR

1in = 1

2in = 4

3in = 8

HS= 2.734

VS= 2.803

GS= 3.229

CENTROID *

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.367	1.238	1.050
MINIMUM X	-1.367	-1.496	-.941
MAXIMUM Y	1.463	1.189	1.305
MINIMUM Y	-1.340	-1.177	-1.061
CENTROID X	.649	.778	.965
CENTROID Y	-.028	-.191	-.307
FOR TO CENTROID in.	.650	.802	1.013
MIN RADIUS	.474	.474	.313
MEAN RADIUS	1.080	.947	.794
MAX RADIUS	1.870	1.760	1.609
HORIZONTAL SPREAD	2.734	2.734	1.992
VERTICAL SPREAD	2.803	2.366	2.366
EXTREME SPREAD	3.229	2.870	2.594
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =		4	
NUMBER IN THREE INCH CIRCLE =			8

18 Apr 1989

FILE: \PATTERNING\CENTERFIRE_PATT\06225288

CENTERFIRE PATTERNS

2

POA

1 in circle

2 in circle

3 in circle

OF SHOTS - 10

IN CIR

1 in = 3

2 in = 6

3 in = 10

HS = 2.491

VS = 2.202

GS = 2.668

CENTROID #

PATTERN #	:	2
SHOTS (BEST OF)	:	10
MAXIMUM X	:	1.002
MINIMUM X	:	-1.489
MAXIMUM Y	:	.845
MINIMUM Y	:	-1.357
CENTROID X	:	.237
CENTROID Y	:	-.366
POA TO CENTROID in.	:	.436
MIN RADIUS	:	.131
MEAN RADIUS	:	.847
MAX RADIUS	:	1.493
HORIZONTAL SPREAD	:	2.491
VERTICAL SPREAD	:	2.202
EXTREME SPREAD	:	2.668
NUMBER IN ONE INCH CIRCLE	=	3
NUMBER IN TWO INCH CIRCLE	=	6
NUMBER IN THREE INCH CIRCLE	=	10

18 Apr 1989

FILE:/PATTERNING/CENTERFIRE_PATT/062252B8

CENTERFIRE PATTERNS # 3

POR

1 in circle

2 in circle

3 in circle

CENTROID *

OF SHOTS = 10

IN CIR

1 in = 3

2 in = 7

3 in = 9

HS = 2.487

VS = 1.679

CS = 2.987

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.237	1.097	.879
MINIMUM X	-1.260	-.956	-.819
MAXIMUM Y	.739	.639	.677
MINIMUM Y	-.940	-1.040	-.960
CENTROID X	.036	.176	.039
CENTROID Y	-.138	-.038	-.118
POR TO CENTROID in.	.143	.180	.124
MIN RADIUS	.358	.333	.364
MEAN RADIUS	.887	.809	.737
MAX RADIUS	1.548	1.270	1.110
HORIZONTAL SPREAD	2.497	2.053	1.698
VERTICAL SPREAD	1.679	1.679	1.637
EXTREME SPREAD	2.987	2.303	2.043
NUMBER IN ONE INCH CIRCLE =		3	
NUMBER IN TWO INCH CIRCLE =		7	
NUMBER IN THREE INCH CIRCLE =		9	

18 Apr 1989

FILE:/PATTERNING/CENTERFIRE_PATT/08225288

CENTERFIRE PATTERNS # 4

POR

1 in circle

2 in circle

3 in circle

CENTROID *

OF SHOTS- 10

IN CIR

1 in = 2

2 in = 5

3 in = 7

HS= 2.333

VS= 3.136


GS= 3.245

PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.962	.810	.756
MINIMUM X	-1.371	-.613	-.667
MAXIMUM Y	1.685	1.554	.853
MINIMUM Y	-1.451	-1.582	-1.388
CENTROID X	.573	.725	.779
CENTROID Y	-.090	.041	-.153
POR TO CENTROID in.	.580	.727	.794
MIN RADIUS	.345	.378	.474
MEAN RADIUS	1.049	.948	.871
MAX RADIUS	1.813	1.634	1.432
HORIZONTAL SPREAD	2.333	1.423	1.423
VERTICAL SPREAD	3.136	3.136	2.241
EXTREME SPREAD	3.245	3.245	2.377
NUMBER IN ONE INCH CIRCLE =	2		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	7		

18 Apr 1989

FILE:/PATTERNING/CENTERFIRE_PATT/08225028

CENTERFIRE PATTERNS # 3



OF SHOTS- 10

IN C14

1 in = 4

2 in = 8

3 in = 9

US= .275

VS= 2.220

GS= 2.336

CENTROID *

PATTERN #	1	3	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.551	.273	.298
MINIMUM X	-.425	-.364	-.339
MAXIMUM Y	.889	.652	.519
MINIMUM Y	-1.411	-1.069	-.804
CENTROID X	-.429	-.490	-.515
CENTROID Y	.109	.266	.399
FOR TO CENTROID IN.	.443	.558	.652
MIN RADIUS	.160	.292	.217
MEAN RADIUS	.684	.562	.478
MAX RADIUS	1.515	1.087	.851
HORIZONTAL SPREAD	.976	.637	.637
VERTICAL SPREAD	2.220	1.721	1.323
EXTREME SPREAD	2.336	1.749	1.373
NUMBER IN ONE INCH CIRCLE	=	4	
NUMBER IN TWO INCH CIRCLE	=	9	
NUMBER IN THREE INCH CIRCLE	=	9	

RECEIVING BARBER M24 0150926 PORT

COMMENTS

ORDER
R 93-25806

INITIAL FPS	CUSTOMER ORDER NO. H0127056	W/BY-POD & ULTRA 10X-M3A SCOPE M-24ATTN: FRED MARTIN			
DATE RECEIVED 12/02/93	DATE OPENED 12/02/93	DATE CODE AJ 3-89	SERIAL NUMBER C6225288	NEW SERIAL NUMBER	MODEL AND GRADE 700 7.62 NATO
ACCESSORIES HARD CASE		SCOPE MNTS SCOPE BASE L/1 STUD			

FROM:

TRANSPORTATION OFFICE
WILLIAM H. FERGUSON, ITO
FT CAMPBELL KY 42223

SHIP TO:

TRANSPORTATION OFFICE
WILLIAM H. FERGUSON, ITO
FT CAMPBELL KY
42223

CUST NO: 087942 C.O.D

ACCOUNT NUMBER	ACCOUNT NUMBER N/C	WRITE ☐	PROM. DATE	ESTIMATED	VIA UPS
----------------	--------------------	--------------------------------	------------	-----------	------------

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN	AMMO	FUNCTION	FINISH	ACCURACY	FIT	INSPECT
CYCLE	A1	B1				
TRIGGER GROUP		B2			E1	F1
BOLT ASSY.		B3			E2	F2
BARREL ASSY.		B4		D1	E3	F3
REC. ASSY.		B5		D2	E4	F4
WOOD			C1	D3	E5	F5
METAL			C2			

MAIN FAULT

New Barrel

PARTS Barrel - 96003	COMMENTS Re-Zinc - Scope Base, Scope Ring, Swivel Studs, Re-powder Coat - Floor plate, Latch, Trigger Guard, Front & Rear Sight Bases				
W52 H093361 H236					
REPAIRMAN RW	PROOF ✓	CLEAN ✓	TEST ✓	TARGET ✓	PATTERN
GALLERY TESTER RW	DATE 12/14/93	DATE 12/21/93	DATE 12/21/93	DATE 12/21/93	DATE

OFFICE COPY

RD6925 REV. 1/92

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150926 50945

SIGNATURE AND TALLY REC D

Form Approved
OMB No. 0702-0027
Expires Sep 30, 1992

Public reporting burden for this collection of information is estimated to average 2 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0702-0027), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses.

DISTRIBUTION INSTRUCTIONS

- The SHIPPER will prepare copies 1 through 4, retain copy 4 and deliver copies 1 through 3 to the Origin Carrier.
- The CARRIER will deliver copies 1 through 3 to the Destination Carrier.
- The DESTINATION CARRIER will attach copy 1 (reflecting all signatures) and Standard Form 1113 (Public Voucher For Transportation Charges) to the original Government Bill of Lading, and forward for payment. Copy 2 will be delivered to the Consignee. Copy 3 will be retained.
- The CONSIGNEE will ensure Destination Carrier surrenders copy 2.

SECTION A - To be completed by the SHIPPER.

1. SHIPPER		2. PROTECTIVE SERVICE REQUESTED	
a. NAME TRANSPORTATION OFFICE		SATELLITE MOTOR WITH DUAL DRIVER	
b. ORIGIN FORT CAMPBELL, KY 42223		3. GBL OR CBL NUMBER H-0127056	
4. CONSIGNEE		5. PERMIT NUMBER (if any)	
a. NAME TRANSPORTATION OFFICE REMINGTON ARMS CO.			
b. DESTINATION ILION, NY		6. TRANSPORTATION CONTROL NUMBER	
7. ROUTING TSMT/TRI STATE		8. WEIGHT 85	9. CUBE 12
10. SPECIAL INSTRUCTIONS		11. DATE SHIPMENT TENDERED TO CARRIER XX 18NOV93	12. NAME OF CARRIER TRI STATE
13. NUMBER OF PIECES 1 BX	14. TYPE OF PACKAGE(S) (for unsealed loads only) OR CONVEYANCE IDENTIFICATION & SEAL NUMBERS (for sealed loads only) 0789770 AND 0789776		15. FREIGHT CLASSIFICATION DESCRIPTION 9999913

SECTION B - To be completed by each person accepting custody of classified or protected material requiring the use of transportation protective service during transit.

16. CUSTODY RECORD				
a. PRINT NAME OF PERSON AND COMPANY REPRESENTED	b. STATION INTERCHANGE POINT DESTINATION	c. SIGNATURE OF PERSON ACCEPTING CUSTODY	d. TIME ACCEPTED	e. DATE ACCEPTED
Ernie P Bentley	FORT CAMPBELL, KY	Ernie P Bentley	0830	11-18-93
Faye L Bentley	FORT CAMPBELL, KY	Faye L Bentley	0830	11-18-93
Peggy Rollins	Richmond Ky	Peggy Rollins	0300	11-19-93
Willard Rollins	Richmond Ky	Willard Rollins	0300	11-19-93
G. WHITWORTH	Joplin MO. TSMT	G. Whitworth	2355	11-19-93
R. Clark	Joplin Mo-TSMT	R. Clark	0700	11-20-93
PAUL W BIGGERS	Joplin MO-TSMT	Paul W Biggers	1500	11-20-93
G. WHITWORTH	" "	G. Whitworth	2300	11-20-93
R. Clark	" "	R. Clark	0700	11-21-93
D L WILLIAMS	" "	D L Williams	10 AM	11-21-93

16. CUSTODY RECORD (Continued)				
a. PRINT NAME OF PERSON AND COMPANY REPRESENTED	b. STATION INTERCHANGE DESTINATION	c. SIGNATURE OF PERSON ACCEPTING CUSTODY	d. TIME ACCEPTED	e. DATE ACCEPTED
R L Williams	Joplin Mo.	R L Williams	10 4	11-21-93
C MARTIN TSMT	NORTH EAST MD	C Martin	1800	11/23/93
R L Williams	" "	R L Williams	0100	11/24/93
D L Williams	" "	D L Williams	0100	11/24/93
C TREWIN TSMT	JOPLIN MO	C Trewin	1002	11-25-93
CARL W BIGGERS	Joplin MOTSMT	Carl Biggers	1500	11-25-93
R. McFadyen	" "	R. McFadyen	2300	11-25-93
G. WHITWORTH	" "	G. Whitworth	2300	11-25-93
C TREWIN	" "	C Trewin	630	11-26-93
CARL W BIGGERS	Joplin MOTSMT	Carl Biggers	1500	11-26-93
R. McFadyen	" "	R. McFadyen	2300	11-26-93
G. WHITWORTH	" "	G. Whitworth	2300	11-26-93
R. Clark	Joplin MOTSMT	R. Clark	0700	11-27-93
CARL W BIGGERS	Joplin MOTSMT	Carl Biggers	1500	11-27-93
G. WHITWORTH	" "	G. Whitworth	2300	11-27-93
R. Clark	" "	R. Clark	0700	11-28-93
CARL W BIGGERS	Joplin Mo TSMT	Carl Biggers	1500	11-28-93
William Justice Sp	Joplin Mo	Wm Justice	1800	11-28-93
JOANNA JUSTICE	Joplin Mo	J Justice	1800	11-28-93
C MARTIN TSMT	NORTH EAST MD	C Martin	1600	11-30-93
J. PRIVETT TSMT	" " "	J Privett	0600	12-1-93
C MARTIN TSMT	" " "	C Martin	1800	12-1-93
William Justice Sp	NORTH EAST MD	Wm Justice	2100	12-1-93
JOANNA JUSTICE	NORTH EAST MD	J Justice	2100	12-1-93
Kenneth Volz	Remington ARMS	K Volz	7:36 AM	12-2-93

DD Form 1907 APR 90

U.S. GOVERNMENT BILL OF LADING

SHIPPING ORDER

B/L NO.

H- 0127056

1. TRANSPORTATION COMPANY TENDERED TO TRI STATE MOTOR TRANSIT		2. SCAC TSM	3. DATE B/L PREPARED 15NOV93	4. ROUTE ORDER/RELEASE NUMBER 1NXX281636A
5. DESTINATION (Name, address and ZIP code) 14 HOEFLER AVE. ILION, NY DDD: 24NOV93		6. SPLC (Dest.) 172856000	8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICE FORT CAMPBELL, KY 42223-1294	
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. ATTN: FABRICATED PROD, 14 HOEFLER AVE ILION, NY 13357-1816		7. SPLC (Orig.) 297980251	11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICE FORT CAMPBELL, KY 42223-1294	
12. APPROPRIATION CHARGEABLE 21420200000076202042000000000 2217000000H012705600000FAAD00015056		10. GBLOC (Cons.) IOOI	13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE & ACCOUNTING SVC-INDPLS TRANSPORTATION OPERATIONS (DEAS-T-THA) INDIANAPOLIS, IN 46249 AGENCY LOC CODE	
14. VIA (Route shipment when advantageous to the Government) SUBSTITUTE SERVICE NOT TO BE USED				
15. MARKS AND ANNOTATIONS (If extra services are ordered, see Administrative Directions No. 2 on reverse)				

RELEASED VALUE NOT EXCEEDING 2.50 PER POUND PER ARTICLE

THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP LEASED EQUIPMENT

16. PACKAGES		17. HM		18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible, otherwise use a clear nontechnical description)		19. WEIGHT* (Pounds only)		FOR USE OF BILLING CARRIER ONLY		
NO.	KIND							Services	Rate	Charges
1	BX	CLASSIFICATION ITEM NO. 146230 999913		FREIGHT ALL KINDS		85				
		W34CM7 3291 0513		CU: 12						
		THIS GBL CONSISTS OF 2 SHEETS						TOTAL CHARGES		
20. TARIFF/SPECIAL RATE AUTHORITY TSM 1026				21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS		22. CARRIER WAY/FREIGHT BILL NO. AND DATE 573518 11-19-93		
23. STOP THIS SHIPMENT AT		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS								
		INITIALS & NO.		SEAL NUMBERS		LENGTH/CUBE		MARKED CAPACITY		DATE FURNISHED
FOR:		TRK # 337 DROM # 350		0789770 and 0789776 APPLIED BY: shipper		ORDERED DROM		FURNISHED DROM		931118
25. CARRIER'S PICKUP DATE (Year, month, & day) 93 / 11 / 18		26a. SIGNATURE OF AGENT Emmie P Bentley				26b. PER TSM		B/L NUMBER H- 0127056		
27. MODE AD2	28. ESTIMATE 907	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC L	32. REASON Received by the transportation company named above, subject to conditions named on the reverse hereof, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.					
FOR USE OF ISSUING OFFICE						IMPORTANT				
33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL, KY 42223-1294						33b. GBLOC FAAT				
33c. ISSUING OFFICER WILLIAM H. FERGUSON, TTO						33e. DATED				
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY										
33f. FOB POINT NAMED IN CONTRACT										

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1104-123

STANDARD FORM 1104 (Rev. 4-85)
PRESCRIBED BY GSA, FPMR (41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0127056 50948

BARBER - M24 0150910 M2400150949

BARBER - M24 0150911
**U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEET**

(This form is to be used as a continuation sheet for SF 1104, U.S. Government Bill of Lading—Shipping Order, or SF 1204, U.S. Government Bill of Lading—Privately Owned Personal Property—Shipping Order.)

**SHIPPING
ORDER**

B/L NO. H-0127056

SHEET NO.

2 OF 2

ISSUING OFFICE (Name and complete address)

**TRANSPORTATION OFFICE
FORT CAMPBELL, KY 42223**

TRANSPORTATION COMPANY TENDERED TO

FROM (Shipping Point)

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD DRIVER PROTECTIVE SERVICE (DD) REQUESTED. SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER. SATELLITE MOTOR SURVEILLANCE (SM) REQUESTED. IN THE EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-800-826-0794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION/ STATUS REPORT EVERY FOUR (4) HOURS WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION. DROMEDARY SERVICE REQUESTED. SHIPPER SEAL(S) APPLIED. CARRIER MAY REMOVE SEAL(S) AND REPLACE WITH EQUIVALENT SEAL(S). IF SEALS ARE BROKEN IN EMERGENCIES, NOTIFY THE TRANSPORTATION OFFICE, FT CAMPBELL, KY AT (502)798-7154, AFTER DUTY HRS (502)798-9793 AS SOON AS POSSIBLE. CARRIER MUST ANNOTATE SEAL CHANGES ON GBL.				

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1110-114

STANDARD FORM 1110 (REV. 4-85)
PRESCRIBED BY GSA, FPMR (41 CFR) 101-41.3

**CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON**

BARBER - M24 015091150950

Final Inspection

In: C6225288

DATE REC'D: 12/02/93

DATE RET'D:

AUDITOR: RW

Item:

BARREL ASSY.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

SCOPE ASSY.

☒ SCOPE☒ SCOPE RINGS☒ MOUNTING SCREWS☒ MOUNTING BASE☒ SCREWS☒ FINISH☒ LOOSENESS☒ CLARITY

Item:

STOCK ASSY.

☒ STOCK☒ SLING SWIVEL STUDS☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

SYSTEMS CASE

☐ SCOPE CASE☐ IRON SIGHTS☐ DEPLOYMENT KIT

TRIGGER

☒ SAFETY OPERATION☒ SET

Comments:

MISC.

☐ DD-250☐ BAR CODE☐ PACKAGING

CONTRACT # DAAA21-87-C-0086

GUN SERIAL #

C6225288

OP. #	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and Stock		12/14/93	RW
600	Proof		12/14/93	RW
607	Check Headspace		12/14/93	RW
610	Dis-assemble Gun		12/14/93	RW
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill and Tap Sight Holes			
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		12/20/93	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		12/20/93	RW
	C) Inspect Ejector Hole for Chamfer		12/20/93	RW
	D) Oil Firing Pin Ass'y		12/20/93	RW
	E) Adjust Trigger Pull to Min Setting and Stake		12/20/93	RW

op. #	OP. NAME	READINGS					DATE	INIT
cont.	F) Safety On Force							
	G) Safety Off Force							
	H) Trigger Pull Test & Retainability							
	I) Firing Pin Indent							
	J) Assemble Stock							
	K) Assemble Swivel Studs							
	L) Attach Front and Rear Sight Assemblies							
	M) Iron Sight Alignment							
	N) Detach Front & Rear Sights & place in numbered container							
	O) Attach Scope to Rifle							
	P) Detach & Attach Scope 20 Times							
640	Gallery Target & Test						12/21/93	RW
	A) Time							
	B) Malfunctions							
	C) Pierced Primers							
	D) Optical Clarity of Scope							
645	Inspect for Live Ammo						12/21/93	RW
655	Final Inspection						12/21/93	RW
	A) Headspace						12/21/93	RW
	B) Trigger Pull	2.24	2.33	2.34	2.37	2.31	12/21/93	RW
	C) Function						12/21/93	RW
660	Pack							

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6225288
27 Dec 1993

CENTROIDAL DISTANCES

0 TO	1	.550305
1 TO	2	.423681
1 TO	3	.5158
1 TO	4	.582417
1 TO	5	.393707

100 <----POR

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.119
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.2078
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .239462
THE AMR FOR THIS RIFLE IS: .8486

27 Dec 1993

FILE:/PATTERNING/CENTERFIRE_PATT/062252B8

CENTERFIRE PATTERN # 1

POA

1 in circle

2 in circle

3 in circle

CENTROID +

OF SHOTS= 10

IN CIR

1 in = 2

2 in = 5

3 in = 9

HS= 2.458

VS= 2.248

GS= 2.772


PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.150	1.264	1.114
MINIMUM X	-1.308	-1.194	-1.172
MAXIMUM Y	.985	.844	.768
MINIMUM Y	-1.263	-.611	-.483
CENTROID X	-.106	-.220	-.070
CENTROID Y	-.540	-.399	-.323
POA TO CENTROID in.	.550	.456	.331
MIN RADIUS	.169	.200	.350
MEAN RADIUS	.944	.864	.800
MAX RADIUS	1.626	1.341	1.200
HORIZONTAL SPREAD	2.458	2.458	2.286
VERTICAL SPREAD	2.248	1.455	1.251
EXTREME SPREAD	2.772	2.639	2.286
NUMBER IN ONE INCH CIRCLE =	2		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	9		

27 Dec 1993

FILE:/PATTERNING/CENTERFIRE_PATT/C62252B8

CENTERFIRE PATTERNS # 2

POA



OF SHOTS- 10

IN CIR

1in = 1

2in = 4

3in = 10

HS= 2.033

VS= 2.090

GS= 2.334

PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.985	.998	1.014
MINIMUM X	-1.048	-.938	-.922
MAXIMUM Y	1.264	1.361	.814
MINIMUM Y	-.826	-.729	-.559
CENTROID X	-.331	-.441	-.457
CENTROID Y	-.181	-.278	-.448
POA TO CENTROID in.	.378	.521	.639
MIN RADIUS	.333	.478	.583
MEAN RADIUS	.943	.896	.829
MAX RADIUS	1.313	1.366	1.136
HORIZONTAL SPREAD	2.033	1.936	1.936
VERTICAL SPREAD	2.090	2.090	1.373
EXTREME SPREAD	2.334	2.221	2.106
NUMBER IN ONE INCH CIRCLE =	1	1	1
NUMBER IN TWO INCH CIRCLE =	4	4	4
NUMBER IN THREE INCH CIRCLE =	10	10	10

27 Dec 1993

FILE:/PATTERNING/CENTERFIRE_PATT/06225288

CENTERFIRE PATTERNS # 3

POA

1in circle

2in circle

3in circle

CENTROID *

OF SHOTS = 10

IN CIR.

1in = 3

2in = 5

3in = 10

HS = 1.567

VS = 1.584

GS = 1.920

PATTERN #

3

SHOTS (BEST OF)	10	9	8
MAXIMUM X	.668	.569	.444
MINIMUM X	-.899	-.998	-.384
MAXIMUM Y	.744	.785	.800
MINIMUM Y	-.840	-.757	-.742
CENTROID X	.203	.302	.427
CENTROID Y	-.127	-.210	-.225
POA TO CENTROID in.	.239	.368	.482
MIN RADIUS	.181	.163	.172
MEAN RADIUS	.682	.607	.539
MAX RADIUS	1.164	1.005	.801
HORIZONTAL SPREAD	1.567	1.567	.828
VERTICAL SPREAD	1.584	1.542	1.542
EXTREME SPREAD	1.920	1.616	1.576
NUMBER IN ONE INCH CIRCLE =		3	
NUMBER IN TWO INCH CIRCLE =		9	
NUMBER IN THREE INCH CIRCLE =		10	

27 Dec 1993

FILE: PATTERNING/CENTERFIRE_PATT/C6225288

CENTERFIRE PATTERNS

4

POA

1in circle

2in circle

3in circle

CENTROID +

OF SHOTS - 10

IN CIR

1in - 2

2in - 8

3in - 10

HS - 1.678

VS - 1.656

GS - 2.215

PATTERN

SHOTS (BEST OF)	10	9	8
MAXIMUM X	.918	.873	.870
MINIMUM X	-.760	-.620	-.515
MAXIMUM Y	.730	.627	.679
MINIMUM Y	-.926	-.832	-.779
CENTROID X	-.378	-.293	-.390
CENTROID Y	-.025	.078	.025
POA TO CENTROID in.	.379	.304	.398
MIN RADIUS	.056	.080	.043
MEAN RADIUS	.758	.704	.660
MAX RADIUS	1.193	.991	.890
HORIZONTAL SPREAD	1.673	1.452	1.385
VERTICAL SPREAD	1.656	1.459	1.459
EXTREME SPREAD	2.215	1.862	1.877
NUMBER IN ONE INCH CIRCLE =		2	
NUMBER IN TWO INCH CIRCLE =		8	
NUMBER IN THREE INCH CIRCLE =		10	

27 Dec 1993

FILE:/PATTERNING/CENTERFIRE_PATT/06225288

CENTERFIRE PATTERNS # 5

POA

1 in circle

2 in circle

3 in circle

CENTROID +

OF SHOTS= 10

IN CIR

1 in = 2

2 in = 6

3 in = 10

HS= 2.278

VS= 2.559

GS= 2.741

PATTERN #

	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.382	.695	.761
MINIMUM X	-.976	-.831	-.765
MAXIMUM Y	1.279	1.352	1.282
MINIMUM Y	-1.280	-1.207	-.937
CENTROID X	.017	-.128	-.194
CENTROID Y	-.166	-.239	-.089
POA TO CENTROID in.	.166	.271	.213
MIN RADIUS	.154	.250	.192
MEAN RADIUS	.916	.841	.764
MAX RADIUS	1.462	1.397	1.272
HORIZONTAL SPREAD	2.278	1.526	1.526
VERTICAL SPREAD	2.559	2.559	2.139
EXTREME SPREAD	2.741	2.565	2.443
NUMBER IN ONE INCH CIRCLE =		2	
NUMBER IN TWO INCH CIRCLE =		6	
NUMBER IN THREE INCH CIRCLE =		10	

RECEIPT AND ESTIMATING REPORT

COMMENTS

ORDER
R 97-10040

INITIAL CUSTOMER ORDER NO.

JJM

WOG 3 OF 3
M-24

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

05/22/97

05/22/97

C6225288

700 7.62

NATO

ACCESSORIES

W/STUDS

SCOPE BASE

FROM:

SHIP TO:

U.S. ARMY
HHC 2/187 INF.
BLDG # 6783
FT CAMPBELL

KY 42223

U.S. ARMY
HHC 2/187 INF.
BLDG # 6783
FT CAMPBELL

KY

42223

CUST NO: 104576 C.O.D.L

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

☐ NEW

☐ LIGHTLY WORN

☐ WORN

☐ VERY WORN

☐ UNREPAIRABLE

☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

A1

B1

TRIGGER GROUP

B2

E1

F1

BOLT ASSY.

B3

E2

F2

BARREL ASSY.

B4

D1

E3

F3

REC. ASSY.

B5

D2

E4

F4

WOOD

C1

D3

E5

F5

METAL

C2

MAIN FAULT

PARTS

COMMENTS

Barrel
Stock

96001
96018

Repowder Coat Trigger Guard
Assy, Front & Rear Sight Bases
Re Zinc Scope Base & Swivel
Studs

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

Rw

✓

✓

✓

✓

KT

5-27-97

7-17-97

7-21-97

7-21-97

OFFICE COPY

FD9925 REV. 11/95

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 043099150960

21 DAY TURN - AROUND

*New
Barrel
&
Stock*

M-24

CONTRACT # DAAA09-92-C-0834

R&E NO.

SERIAL NO. *C6225788*

LOG IN DATE: / /		DATE	INIT.
INSPECT & VERIFY:			
OP. #	OP. NAME		
550	DIS-ASSEMBLE GUN		
560 A	RE-BARREL AT CUSTOM SHOP		
B	DRILL & TAP		
C	POLISH		
575	ASSEMBLE		
600	PROOF	<i>5-27-97</i>	<i>Rw</i>
605	CHECK HEADSPACE	<i>5-27-97</i>	<i>Rw</i>
610	DIS-ASSEMBLE		
612	MAGNAFLUX		
615	ROLLMARK CALIBER		
618	ROTO-BLAST		
620	APPLY COATINGS		
625 A	FINAL ASSEMBLY	<i>7-17-97</i>	<i>Rw</i>
B	TRIGGER PULL TEST		
C	SAFETY ON FORCE		
D	SAFETY OFF FORCE		
E	FIRING PIN INDENT		
640	TARGET	<i>7/21/97</i>	<i>KY</i>
655	FINAL INSPECT		
660	PACK		

QAR INSPECTION

SHIP DATE

Final Inspection

Sni: C6225288

DATE REC'D: 5-22-97

DATE RET'D:

Auditor: RW

Item:

Barrel Assy.

☒ Barrel☒ Receiver☒ Front Sight Block☒ Rear Sight Block☒ Screws☒ Finish

Scope Assy.

☐ Scope☐ Scope Rings☒ Mounting Screws☒ Mounting Base☐ Screws☐ Finish☐ Looseness☐ Clarity

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ Stock☒ Sling Swivel Studs☒ Adjustable Butt Plate☒ Lock Nuts☒ Barrel Clearance☒ Color/Finish

Systems Case

☐ Scope Case☐ Iron Sights☐ Deployment Kit

Trigger

☒ Safety Operation☒ Set

Comments:

MAINTENANCE REQUEST For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG				PAGE NO	NO OF PAGES	REQUIREMENT CONTROL SYMBOL CSGLD-1047(R1)
SECTION I - CUSTOMER DATA				SECTION II - MAINTENANCE ACTIVITY DATA		
1a. UIC CUSTOMER	1b. CUSTOMER UNIT NAME	1c. PHONE NO	3a. WORK ORDER NUMBER (WON)	3b. SHOP	3c. PHONE NO	
	HHC 2/187	X 3615				
2a. SAMS-2 UIC/SAMS-ITDA	2b. UTILIZATION CODE	2c. MCSR	4a. UIC SUPPORT UNIT	4b. SUPPORT UNIT NAME		
	WFB3TO					
SECTION III - EQUIPMENT DATA						
5. TYPE MNT REQ CODE	6. ID	7. NSN	15a. FAILURE DETECTED DURING/WHEN DISCOVERED CODE (Enter code) See DA Pamphlets 738-750 and 738-751			
		1,005 01 240 2136				
8. MODEL	M24		15b. FIRST INDICATION OF TROUBLE/HOW RECOGNIZED CODE (Enter Code) See DA Pamphlets 738-750 and 738-751		16. MILES/KILOMETERS/HOURS/ROUNDS	
9. NOUN	7.62 SNIPER RIFLE				M K	
10a. ORG WON/DOC NO	10b. EIC				H R	
11. SERIAL NUMBER	12. QTY	13. PD	17. PROJECT CODE (if assigned)	18. ACCOUNT PROCESSING CODE	19. IN WARRANTY? (enter Y or N)	20. ADMIN NO
06225288	1					
14. MALFUNCTION DESCRIPTION (for DSU, GSU/AVIM, DEPOT use)			21. REIMBURSABLE CUSTOMER (if Intransit customer enter Y or N)			
			22. LEVEL OF WORK			
			23. SIGNATURE			
24. DESCRIBE DEFICIENCIES OR SYMPTOMS ON THE BASIS OF COMPLETE CHECKOUT AND DIAGNOSTIC PROCEDURES IN EQUIPMENT TM (Do not prescribe repairs)						
Weapon exceeds 5,000 rd. count.						
25. REMARKS						
See Attached 2404						
PREPARATION INSTRUCTIONS FOR THIS PAGE						
SECTION I Block 1a. Enter UIC of submitting organization. Block 1b. Enter name of submitting organization. Block 1c. Enter number to be called when maint. is completed. Block 2a. Enter UIC of supporting SAMS-2/SAMS-ITDA if work is requested while intransit and away from your support maintenance unit. Block 2b. Enter utilization code. See DA Pamphlets 738-750 and 738-751. Block 2c. Enter "Y" if reportable under AR 700-138. If not, leave blank.			SECTION III (Cont'd) Block 12. Enter the quantity of items being submitted. Block 13. Enter the maintenance priority designator determined from DA PAM 710-2-1. Block 14. For DSU, GSU/AVIM, DEPOT use. Block 15a. Enter the code that most accurately describes when the fault or deficiency was detected. See DA Pamphlets 738-750 and 738-751. Block 15b. Select one. Enter the code. See DA Pamphlets 738-750 and 738-751. Block 16. Enter the accumulated usage data in blocks, when equipment is subject to usage reporting. Block 17. Enter the project code if one has been assigned. If not, leave blank. Block 18. See DA Pamphlets 738-750 and 738-751. Block 19. Enter "Y" or "N" to indicate whether equipment is still under manufacturer's warranty. Block 20. Enter the admin number assigned for property control purposes for the equipment being submitted. Block 21. For DSU/GSU/AVIM/Depot use. Block 22. Enter level of work performed "O" for UNIT LEVEL/AVUM, "F" for DSU/AVIM, "H" for GSU, "D" for DEPOT, "K" for contractor or "L" for Spc Rpr Act. Block 23. Enter the signature of the CO or the CO's designated representative when the priority designator is 01-10. For priority designators 11-15, leave blank. Block 24. Enter a brief description of the deficiencies or symptoms that you feel require attention at this level of maint. Block 25. Self-explanatory.			
SECTION II Leave blank. To be completed by the support maintenance DSU/GSU/AVIM/DEPOT.						
SECTION III Block 5. Enter the Type Maintenance Request Code. See DA Pamphlets 738-750 and 738-751. Block 6. Enter ID associated with block 7. See DA Pamphlets 738-750 and 738-751. Block 7. Enter the NSN or stock number of the item being submitted. Block 8. Enter model of item being submitted. Block 9. Enter noun/nomenclature of item being submitted. Block 10a. Enter Work Order Number (WON)/DOC NO assigned when item is submitted. Otherwise, leave blank. Block 10b. Enter End Item Code. See AMDF. Block 11. Enter serial number of item being submitted.						
34a. SUBMITTED BY	35a. ACCEPTED BY	35c. DATE	Block 34a. Enter first initial and last name of submitter. Block 34b. Enter ordinal date submitted (YYDDD). Block 35a. Enter first initial and last name of person accepting maint. request. Block 35b. Enter the initial status. See DA Pamphlets 738-750 and 738-751. Block 35c. Enter ordinal date accepted (YYDDD). Block 35d. Enter military time.			
34b. DATE	35b. STATUS	35d. TIME				

DA FORM 2407, JUL 94

PREVIOUS EDITIONS OF DA FORM 2407 AND DA FORM 5504 ARE OBSOLETE

RECEIPT COPY 1

[illegible]

BARBER - M24 0150927 150966

FROM : ITO REG SECT FT CAMPBELL KY PHONE NO. : 502 798 6264

May. 15 1997 12:21PM P1

U.S. GOVERNMENT BILL OF LADING				MEMORANDUM COPY		B/L NO. ► G-6579490	
1. TRANSPORTATION COMPANY TENDERED TO BAGGETT TRANSPORTATION CO		2. SCAC BAGT		3. DATE B/L PREPARED 97.05.15		4. ROUTE ORDER/RELEASE NUMBER 7YBCAG22VA	
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO., INC. 14 HOEFLE AVENUE ILION, NY 13357		6. SPLC (Dest.) 172856000		8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294			
		7. SPLC (Orig.) 297980251					
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. 14 HOEFLE AVENUE ILION, NY 13357		10. GBLOC (Cons.) 1001 CMAH2W		11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294 W34GNA			
12. APPROPRIATION CHARGEABLE 21 720200000076020204200000022170:5056 FAAD00GBL				13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611 AGENCY LOC CODE W53QRD			
14. VIA (Route shipment when advantageous to the Government)							
15. MARKS AND ANNOTATIONS EQUIPMENT 1 DN: DUAL DRIVER PROTECTIVE SERVICE WIT SM: DTTS SATELLITE MOTOR SURVEILLANCE SO: STOP-OFF IN TRANSIT (108) DUAL DRIVER PROTECTIVE SERVICE WITH NATIONAL AGENCY CHECK REQUESTED. SIGNATURE AND TALLY RECORD (DD FORM TP-3 DDD:97.05.22 FAAT-01-7126012-01 1907) FURNISHED TO CARRIER. (111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. (114) CARRIER TO NOTIFY CONSIGNEE SEE DESCRIPTION OF ARTICLES							
16. PACKAGES NO. KIND		17. 18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description) CLASSIFICATION ITEM NO. 999913 THIS BL CONSISTS OF 6 PAGES PAK, (SEE MFTRP 1A FOR CARGO LIABILITY) TOT QTY: 2400 P CU: 332.0 SEE CONTINUATION SHEET FOR DETAILS		19. WEIGHT (Pounds only) 2400		FOR USE OF BILLING CARRIER ONLY Services Rate Charges TOTAL CHARGES	
7 PT							
20. TARIFF/SPECIAL RATE AUTHORITY BAGT 000606-00		21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS		22. CARRIER WAY/FREIGHT BILL NO. AND DATE	
23. STOP THIS SHIPMENT AT SEE CONTINUATION SHEET FOR:		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS INITIALS & NO. SEAL NUMBERS LENGTH/CUBE MARKED CAPACITY DATE FURNISHED BAGT:2330 0789116 ORDERED FURNISHED ORDERED FURNISHED AV3 AV3 97.05.15 APPLIED BY: SH					
25. CARRIER'S PICKUP DATE (Year, month, & day) 97.05.15		26a. SIGNATURE OF AGENT <i>Fred Kinzer</i>		26b. PER BAGT		B/L NUMBER G-6579490	
27. MODE B		28. ESTIMATE 2807		29. NO. OF CLS/TLS 1		30. TYPE RATE 1	
		31. PSC DN:SM		32. REASON 13:279		Received by the transportation company named above, subject to the regulations published in Title 41, Part 101-41 Of the federal regulations, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.	
FOR USE OF ISSUING OFFICE							
33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294				33b. GBLOC FAAT			
33c. ISSUING OFFICER MICHAEL F. BOWERS, CHIEF, ITO				34a. DELIVERED THIS CONSIGNMENT COMPLETE & IN APPARENT GOOD ORDER EXCEPT AS MAY BE INDICATED ☐ SHORTAGE ☐ DAMAGED			
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY				33e. DATED			
33f. FOB POINT NAMED IN CONTRACT							

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150928

U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEETMEMORANDUM
COPYB/L
NO.

G-6579490

SHEET NO.

2 OF 6

(This form is to be used as a continuation sheet for SF 1103-A, U.S. Government Bill of Lading- Memorandum Copy or SF 1203-A, U.S. Government Bill of Lading - Privately Owned Personal Property- Property-Memorandum Copy.)

ISSUING OFFICE (Name and complete address):

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM (Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			STOP-OFF: 01 (UNLOADING)				
			DRMO-LETTERKENNY LETTERKENNY ARMY DEPOT BLDG 2264, ATTN: FRED MC COURCE CHAMBERSBURG, PA 17201-4150 SPLC: 309770250				
1	PT		TCN: W34XC570700594XXX CU:16.0 FAAD AVENGER CONTR ELECT NSN: 1430-01-316-7765	150			
1	PT		STOP-OFF 01 TOTALS (UNLOADING)CU:16.0	150			
			RECEIVED BY: _____ DATE: _____				

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1108-214

YELLOW

STANDARD FORM 1109-A (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150929 150968

U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEETMEMORANDUM
COPYB/L
NO.

G-6579490

SHEET NO.

3 OF 6

(This form is to be used as a continuation sheet for SF 1103-A, U.S. Government Bill of Lading - Memorandum Copy or SF 1203-A, U.S. Government Bill of Lading - Privately Owned Personal Property - Property-Memorandum Copy.)

ISSUING OFFICE (Name and complete address):

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AP23-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

SACGETT TRANSPORTATION CO

FROM (Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			STOP-OFF: 02 (UNLOADING)				
			COMSEC SUPPORT TOBYHANNA ARMY DEPOT BLDG 73, 11 MIDWAY RD TOBYHANNA, PA 18466-5110 SPLC: 202230270				
1	PT		TCN: W34XC570640203XXX CU:51.0 FAAD KYX-15A/TSC NSN: 5810-01-095-1312	800			
1	PT		TCN: W34QWR70937004XXX CU:33.0 FAAD N10 ATT UNIVS/L2WCLEP NSN: 5810-01-324-8754 SER #N1000037804 AND N1000037162	200			
2	PT		STOP-OFF 02 TOTALS (UNLOADING)CU:84.0	1000			
			RECEIVED BY: _____ DATE: _____				

* Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1109-212

YELLOW

STANDARD FORM 1109-A, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150930 150969

U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEETMEMORANDUM
COPYB/L
NO. G-6579490
SHEET NO. 5 OF 6(This form is to be used as a continuation sheet for SF 1103-A, U.S.
Government Bill of Lading - Memorandum Copy or SF 1203-A, U.S.
Government Bill of Lading - Privately Owned Personal Property-
Property-Memorandum Copy.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM (Shipping Point)

W34CNA
297980251

WAYSILL DATE

WAYSILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			FINAL DESTINATION (UNLOADING)				
			REMINGTON ARMS CO., INC. 14 HOEPLER AVENUE ILION, NY 13357 SPLC: 172856000				
1	PT		TCN: W81LET70840007XXX CU:58.0 FAAD COMMODITY: 146230 RIFLE, M24 SWS NSN: 1005-01-240-2136 SER #C6348900, C6225511, C6225544, C6225585	275			
1	PT		TCN: W34QT470903213XXX CU:58.0 FAAD COMMODITY: 146230 RIFLE, SNIPER, M24SW NSN: 1005-01-240-2136 SER #C6225288, C6225309, C6225547	200			
2	PT		FINAL DEST TOTALS (UNLOADING) CU:116.0	475			
=====							
MARKS & ANNOTATIONS.							
REMINGTON ARMS (DUTY PHONE (315) 894-9961 AV- , NON-DUTY PHONE (757) 878-5006) AND CONSIGNOR TRANSPORTATION OFFICE (DUTY PHONE (502) 798-7154 AV-635-7154, NON-DUTY PHONE (502) 798-9793) IMMEDIATELY IF SHIPMENT IS DELAYED EN ROUTE BECAUSE OF AN ACCIDENT OR INCIDENT. IF NEITHER CAN BE REACHED, CONTACT MTMC EASTERN AREA AT HOTLINE (800) 524-0331. USE HOTLINE NUMBER TO OBTAIN SAFE HAVEN OR REFUGE INSTRUCTIONS IN THE EVENT OF A CIVIL DISORDER, NATURAL DISASTER, CARRIER STRIKE OR OTHER EMERGENCY.							
(337) SATELLITE MOTOR SURVEILLANCE SERVICE (SM) REQUESTED. IN EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-(800)-826-0794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION/STATUS REPORT EVERY FOUR (4) HOURS, WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION.							
(367) THIS SHIPMENT MUST NOT BE							

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1103-214

YELLOW

STANDARD FORM 1103-A, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150931 50970

U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEET

MEMORANDUM
COPY

B/L NO.  G-6579490
SHEET NO. 6 OF 6

(This form is to be used as a continuation sheet for SF 1103-A, U.S. Government Bill of Lading- Memorandum Copy or SF 1203-A, U.S. Government Bill of Lading - Privately Owned Personal Property- Property-Memorandum Copy.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO. BLDG 873
FORT CAMPBELL, KY 42223-1294

ATTN: AFZB-DL-TO. BLDG 873

FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM: Shipping Point

W34GNA
29798025

PAYBILL DATE

WAYBILL NUMBER

* Snow also doing measurements for shipments via air, truck or water carrier in cases where required.

5 1 0 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 10

YELLOW

STANDARD FORM 1109-A, (REV. 4-85)
 PRESCRIBED BY GSA, FPMR(41 CFR) 101-11.2

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 **M2400150971**
0150932

U.S. GOVERNMENT BILL OF LADING

SHIPPING
ORDERB/L
NO. ► G-6579490

1. TRANSPORTATION COMPANY TENDERED TO BAGGETT TRANSPORTATION CO		2. SCAC BAGT	3. DATE B/L PREPARED 97.05.15	4. ROUTE ORDER/RELEASE NUMBER 7YBCAG2ZVA
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357		6. SPLC (Dest.) 172856000	8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294	
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357		7. SPLC (Orig.) 297980251	11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294 W34GNA	
12. APPROPRIATION CHARGEABLE 21 72020000007602020420000002217015056 FAAD00GBL		10. GBLOC (Cons.) IOOI CMAH2W	13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611 AGENCY LOC CODE W53QRD	
14. VIA (Route shipment when advantageous to the Government)				

15. MARKS AND ANNOTATIONS

TP:3 DDD:97.05.22 FAAT-01-7126012-01

EQUIPMENT 1
DN: DUAL DRIVER PROTECTIVE SERVICE WIT
SM: DTTS SATELLITE MOTOR SURVEILLANCE
SO: STOP-OFF IN TRANSIT
(108) DUAL DRIVER PROTECTIVE SERVICE
WITH NATIONAL AGENCY CHECK REQUESTED.
SIGNATURE AND TALLY RECORD (DD FORM

1907) FURNISHED TO CARRIER.

(111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD.

(114) CARRIER TO NOTIFY CONSIGNEE
SEE DESCRIPTION OF ARTICLES

16. PACKAGES		17. HM	18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)	19. WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				Services	Rate	Charges
7	PT		CLASSIFICATION ITEM NO. 999913 THIS BL CONSISTS OF 6 PAGES FAK, (SEE MFTRP 1A FOR CARGO LIABILITY)	2400			
TOT QTY:2400 P CU:332.0 SEE CONTINUATION SHEET FOR DETAILS					TOTAL CHARGES		

20. TARIFF/SPECIAL RATE AUTHORITY BAGT 000606-00		21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS	22. CARRIER WAY/FREIGHT BILL NO. AND DATE		
23. STOP THIS SHIPMENT AT SEE CONTINUATION SHEET FOR:		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS					
		INITIALS & NO.		SEAL NUMBERS		LENGTH/CUBE	
		BAGT:2330		0789116		ORDERED FURNISHED	
		APPLIED BY: SH				MARKED CAPACITY	
						DATE FURNISHED	
						97.05.15	
25. CARRIER'S PICKUP DATE (Year, month, & day) 97.05.15		26a. SIGNATURE OF AGENT <i>Michael F. Bowers</i>		26b. PER BAGT		B/L NUMBER G-6579490	
27. MODE B	28. ESTIMATE 2807	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC DN:SM	32. REASON 13:279	Received by the transportation company named above, subject to the regulations published in Title 41, Part 101-41 Of the federal regulations, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.	

FOR USE OF ISSUING OFFICE

IMPORTANT

33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294		33b. GBLOC FAAT
33c. ISSUING OFFICER MICHAEL F. BOWERS, CHIEF, ITO		33e. DATED
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY		
33f. FOB POINT NAMED IN CONTRACT		

o THE ORIGIN CARRIER OR ITS AGENT IS TO RECEIVE:

U.S. Government Bill of Lading-Original, SF 1103
This Shipping Order, SF 1104
U.S. Government Freight Waybill-Original, SF 1105
U.S. Government Freight Waybill-Carrier's Copy, SF 1106

o THE ORIGIN CARRIER OR ITS AGENT IS NOT TO RECEIVE THE CONSIGNEE'S MEMORANDUM COPY, SF 1103-B.

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1104-121-01

PINK

STANDARD FORM 1104-LP (EFF. 3/96)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 01509594 150973

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

SHIPPING
ORDER

B/L
NO. **G-6579490**
SHEET NO. **2 OF 6**

(This form is to be used as a continuation sheet for SF 1104, U.S. Government Bill of Lading- Shipping Order, or SF 1204, U.S. Government Bill of Lading - Privately Owned Personal Property- Shipping Order.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM(Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			STOP-OFF: 01 (UNLOADING)				
			DRMO-LETTERKENNY LETTERKENNY ARMY DEPOT BLDG 2264, ATTN: FRED MC COURCE CHAMBERSBURG, PA 17201-4150 SPLC: 209770250				
1	PT		TCN: W34XC570700594XXX CU:16.0 FAAD AVENGER CONTR ELECT NSN: 1430-01-316-7765	150			
1	PT		STOP-OFF 01 TOTALS (UNLOADING)CU:16.0	150			
			RECEIVED BY: _____ DATE.....: _____				

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1110-114

PINK

STANDARD FORM 1110, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150935 0150974

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

SHIPPING
ORDERB/L
NO.

G-6579490

SHEET NO.

3 OF 6

(This form is to be used as a continuation sheet for SF 1104, U.S. Government Bill of Lading- Shipping Order, or SF 1204, U.S. Government Bill of Lading - Privately Owned Personal Property- Shipping Order.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM(Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			STOP-OFF: 02 (UNLOADING)				
			COMSEC SUPPORT TOBYHANNA ARMY DEPOT BLDG 73, 11 MIDWAY RD TOBYHANNA, PA 18466-5110 SPLC: 202230270				
1	PT		TCN: W34XC570640203XXX CU:51.0 FAAD KYX-15A/TSC NSN: 5810-01-095-1312	800			
1	PT		TCN: W34QWR70937004XXX CU:33.0 FAAD N10 ATT UNIVS/L2WCLEP NSN: 5810-01-324-8754 SER #N1000037804 AND N1000037162	200			
2	PT		STOP-OFF 02 TOTALS (UNLOADING)CU:84.0 RECEIVED BY: _____ DATE.....: _____	1000			

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1110-114

PINK

STANDARD FORM 1110, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150936

U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEETSHIPPING
ORDERB/L
NO.

G-6579490

SHEET NO.

4 OF 6

(This form is to be used as a continuation sheet for SF 1104, U.S. Government Bill of Lading- Shipping Order, or SF 1204, U.S. Government Bill of Lading - Privately Owned Personal Property- Shipping Order.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM(Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			STOP-OFF: 03 (UNLOADING)				
			TRANSPORTATION OFFICER DEF DISTRIBUTION DEPOT TOBYHANNA 11 MIDWAY ROAD, BLDG 1C, BAY 6 REC TOBYHANNA, PA 18466-5092 SPLC: 202230250				
1	PT		TCN: W81B0870710008XXX CU:58.0 FAAD TRANSMITTER COUNTER NSN: 5865-01-323-4999	500			
1	PT		TCN: W34QS270063104AXX CU:58.0 FAAD REC TR RT-1523A(C)/U NSN: 5820-01-318-7990	275			
2	PT		STOP-OFF 03 TOTALS (UNLOADING)CU:116.0	775			
			RECEIVED BY: _____ DATE.....: _____				

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1110-114

PINK

STANDARD FORM 1110, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150937 50976

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

SHIPPING
ORDER

B/L
NO.

G-6579490

SHEET NO.

5 OF 6

(This form is to be used as a continuation sheet for SF 1104, U.S. Government Bill of Lading- Shipping Order, or SF 1204, U.S. Government Bill of Lading - Privately Owned Personal Property- Shipping Order.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM(Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			FINAL DESTINATION (UNLOADING)				
			REMINGTON ARMS CO., INC. 14 HOEFER AVENUE ILION, NY 13357 SPLC: 172856000				
1	PT		TCN: W81LET70840007XXX CU:58.0 FAAD COMMODITY: 146230 RIFLE, M24 SWS NSN: 1005-01-240-2136 SER #C6348900, C6225511, C6225544, C6225585	275			
1	PT		TCN: W34QT470903213XXX CU:58.0 FAAD COMMODITY: 146230 RIFLE, SNIPER, M24SW NSN: 1005-01-240-2136 SER #C6225288, C6225309, C6225547	200			
2	PT		FINAL DEST TOTALS (UNLOADING) CU:116.0	475			
=====							
			MARKS & ANNOTATIONS:				
			REMINGTON ARMS (DUTY PHONE (315) 894-9961 AV- , NON-DUTY PHONE (757) 878-5006) AND CONSIGNOR TRANSPORTATION OFFICE (DUTY PHONE (502) 798-7154 AV-635-7154, NON-DUTY PHONE (502) 798-9793) IMMEDIATELY IF SHIPMENT IS DELAYED EN ROUTE BECAUSE OF AN ACCIDENT OR INCIDENT. IF NEITHER CAN BE REACHED, CONTACT MTMC EASTERN AREA AT HOTLINE (800) 524-0331. USE HOTLINE NUMBER TO OBTAIN SAFE HAVEN OR REFUGE INSTRUCTIONS IN THE EVENT OF A CIVIL DISORDER, NATURAL DISASTER, CARRIER STRIKE OR OTHER EMERGENCY.				
			(337) SATELLITE MOTOR SURVEILLANCE SERVICE (SM) REQUESTED. IN EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-(800)-826-0794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION/STATUS REPORT EVERY FOUR (4) HOURS, WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION.				
			(367) THIS SHIPMENT MUST NOT BE				

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1110-114

PINK

STANDARD FORM 1110, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0450938 150977

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

SHIPPING
ORDER

B/L
NO.

G-6579490

SHEET NO.

6 OF 6

(This form is to be used as a continuation sheet for SF 1104, U.S. Government Bill of Lading- Shipping Order, or SF 1204, U.S. Government Bill of Lading - Privately Owned Personal Property- Shipping Order.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM(Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			TRANSPORTED IN TRIP-LEASED EQUIPMENT.				
			THIS IS A DTT'S SHIPMENT!				
			=====				
			BLOCK 24 EQUIPMENT DESCRIPTION CONT.:				
			TRACTOR: 267L				

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1110-114

PINK

STANDARD FORM 1110, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0150930 0150993 0150978

SIGNATURE AND TALLY RECORD

FORM APPROVED
OMB No. 0702-0027
Expires Oct 31, 1988

DISTRIBUTION INSTRUCTIONS

- * The SHIPPER will prepare copies 1 through 4, retain copy 4 and deliver copies 1 through 3 to the Origin Carrier.
- * The CARRIER will deliver copies 1 through 3 to the Destination Carrier.
- * The DESTINATION CARRIER will attach copy 1 (reflecting all signatures) and Standard Form 1113 (Public Voucher for Transportation Charges) to the original Government Bill of Lading, and forward for payment. Copy 2 will be delivered to the Consignee. Copy 3 will be retained.
- * The CONSIGNEE will ensure Destination Carrier surrenders copy 2.

SECTION A - To be completed by the SHIPPER

1. SHIPPER		2. PROTECTIVE SERVICE REQUESTED	
a. NAME FORT CAMPBELL KY W34GNA		DN DUAL DRIVER PROTECTIVE SERVICE WITH NAC SM DTTS SATELLITE MOTOR SURVEILLANCE SERVICE	
b. ORIGIN TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294		3. GBL OR CBL NUMBER G-6579490	
4. CONSIGNEE		5. PERMIT NUMBER (if any)	
a. NAME REMINGTON ARMS CO CMAH2W			
b. DESTINATION REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357		6. TRANSPORTATION CONTROL NUMBER (FAAT-01-7126012 -01) W81LET70840007XXX	
7. ROUTING BAGGETT TRANSPORTATION CO		8. WEIGHT 475 POUNDS	9. CUBE 116.0
10. SPECIAL INSTRUCTIONS		11. DATE SHIPMENT TENDERED TO CARRIER 97.05.15	12. NAME OF CARRIER BAGT
13. NUMBER OF PIECES 2	14. TYPE OF PACKAGE(S) (For unsealed loads only) OR CONVEYANCE IDENTIFICATION & SEAL NUMBERS (for sealed loads only) BAGT-2330 0789T09 001179 3/0 FC	15. FREIGHT CLASSIFICATION DESCRIPTION 999913 FAK, (SEE MFTRP 1A FOR CARGO LIABILITY)	

SECTION B - To be completed by each person accepting custody of classified or protected material requiring the use of transportation protective service during transit.

16. CUSTODY RECORD

a. PRINT NAME OF PERSON AND COMPANY REPRESENTED	b. STATION INTERCHANGE POINT DESTINATION	c. SIGNATURE OF PERSON ACCEPTING CUSTODY	d. TIME ACCEPTED	e. DATE ACCEPTED
Fred Cotsley BAGT	FORT CAMPBELL KY	<i>Fred Cotsley</i>	12:00	5/15
Sonia Cotsley "	FORT CAMPBELL KY	<i>Sonia Cotsley</i>	12:00	5/15
Raymond Scott BAGT	BLOOMFIELD, IN	<i>Raymond Scott</i>	1730	5/15/97
Bill Allen	REM ARMS ILION NY	<i>Bill Allen</i>	1555	5/21/97

BARBER - M24 0150941

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # C6225288
21 Jul 1997

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.415
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .5512
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .689961

THE AMR FOR THIS RIFLE IS: 1.196

CENTROIDAL DISTANCES

0 TO	1	1.06212
1 TO	2	1.07836
1 TO	3	1.31936
1 TO	4	.645697
1 TO	5	1.22162

1 4

2

3

+ 5 <----POA

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 1
 POA TO CENTROID: 1.062
 MIN RADIUS : .609
 MEAN RADIUS : 1.721
 MAX RADIUS : 3.345
 CENTROID X : -.160
 CENTROID Y : 1.050

21 Jul 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225288

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 5.57

0

VS= 4.14

3

GS= 5.78

4

BARBER - M24 0150943

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: 2

POA TO CENTROID: 1.246
 MIN RADIUS : .153
 MEAN RADIUS : 1.237
 MAX RADIUS : 2.402
 CENTROID X : -1.117
 CENTROID Y : .553

21 Jul 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225288

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.49

1

US= 3.86

4

GS= 3.91


5

PATTERN #: 3
 POA TO CENTROID: 1.227
 MIN RADIUS : .301
 MEAN RADIUS : 1.122
 MAX RADIUS : 2.710
 CENTROID X : -1.203
 CENTROID Y : .242

21 Jul 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225288

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 4.93
 US= 2.69
 GS= 4.95

2
 6
 7

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 4
 POA TO CENTROID: 1.184
 MIN RADIUS : .290
 MEAN RADIUS : 1.117
 MAX RADIUS : 2.691
 CENTROID X : .485
 CENTROID Y : 1.080

21 Jul 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225288

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 4.98

2

VS= 2.47

7

GS= 4.99

7


PATTERN #: 5

POA TO CENTROID: .186
 MIN RADIUS : .414
 MEAN RADIUS : .784
 MAX RADIUS : 1.292
 CENTROID X : -.080
 CENTROID Y : -.169

21 Jul 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/CG225288

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 1.82

2

VS= 1.79

6

GS= 2.18

10