

2,000

DATE: 6-10-82

MODEL: 700

6777
GARDNER

GENERAL NO. 675-29-1

INTELLIGENCE

TTL. RDS. FINED: 2,200
TTL. MALFUNCTIONS: _____
MALFUNCTION RATE: _____

JACK ENDURANCE

CONFIDENTIAL

Attachment 0100

[illegible]

MILITARY ENDORSEMENT

PREVIOUS
HOURS
2200

DATE: 6-10-82

MODEL: 700

GUNNER: 6M11

SERIAL NO: A6752972

TEST TITLE:

"MULTIFUNCTION"

TTL. RIB. FIRED: 2400
TTL. MULTIFUNCTION:
MULTIFUNCTION RATE:

AMMUNITION Load Size	R6MM 2HP80	SELECTION	NO. OF ROUNDS FIRED	FIRING	WEAPON SPEED	DON'T EXHAUST	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	GIVEN CHAMBER				SHELL JUMPS MAG.	FOLLOWER BIRDS	LOADING	BOLT OVERRIDE	ACTION FREE UP	DON'T EXTRACT	HEADLINES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMAINING (ON MAG)		
									1st	2nd				HIGH	LOW	RIGHT	LEFT													
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										
		CD	20	OK																										

AMMUNITION: Load Size		R6MM2 HP 80	
SHOOTER		ED 26 OK	
NO. OF ROUNDS FIRED		ED 20 OK	
FIRING		ED 20 OK	
TRAPPED SHELL		ED 20 OK	
DON'T EJECT		ED 20 OK	
DON'T BLOW BACK		ED 20 OK	
DON'T LOCK OPEN		ED 20 OK	
FEED FROM MAG.		ED 20 OK	
1st 2nd		ED 20 OK	
SHELL STAYS MAG.		ED 20 OK	
POWER OVERRIDE		ED 20 OK	
DON'T LOCK UP		ED 20 OK	
HIGH		ED 20 OK	
LOW		ED 20 OK	
BRIGHT		ED 20 OK	
DARK		ED 20 OK	
SHELL JUMPS MAG.		ED 20 OK	
FOLLOWER BINDS		ED 20 OK	
LOADING		ED 20 OK	
BOLT OVERRIDE		ED 20 OK	
ACTION FLAG UP		ED 20 OK	
DON'T EJECT		ED 20 OK	
BREAKDOWN		ED 20 OK	
ADJUSTMENTS		ED 20 OK	
REPLACEMENTS		ED 20 OK	
BOLT VELOCITIES		ED 20 OK	
REMARKS (ON FAC)		ED 20 OK	
TOTAL (PER M.L.)		2,500	

PREVIOUS
HOURS
2400

JACK ENDURANCE

SERIAL AND

DATE: 6-10-62

MODEL: 700

GALVE: 6 M/M

"MALFUNCTIONING"

GENERAL NO. 46752973
 TTT. RES. FINED: 2,500
 TTT. MALFUNCTIONING: _____
 MALFUNCTION RATE: _____