

REPROT NO.: 82049/

GAUGE: 243 CAL.

MODEL: 7.62 CARBINE

DATE: 3-16-82

SERIAL NO.

TEST TITLE: SUMMARY SHEETS PER - RIFLE - AMMO TYPE - SHOOTER

TTL. RDS. FIRED:_____

TTL, MALFUNCTIONS:

MAJORITY RATE: _____

PREVIOUS ROUNDS

"MALFUNCTIONS"

SUMMARY SHEET BY <u>GUN #</u>	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EJECT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREA KAGES	ADJUSTMENTS	REPLACEMENTS	MALFUNCTIONS PER	SALE R 0112946 PER 1000 MALF
								1st LATCH	2nd				HIGH	LOW	RIGHT	LEFT											
B 6226266		120																								0	0%
B 6226225		120																								0	0%
B 6226234		120																								0	0%
B 6226262		120																		10						10	83%
B 6226271		120																								0	0%
TOTAL (PER MAL.)		600																		10							1.7%

FIELD CYCLE TEST - CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 3-16-82

MODEL: 76wt Carbine

GAUGE: 6MM CA1

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: SUMMARY SHEETS PER - RIFLE - AMMO TYPE - SHOOTER

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

MALFUNCTION RATE:

"MALFUNCTIONS"

SUMMARY SHEET BY GUN #	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T LOCK UP	FEED FROM MAG.	FEED FROM MAG.	SHELL STUCK IN MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREECHING	ADJUSTMENTS	REPLACEMENTS	MALFUNCTIONS PER	MALFUNCTION RATE
												HIGH	LOW	RIGHT	LEFT											
B6226233		105																							0	0%
B6226263		105																							0	0%
B6226255		105																							0	0%
B6226230		105																							0	0%
B6226258		105																							0	0%
TOTAL (PER MAL.)		525																							0	0%

BARBER - PRESALE R0112917

PAGE NO.

BARBER - PRESALE R 0112918.

SERIAL NO.

MAJORITY RATE:

[illegible]

FIELD CYCLE TEST - CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 3-16-82

MODEL: 7.62 Carbine

GAUGE: 308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: SUMMARY SHEETS PER - RIFLE - AMMO TYPE - SHOOTER

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

MALFUNCTION RATE:

"MALFUNCTIONS"

SUMMARY SHEET BY <u>AMMUNITION</u>	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	EJECT T.M.D.	EJECT T.M.D.	EJECT T.M.D.	EJECT T.M.D.	FEED FROM MAG.	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEN CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	EJECT T.M.D.	EJECT T.M.D.	EJECT T.M.D.	EJECT T.M.D.	EJECT T.M.D.	MALFUNCTIONS PER	MALFUNCTION RATE
													HIGH	LOW	RIGHT	LEFT												
R-150-PSR		60																									0	0%
R-180-SP		60																									0	0%
R-180-PSR		60																									0	0%
W-110-PSR		60																									0	0%
W-125-PP		60																									0	0%
W-150-S.Tip		60																									0	0%
W-150-PP		60																									0	0%
W-180-S.Tip		60																									0	0%
W-200-S.Tip		60																									0	0%
F-150-PSR		60																									0	0%
F-180-PSR		60																									1	
F-165-Rem BT		60																									0	0%
TOTAL (PER MAL.)		720																									1	0.1%

BARBER - PRESALE R 0112919

BARBER - PRESALE R 0413920 - 17M

DATE: 3-16-82

MODEL: 7 Lwt Carbine

GAUGE: 6MM CAL

SERIAL NO.

PREVIOUS ROUNDS

TEST TITLE: SUMMARY SHEETS PER - RIFLE - AMMO TYPE - SHOOTER

TTL. RDS. FIRED:_____

TTL. MALFUNCTIONS:

MAJORITY RATE:

"MALFUNCTIONS"

[illegible]

FIELD CYCLE TEST - CENTERFIRE

REPROT NO.: 82049/

PAGE NO.

BARBER - PRESALE R 0112921

DATE: 3-16-82

MODEL: 76WTCARBINE

GAUGE: 243 CAL

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: SUMMARY SHEETS PER - RIFLE - AMMO TYPE - SHOOTER

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

MALFUNCTION RATE:

"MALFUNCTIONS"

SUMMARY SHEET BY <u>AMMUNITION</u>	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EJECT	DON'T EJECT DON'T LOCK	DON'T LOCK DON'T LOCK	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEN CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREAKAGES	ADJUSTMENTS	REPLACEMENTS	MALFUNCTIONS PER	
								1st	2nd				HIGH	LOW	RIGHT	LEFT											
R-80-PSP		75																		1						1	1.3%
R-80-HP		75																		2						2	2.7%
R-100-PSP		75																		1						1	1.3%
F-80-SP		75																								0	0%
F-100-SP		75																		1						1	1.3%
F-85-Prem		75																								0	0
W-80-PSP		75																		2						2	2.7%
W-100-Prem Pt		75																		3						3	4.0%
TOTAL (PER MAL.)		600																		10						10	1.7%