

PAGE NO.

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 2
MALFUNCTION RATE: 5.00

"MALFUNCTIONS"

[illegible]

PAGE NO.

SERIAL NO. B 6226255

TEST TITLE: No Bing Stamped Followers (Live Rd Feed)

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

[illegible]

PAGE NO.

TTL, RDS, FIRED: 40
TTL, MALFUNCTIONS: 0
MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

[illegible]

JACK ENDURANCE CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 3-11-82 MODEL: 760t CARBINE: CAUSE: 6MM

PREVIOUS
ROUNDS

TEST TITLE: No BIND Stamped Followon (Live Rd Feed)

SERIAL NO. B6226258

TTL. RDS. FIRED: 50
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 0.0/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EJECT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STUCKS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREA KAGES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BAG)		
								1st LATCH	2nd				HIGH	LOW	HIGHT	LEFT											YES	NO	
R-80-PSP																													
Slow	JB	5																											
Medium	JB	5																											
Fast	JB	5																											
Alternating	JB	5																											
R-100-PSP																													
Slow	JB	5																											
Medium	JB	5																											
Fast	JB	5																											
Alternating	JB	5																											
TOTAL (PER MAL.)																													

SALE R 0112930

JACK ENDURANCE CENTERFIRE

REPROT NO.: 820491

PAGE NO. 1

DATE: 3-11-82

MODEL: 76wt Carbine

GALIE: 243

SERIAL NO. B6226266

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followup Live Bd Feed

TTL. HRS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 0.0%

"MALFUNCTIONS"

AMMUNITION Load Size	SHELLS	NO. OF ROUNDS FIRED	FEEDING	TRAPPED SHELL	DON'T FEED	DON'T FEED T. HED	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BIDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BEEHIVES	ADJUSTMENTS	REPLACEMENTS	SPECIALTY TIPS	REMARKS (ON BACK)	
								1st	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO
R-80-PSP																												
Slow	JB	5																										
Medium	JB	5																										
Fast	JB	5																										
Alternating	JB	5																										
R-100-PSP																												
Slow	JB	5																										
Medium	JB	5																										
Fast	JB	5																										
Alternating	JB	5																										
TOTAL (PER MAL.)																												

JACK ENDURANCE CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 3-11-82

MODEL: 7Lwt ~~750~~ Carbine

GAUGE: 243

SERIAL NO. 2 B6226225

PREVIOUS
ROUNDS

TEST TITLE: No Bing Stamped Followup (Live ~~By Feed~~ Rd Feed)

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

AMMUNITION Load Size	SIGHTS	NO. OF ROUNDS FIRED	FIRING	TRIPPED SHELL	EXTRACT T. LOCK	DO NOT LOCK OPEN	DO NOT LOCK OPEN	FEED FROM MAG.		SHELL STUCKS MAG.	POWER OVERRIDE	DO NOT LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	EXTRACT T. LOCK	BREAKEYS	ADJUSTMENTS	RECEIVABLES	SELECTIVE LOCK	REMARKS (ON BACK)	
								1st	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO
R-80-PSP																												
Slow	JB	5																										
Medium	JB	5																										
Fast	JB	5																										
Alternating	JB	5																										
R-100-PSP																												
Slow	JB	5																										
Medium	JB	5																										
Fast	JB	5																										
Alternating	JB	5																										
TOTAL (PER MAL.)																												

PAGE NO.

3
SERIAL NO. B6226234

TEST TITLE: No Bino Stamped Follower (Live ^{Bd Feed} ~~Feed~~)

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 0/0

[illegible]

PAGE NO.

GAUGE: 243

TEST TITLE: No Bind stamped follower (Live Rd Feed)

Malfunction Rate:

[illegible]

JACK ENDURANCE CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 3-11-82

7Lwt
MODEL: ~~R~~ Carbine

GAUGE: .243

SERIAL NO. 86226271

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Follower (Live ~~Feed~~)

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 0.0%

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T EXTRACT MAG. LOCK	DON'T LOCK FEED	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	SHELLS BROKEN	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	
								1st	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO
R-80-PSR																												
Slow	JB	5																										
Medium	JB	5																										
Fast	JB	5																										
Alternating	JB	5																										
R-100-PSR																												
Slow	JB	5																										
Medium	JB	5																										
Fast	JB	5																										
Alternating	JB	5																										
TOTAL (PER MAL.)																												

BLACK-HAND

Field Cycle

72wt

MODEL: ~~750~~ CARBINE

!JLW!

EDITION PREVIOUS

TEST TIME: No Bind Stamped Followers

CAUTION: 30%

SERIAL NO. B6226276

TTL. RDS. FINE: 180

ETTL, MALFUNCTIONS! 0

FAILURE RATE: 0.0%

"MULTIFUNCTION"

[illegible]

Field Cycle
JACK-EMERGENCY

REPORT NO. 820491

PAGE NO.

BARBER - PRESALE R 0112937

DATE: 7/20/50
MODEL: 700 Carbine
GAUGE: 308
SERIAL NO. 308

PREVIOUS ROUNDS

TEST TITLE: No Bind Stamped Followup
TTL. NOS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

"MALFUNCTIONS"

ESALE R 011237																										
AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FEEDING	TEARFED SHELL	DON'T EXTRACT	DON'T HOP BACK	DON'T LOCK OPEN	FEED FROM MAG.	1st	2nd	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION KICK UP	DON'T EXTRACT	BREECHES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON PAGE 37)	
																									YES	NO
W-125-RR	1																									
Slow	DS	5																								
Medium	DS	5																								
Fast	DS	5																								
W-150-S.T.P.																										
Slow	HW	5																								
Medium	HW	5																								
Fast	HW	5																								
W-150 RR																										
Slow	DS	5																								
Medium	DS	5																								
Fast	DS	5																								
TOTAL (PER M.L.)																										

Field Cycle
JACK-HANDLING CENTERFIRE

REPORT NO. 82042 /

PAGE NO.

BARBER - PRESALE R 0112938

DATE:

MODEL: 700 CABINE; CAUSE: 308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Follow-up

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE;

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TAMPED SHELL	DON'T FEED	DON'T LOCK OPEN	FEED FROM MAG.	1st 2nd	LAUNCH	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BUNDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	FEEDBACK	ADJUSTMENTS	SHELLS/CHAMBER	SHELLS/CHAMBER	REMAINS (ON BACK)	YES	NO
W-180-S.Tip	3	4																								
Slow	3	4																								
Medium	3	4																								
Fast	3	4																								
W-200-S.Tip	3	4																								
Slow	3	4																								
Medium	3	4																								
Fast	3	4																								
F-150-RUB	3	4																								
Slow	3	4																								
Medium	3	4																								
Fast	3	4																								
TOTAL (PER MAL.)																										

CENTER FIRE

PAGE NO.

MODEL: ~~750~~ Carbine:

CASE: 308

SERIAL NO.

TEST TITLE: No Bind Stamped Followon

TTL, RDS, FIRED:

TTL, MALFUNCTIONS:

Malfunction rate:

"MALFUNCTIONS"

[illegible]

BARBER - PRESALE R 0112 \$39

Field Cycle
BACK-EMERGENCE

CENTERFIRE

REPORT NO. 1820491

PAGE NO. 2

BARBER - PRESALE R 0112940

DATE:

MODEL: 700 Carbine

QUANTITY: 308

SERIAL NO. B6226256

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED: 180

TTL. MALFUNCTIONS: 0

MALFUNCTION DATE: 8/6/72

"MALFUNCTIONS"

AMMUNITION Load Size	ROUNDS	NO. OF ROUNDS FIRED	FEED FROM MAG.	1st 2nd LATCH	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHARGER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T ENGAGE	FEEDBACK	ADJUSTMENTS	EXTRA COMMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES	NO
R-150-PSP	Slow	5																			
Medium		5																			
Fast		5																			
R-180-SS	Slow	5																			
Medium		5																			
Fast		5																			
N-110-RS	Slow	5																			
Medium		5																			
Fast		5																			
TOTAL (PER ML.)																					

Field Cycle CENTERFIRE
JACK-EMERGENCY

SERIAL NO.

308

GAUGE:

760

MODEL: 760

DATE:

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION DATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SIGHTS	NO. OF ROUNDS FIRED	DETAILS	TTL. RDS. FIRED	TTL. MALFUNCTIONS	MALFUNCTION DATE	STOCK	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERHIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JAMES MAG.	FOLLOWER BINDS	LOADING	BOLT OVERHIDE	ACTION HANG UP	DON'T EXTRACT	EJECTOR	REPLACEMENTS	BOLT VELOCITIES	REMAINING (ON BAR)	YES	NO
W-180-S.Tip	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Slow	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Medium	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Fast	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
W-200-S.Tip	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Slow	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Medium	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Fast	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
F-150-RSR	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Slow	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Medium	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Fast	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
TOTAL (PER MAL.)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5

CENTER FIRE

PAGE NO.

BARBER - PRESALE R 0112943

MODEL: 72wt
700 Carbine:

DATE: 308

SERIAL NO.

PREVIOUS ROUNDS

TEST TITLE: No Bind Stamped Followers

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

"MALFUNCTIONS"

[illegible]

CENTERFIRE

(3) PAGE NO.

BARBER - PRESALE R 0112944

MODEL 1

7 wt

Carbide

CAUSE: 308

SERIAL NO. B 6226264

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED: 180

TTL MALFUNCTIONS:

112. MALFUNCTION RATE: 0.60

"MALFUNCTIONS"

[illegible]

Field Cycle
JACK-BANDERACE

CENTERFIRE

REFRUIT NO.: 820491

PAGE NO.

DATE:

MODEL: 760t Cabine; GAUGE: 308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF CARTRIDGES FIRED	DATE	TYPED SHEET	DO NOT LOCK	DO NOT LOCK BACK	DO NOT LOCK OPEN	FRED FROM MAG.	1st 2nd LATCH	SHEET STAYS MAG.	POWER OVERRIDE	DO NOT LOCK UP	BOTH CYLINDER	SHEET JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DO NOT EJECT	EJECTORS	ADJUSTERS	EJECTOR MAG.	BOLT EJECTOR	REMARKS (ON PAGE 2)	YES	NO
W-180-S.Tip	3	4																								
Slow	3	4																								
Medium	3	4																								
Fast	3	4																								
W-200-S.Tip	3	5																								
Slow	3	5																								
Medium	3	5																								
Fast	3	5																								
F-150-358	3	5																								
Slow	3	5																								
Medium	3	5																								
Fast	3	5																								
TOTAL (PER VAL.)																										

Field Cycle
~~STAG-EMERGENCY~~ CENTERFIRE

REFRIG NO.: 82049/

PAGE NO.

BARBER - PRESALE R 0112947

DATE:

MODEL: 760b Carbine;

GAUGE: 308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followery

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

MALFUNCTION DATE:

"MALFUNCTIONS"

AMMUNITION		SPEED	NO. OF ROUNDS FIRED	FIRING	TRIPPER	DON'T FEED	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.	1st	2nd	TATCH	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	HIGH	LOW	MID	FEED	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION STAY UP	DON'T FEED	BREAKERS	ADJUSTMENTS	RETRACTORS	BOLT VELOCITIES	REPAIRS (ON BACK)	YES	NO	
Load Size																																		
F-180 PSR	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
slow	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
Medium	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
FAST	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
F-165-Rem B.T.	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
slow	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
Med	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
FAST	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
R-180-PSR	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
slow	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
Medium	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
FAST	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
TOTAL (PER MAG.)		5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5

BARBER - PRESALE R 01120258

HALF-FAILURE RATE: 00/0

[illegible]

Field Cycle
JACK-BARRON

CENTERFIRE

REPROT NO.: 820491

PAGE NO.

BARBER - PRESALE R 0112949

DATE:

MODEL: 700 Carbine; GAUGE: 308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: No Bind Staged Followup

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE;

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	CHAMBER	FEED FROM MAG.	1st 2nd	MAG.	DON'T LOCK UP	DON'T LOCK BACK	DON'T LOCK OPEN	TTL. RDS. FIRED	TTL. MALFUNCTIONS	MALFUNCTION RATE	REMAINING (ON RDS)	YES	NO
W-125-38	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Slow	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Medium	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Fast	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
W-150-s.Tip	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Slow	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Medium	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Fast	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
W-150 98	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Slow	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Medium	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
Fast	W-38	5	5	5	5	5	5	5	5	5	5	5	5	5
TOTAL (PER M.L.)														

PAGE NO.

BARBER - PRESALE R 0112351

SERIAL NO.

TEST TITLE: No Bind Stamped Followers

TTL, RDS, FIRED:

TTL, MALFUNCTIONS:

MALFUNCTION RATE:

"MALFUNCTIONS"

[illegible]

CENTER FIRE

PAGE NO.

BARBER - PRESALE R 0112952
B D

MODEL: ^{76wt} ~~760~~ Carbine.

GAUGE: 243 CAI

SERIAL NO. B6226266

PREVIOUS ROUNDS

TEST TITLE: No Bind Stamped Followup

①

TTL. RDS. FIRED: 120

TTL MALFUNCTIONS: 0

MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

[illegible]

PAGE NO.

REPORT NO.: 820481

JACK ENDURANCE CENTER-IRE

72wt

SERIAL NO.

GAUGE: 243 CAL

MODEL: 700 Garbine

DATE:

PREVIOUS ROUNDS

TEST TYPE: No Bind Stamped Followed

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

MALFUNCTION DATE:

"MALFUNCTIONS"

SALE R 0112953																											
AMMUNITION	Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION STAYS UP	DON'T EXTRACT	RETRACTS	ADJUSTMENTS	RETRACTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES NO	
									1st	2nd																LATCH	HIGH
F-80-SR		DJ	5																								
Slow		DJ	5																								
Medium		DJ	5																								
Fast		DJ	5																								
F-100-SR																											
Slow		HJ	5																								
Medium		HJ	5																								
Fast		HJ	5																								
F-85-Rem																											
Slow		DJ	5																								
Medium		DJ	5																								
Fast		DJ	5																								
TOTAL (PER MAL.)																											

~~BACK ENDURANCE CENTER FIRE~~

REF ID: A66587

DATE: 24/3/2019

MODEL: ~~XXXXXX~~ CARBINE;

INTRODUCTION

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

TEST TIME! NO BIND STAMPED FOLLOWER

"MULTIFUNCTION"

[illegible]

~~DEK-ENDURANCE~~

76wt

PAGE NO.

BARBER - PRESALE R 0112055

MODEL: ~~780~~ Carbine:

GAUGE: 243 CAI

SERIAL NO. B622 6225

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED: 120

TTL, MALFUNCTIONS

MALFUNCTION RATE: $\frac{0}{0} \%$

"MALFUNCTIONS"

[illegible]

PAGE NO.

REPORT NO.: 820421

CENTERFIRE

~~BACK-BURSTING~~

SERIAL NO.

RANGE: 243 GA

MODEL: 720t Carbine

DATE:

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followed

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE:

"MALFUNCTIONS"

Ammunition- Load Size	SHOOTER	NO. OF ROUNDS FIRED	RDS.	FEED FROM MAG.	1st rnd LAUNCH	SHELL STOPS MAG.	POWER OVERHIDE	DO NOT LOCK UP	DO NOT LOCK BACK	DO NOT FEED	OVERHEATED SHOT	SMOKE	REMARKS (ON BACK)	YES	NO
W-80-P88 Slow Medium Fast	03	5	03												
	03	5	03												
	03	5	03												
W-100-Power Rf. Slow Medium Fast	43	5	43												
	43	5	43												
	43	5	43												
TOTAL (PER M.L.)															

CENTER FIRE

PAGE NO.

BARBER - PRESALE R 011258

DATE: _____

MODEL: ~~70~~ Cabiner

DAVID, 243 CAI

SERIAL NO. B 6226234

TEST TITLE: No Bind Stamped Followon

③

TTL. RDS. FIRED: 120

TTL. MALFUNCTIONS: 0

10. MALFUNCTION RATE: 06

"MALFUNCTIONS"

[illegible]

PAGE NO.

BARBER - PRESALE R 0112059

SERIAL NO.

FAILURE RATE:

"MALFUNCTIONS"

[illegible]

Field Test

CENTERFIRE

REFROT NO. 1820421

PAGE NO.

DATE:

MODEL: 76wt ~~760~~ CARBINE

GAUGE: 243 GAI

SERIAL NO. B6226234

PREVIOUS
ROUNDS

TEST TITLE: No Bing Stamped Followed

(3)

TTL. RIN. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION DATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SHELLS	SHELLS SHOWN TO - ON		FEED FROM MAG.	1st 2nd LATCH	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JAMES MAG.				FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T REEACT	HEADLINES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REPAIRS (ON BACK)	
										HIGH	LOW	VERY LOW	VERY HIGH										YES	NO
W-80-PSR	3	5																						
Slow	3	5																						
Medium	3	5																						
Fast	3	5																						
W-100-Burner PT																								
Slow	DS	5																						
Medium	DS	5																						
Fast	DS	5																						
TOTAL (PER MAG.)																								

BARBER - PRESALE R 0112961

ATTN:

PREVIOUS WOUNDS

DATE: _____ MODEL: ~~700~~ SARBINE: 040
 STREET TITLE: No Bino Stamped Follows

MODEL ~~700~~ CARBINE; GAUGE 243 CAL

SERIAL NO.

TEST TITLE: No Bind Stamped Follows

⑦

TTL. RDS. FIRED: 120

TTL. MALFUNCTIONS: 10

MALFUNCTION DATE: 8.3

“MULTIPLICATION”

[illegible]

~~CLASS DISBURNANCE~~

CENTER FIRE

REPROT NO.: 82049

PAGE NO.

BARBER - PRESALE R 011 235 3

PREVIOUS ROUNDS

DATE:

MODEL: ~~760~~ CARBINE:

DATE: 243 CAI

SERIAL NO.

TEST TITLE: No BIND Stamped Follower

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

Malfunction Rate

"MALFUNCTIONS"

[illegible]

Field Test
Back Hammer

CENTERFIRE

REFROT NO.: 82049/

PAGE NO.

DATE:

MODEL: 76wt GARDINE

CAUSE: 243 CAL

SERIAL NO. B6226271

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Follower

(5)

TTL. RIB. FIRED: 120

TTL. MALFUNCTIONS:

MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

BARBER PRESALE R 0112964

AMMUNITION Load Size	SHELLS	NO. OF SHELLS FIRING	FIRING	FEED SPEED SHELLS	DON'T FEED L.A.D.	DON'T FEED B.A.C.	DON'T LOCK DOWN	FEED FROM MAG.	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK DOWN	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER HINDS	LOADING	BOLT OVERRIDE	ACTION BAG UP	DON'T EXTRACT	RETRACT	ADJUSTMENT	RETRACTMENT	SHELL VELOCITY	REMARKS (ON BACK)	YES	NO
R-80-PSR	4W	5																							
Slow	4W	5																							
Medium	4W	5																							
Fast	4W	5																							
R-80-HR	DS	5																							
Slow	DS	5																							
Medium	DS	5																							
Fast	DS																								
R-100-PSR	4W	5																							
Slow	4W	5																							
Medium	4W	5																							
Fast	4W	5																							
TOTAL (PER MIL.)																									

PAGE NO.

[illegible]

~~JACK-ENDURANCE~~

MODEL: ^{76wt} ~~700~~ CARBINE

PAGE NO.

DATE:

MODEL 8

GAUGE: 6 MM CAL.

SERIAL NO. B 6226233

PREVIOUS ROUNDS

TEST TITLE: No Bind stamped Followed

②

TTL. RDG. FIRED: 105

TTL. MALFUNCTIONS: 0

Malfunction Rate: 0.07

"MALFUNCTIONS"

[illegible]

PAGE NO.

REPORT NO.: 82049/

~~BACKLASH~~ CENTERFIRE

DATE:

PREVIOUS
ROUNDS

SERIAL NO.

MODEL: 760t Carbine

TEST TITLE: No Bind Stamped Follower

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

"MALFUNCTIONS"

AMMUNITION Load Hize	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T LOCK OPEN	FEED FROM MAG.	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREEZES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES	NO
F-80-SR		5																						
slow	DJ	5																						
Medium	DJ	5																						
FAST	DJ	5																						
F-100-SR																								
slow	HJ	5																						
Medium	HJ	5																						
FAST	HJ	5																						
TOTAL (PER M.L.)																								

PAGE NO.

REPORT NO. 820491

JACK CENTERFIRE

JACK CENTERFIRE

SERIAL NO.

GAUGE: 6MM CA

MODEL: 700 CARBINE

DATE:

PREVIOUS
ROUNDS

TEST TITLE: No BIND Stamped Follow-on

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE:

"MALFUNCTIONS"

SALE R 0112965																														
AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T FEED	DON'T BLOW BACK	DON'T LOCK CHAMBER	FEED FROM MAG.		SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T REEACT	BREAKAGES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES NO		
								1st	2nd				RIGHT	LEFT	RIGHT	LEFT												YES	NO	
W-80-PS8	DS	5																												
Slow	DS	5																												
Medium	DS	5																												
Fast	DS	5																												
W-100-PS8																														
Slow	W	5																												
Medium	W	5																												
Fast	W	5																												
TOTAL (PER MIL.)																														

CENTER FIRE

PAGE NO.

BARBER - PRESALE R 0113970

MODEL: ~~700~~ CARBINE:

DATE: 6 MM CAL

SERIAL NO. B6226263

PREVIOUS ROUNDS

TEST TITLE: No Bind stamped follower

TTL. NOS. FIRED: 105

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: $\frac{0}{0010}$

"MALFUNCTIONS"

[illegible]

PAGE NO.

SERIAL NO.

TTL. RDS. FIRED: _____
TTL. MALFUNCTIONS: _____
MALFUNCTION RATE: _____

"MALFUNCTIONS"

[illegible]

Field Test
JACK-EMERGENCY

CENTERFIRE

REFNOT NO.: 820471

PAGE NO.

BARBER

PRESALE R 0112973

DATE:

MODEL: 720t CABINETS

SERIAL NO. B6226255

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followed

TTL. RDS. FIRED: 105

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 0.00

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS TESTED	FEEDING	FEEDING METHOD	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERSIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERSIDE	ACTION HANG UP	DON'T EXTRACT	BREECHES	ALTIMETERS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON PAGE)	YES	NO
R-80-PS8	HW	5																				
Slow	HW	5																				
Medium	HW	5																				
Fast	HW	5																				
R-80-HP	DJ	5																				
Slow	DJ	5																				
Medium	DJ	5																				
Fast	DJ	5																				
R-100-PS8	HW	5																				
Slow	HW	5																				
Medium	HW	5																				
Fast	HW	5																				
TOTAL (PER MIL.)																						

~~PACK PERFORMANCE~~ CENTERFIRE

REPORT NO.: 820481

PAGE NO.

BARBER - PRESALE R 0112975

PREVIOUS
ROUNDS

DATE:

MODEL: 720t CARBINE

Gauge: 6MM CAL

SERIAL NO.

TEST TITLE: No Bind Stamped Followed

TTL. RIS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

"MALFUNCTIONS"

AMMUNITION. Load Size		SHOOTER	NO. OF ROUNDS FIRED	FIRING	TEST FEED SEQUENCE	DON'T EJECT	DON'T EJECT BACK	DON'T LOCK OPEN	FEED FROM MAG.	SHELL STAYS MAG.		POWER OVERRIDE	DON'T LOCK UP	ITEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER HITS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EJECT	EJECTORS	ADJUSTERS	EJECTORS	BOLT EJECTORS	YES	NO
										1st	2nd															
W-80-PSR		B	5																							
Slow		B	5																							
Medium		B	5																							
FAST		B	5																							
W-100-PSR																										
Slow		3	5																							
Medium		3	5																							
FAST		3	5																							
TOTAL (PER MAL.)																										

Field Test
~~JACK-REBURNANCE~~

CENTERFIRE

REPORT NO.: 820471

PAGE NO.

PREVIOUS
ROUNDS

DATE:

TEST TITLE: No Bind stamped Followed

MODEL: 700 CABINETS

GAUGE: 6 MM CAL.

SERIAL NO. B6226230

9

TTL. NOS. FIRED: 105

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 00/100

BARBER - PRESALE R 0112976

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TAMPED SHELL	DON'T FEED	DON'T FEED BACK	DON'T LOCK OPEN	FEED FROM MAG.	1st 2nd	LAUNCH	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION STAYS UP	DON'T EXTRACT	RETRACTS	ADJUSTMENTS	RETRACTOR	BOLT VELOCITY	RETRACTS (ON BLOCK)	YES	NO	RESALE R 001976
R-80-PS8	B	5																										
Slow	B	5																										
Medium	B	5																										
Fast	B	5																										
R-80-HP	H	5																										
Slow	H	5																										
Medium	H	5																										
Fast	H	5																										
R-100-PS8	B	5																										
Slow	B	5																										
Medium	B	5																										
Fast	B	5																										
TOTAL (PER MAL.)																												

REPROT NO.: 82049/

JACK-EMERANCE CENTERFIRE

SERIAL NO.

GAUGE: 6MM CAL.

MODEL: 76wt CARBINE

DATE:

PREVIOUS ROUNDS

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

TEST TITLE: No Bind Stamped Follower

"MALFUNCTIONS"

AMMUNITION Load Size	ROUNDS	CR. OF ROUNDS FIRED	FEED FROM MAG.	SHELL STOPS MAG.	POWER OVERRIDE	DOE-1 LOCK UP	STEM CHAMBER	FOLLOWER BINDS	LOADING	BOLT OVERLIDE	ACTION BIND UP	DOE-1 EXTRACT	BREAKERS	ADJUSTMENTS	SHELL/STOPS	SHELL/STOPS	REMARKS (ON PAGE 2)	YES	NO
			1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd	1st and 2nd		
F-80-SR																			
slow																			
Medium																			
FAST																			
F-100-SR																			
slow																			
Medium																			
FAST																			
TOTAL (PER MAL.)																			

PAGE NO. **5**

SERIAL NO.

MAJORITY RATE:

"MALFUNCTIONS"

[illegible]

PAGE NO.

BARBER PRESALE R 0112879

TEST TITLE: No Bind stamped follower

MALFUNCTION RATE: $\frac{0}{0}$

"MALFUNCTIONS"

[illegible]

JACK-~~ENDORANCE~~ CENTERFIRE

JACK-EMERANCE

ENT

DATE: _____
INSTRUMENT NO.: _____
GAGE: 6 MM CAL.
MODEL: ~~700~~ CARBONI
700t
SERIAL NO.: _____
TAL-S
KINZ

TEST TIME: No Bind Stamped Followed

"MULTIFUNCTION"

[illegible]