NBAR Critical Path Schedule

Firecontrol

First Design	Mar.	1	89	2	mos.
Prototype (3)	Apr.	1	89	1	mo.
Engineering Evaluation	June	1	89	2	mos.
Redesign	July	1	89	1	mo.
Quotation & Economics	Oct.	1	89	3	mos.
Prototype (10)					
- Vendor Parts	Apr.	1	90	6	mos.
	May			6	wks.
Build 30 Design Accept.	Feb.	15	91	9	mos.
and Trial and Pilot					
T & P Testing	Apr.	15	91	2	mos.
Redesign and Reprocess	Oct.	15	91	6	mos.
Produce to Warehouse	4 (2 91	L		
Introduce to Trade	Janua	ary	1992		

This is a list of the NBAR features, (that represent our design goals), in order of priority.

o Detachable Magazine Box

- o Improved Firecontrol
 - No Connector
 - Two Trigger Full Springs (low spring rate)
 - "Sealed Firecontrol"
 - Balanced Trigger
 - Trigger and Sear Block
 - Not Retrofittable to M/700
- o Bolt Lock w/override
- o Integral Scope Mounts
- o New Extractor
- o New "Custom Shop" Barrel Contour -Mountain Rifle Crown
- o Improved Bedding System
- o M/700 receiver, cosmetically altered
- o New Wood Stock

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER KINZER V. REMINGTON

R2518656 BARBER - PRESALE R 0117668

.