

	A	B	C	D	E
1					
2					
3			Over Lug	Between Lug	
4		1	40.4	39.7	30-06
5		2	40	40	30-06
6		3	40.2	39.7	30-06
7		4	37.7	38.2	30-06
8		5	38.5	36.9	30-06
9		6	39	38.8	30-06
10		7	40.5	39.9	30-06
11		8	39.6	38	30-06
12		9	41.1	39.4	30-06
13		10	39.3	39.2	30-06
14		11	41.2	38.7	30-06
15		12	35.3	29.5	30-06
16		13	37.7	21.8	30-06
17		14	40.8	41	30-06
18		15	39.6	41.7	30-06
19		16	38.5	39.1	30-06
20		17	41.3	39.5	30-06
21		18	38.9	39.9	30-06
22		19	29.8	30.3	30-06
23		20	42.2	41.6	30-06
24		21	42.9	42.2	30-06
25		22	33.6	41.2	30-06
26		23	39.4	41	30-06
27		24	38.2	39	30-06
28		25	42.8	42.2	30-06
29		26	40.3	40	30-06
30		27	43.2	40.3	30-06
31		28	39.9	38.4	30-06
32		29	40.7	41.2	30-06
33		30	40.7	42.8	30-06
34		31	39.8	42.1	30-06
35		32	32.4	35	30-06
36		33	42.2	40.3	30-06
37		34	40.5	41.8	30-06
38		35	43.2	41.9	30-06
39		36	41.6	40.8	30-06
40		37	34.5	39.3	30-06
41		38	40.9	39.2	30-06
42		39	42.2	41.5	30-06
43		40	41.9	43.5	30-06
44		41	35.2	42.6	30-06
45		42	37.3	42.5	30-06

	A	B	C	D	E
46		43	41.9	41.6	30-06
47		44	37.4	40.4	30-06
48		45	35.5	35.6	30-06
49		46	40.1	40	30-06
50		47	42	38.1	30-06
51		48	39.8	37.9	270
52		49	40.7	38	270
53		50	40.8	39.9	270
54		51	40.8	40.6	270
55		52	40.2	41.4	270
56		53	38.5	42.2	270
57		54	41	39.5	270
58		55	37.9	39.9	270
59		56	40.2	41.4	270
60		57	41.1	41.7	270
61		58	40.2	42	270
62		59	40.1	41.2	270
63		60	35.7	41	270
64		61	35.3	41.2	270
65		62	39.8	41	270
66		63	40.8	40.8	270
67		64	39.1	38.7	270
68		65	40	41.3	270
69		66	40.4	42.4	270
70		67	40.4	40.1	270
71		68	42.9	40.2	270
72		69	38.6	39.2	270
73		70	38.9	40.8	270
74		71	37.5	39.9	270
75		72	40.2	37.9	270
76		73	38.6	39.4	270
77		74	40.6	41.9	270
78		75	39.5	40.5	270
79		76	40.6	40.4	270
80		77	39.9	42	270
81		78	39.5	39.5	270
82		79	41	39.6	243
83		80	41.5	40.1	243
84		81	39.3	41	243
85		82	37.9	40.4	243
86		83	41.6	40.9	243
87		84	42.3	42.8	243
88		85	42.2	42.7	243
89		86	37.6	40.4	243
90		87	41.1	40.7	243

	A	B	C	D	E
91		88	38.3	38.4	243
92		89	39.8	42.5	243
93		90	41	42.3	243
94		91	40.4	42.1	243
95		92	38.9	39.7	243
96		93	41.6	41.7	243
97		94	39	40	7mm
98		95	39.8	40.4	7mm
99		96	38.2	42.4	7mm
100		97	41.5	40.7	7mm
101		98	39	40.5	7mm
102		99	40.8	41.5	7mm
103					
104		Average	39.63939394	40.02121212	
105		Std Dev	2.285750811	2.82598268	
106		Max	43.2	43.5	
107		Min	29.8	21.8	