Employee Technical Test 870

- 1. What is the function of the right shell latch?
 - a. Feeds the shells form the magazine tube on to the carrier.
 - b. Stop the action bars from coming out of the firearm
 - c... Holds the shells in the magazine tube notil the bolt is open
 - d. Acts as the stop latch to stop the shells from feeding back on to the carrier when the action is open.
- 2. What contains the pressure of the fired tound?
 - a. The action bar lock
 - b. The left and right connectors
 - c. The foreword pressure of the shooters hand
 - d. The bolt and barrel assembly
- 3. To put the bolt, Fore-end assembly, and slide back into the receiver:
 - a. You must put the barrel on first.
 - b. Depress the left latch then the right.
 - c. Depress the right then left kitch.
 - d. Depress the left latch only
- 4. When replacing the fore-end assembly on a pre-93' shotgun you must also order what part/parts?
 - a. "Flexi-tab" kit
 - b. Bolt assembly
 - c. Carrier assembly
 - d. Slide assembly
- There are two types of magazine caps. Explain why/when one is used over the other.

O/S magazine caps still used on police shotgans and any shot made before '87. The N/S magazine cap is used on all shotgans made after '87 Exp. 870 police shotgans.

- 6. What magazine spring retainer is used on an 870 EXP HD 7 shot?
 - a F97616
 - b. F91657
 - c. F93515
 - d. None of the above
- 7. What prevents the firing pin from reaching the primer until the gun is lock up?
 - a The action bar lock
 - b. The left connector
 - c. The locking block
 - d. None of the above