Ic		- 4200								
Summary	Total Test + Proof Failure Total Rejected									
	Överall Reject Rate	: 406 : 9.44								
	Shot		238	274	624	930	9	238		
	Proof Rejected		0	0	1	2	0	0	J	
	Percen		0.0	0.0	0.2	0.2	0.0	0.0		
1993	Shet		17	615	933	978		107	]	
	Test Rejected Parcen		4 23.5	29 4.7	128 13,7	103 10.5	0	9 8.4		
	Shot	COMMENTE STRACT	23-3   35	4.7	249	76	1	0.4 9	1	
	Target Rejected			05 0	0	0	0	0	l	
	Percen		0.0	0.0	0.0	0.0		0.0		
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7		
AB	Action binds	_					- 20-0. 		-	
BABS	Bulge at body shoulder									
BAC	Burr at chamber	5		10	30					
BBMA	BBL-to-bolt misalignment									
BB	Bolt binds/catches	3		3	9	4				
BCOBS	Bolt catches on bolt stop			**						
BCOF	Bolt catches on follower			3	2	j.			ľ	
BC	Blows cases								🎆	
BHR	Bolt hits receiver									
BHS	Bolt plug hits safety switch							246		
BLOP	Bar lock or disconnector out of position								1	
BLSO	Barrel lug shot off			-					1	
BPO	Bolt pulls out								1	
BSSM	Bolt stems shell in magazine			-					1	
BWCD	Bolt won't cam down					ž.				
BWCFM	Bolt won't close over full magazine					2			1	
СD	Case dented								1	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
of M	Closes hard		3	****	30	8			1
CLM	Can't load magazine					2			1
co 🔌	Cut-off			*****					]
CR	Cuts rim	·····							1
CS	Cases swell								1
CTOG	Chamber torn or gouged	10	//////////////////////////////////////						]
СТР	Creepy trigger pull								]
CWSB	Cams wrong side of action bar				Star.				1
DBB	Doesn't blow back								]
DCS	Double click in safety switch								]
DCT	Double click in trigger					ilia - 11 marca			1
DCU	Doesn't close-up								1
DE	Doesn't eject			3	1				1
DEL	Doesn't eject live round								1
DFB	Doesn't feed back								1
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								
DLU	Doesn't lock-up			**		\$			
DS	Dead safe				1	2			
DX	Doesn't extract		1		1	1			1
DXL	Doesn't extract live round								1
EDS	Extractor drops shell	1		1	4	13		2	1
ESB	Ejector sticks back					1			1
ESCR	Empty shell catches receiver								]
ESS	Extractor stems shell								
FA	Fires automatically								]
FB	Follower binds								1

ILE00093875

			1					
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Fallows-down							
FF	Fails to fire				1			
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	// <b>2</b> //			6.	11		1
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips	12			1	15		6
GCSO	Gas cyl shot off							<i>.</i>
HBL	Heavy bolt lift	1		1				l itten
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge			*****	****			
JM	Jumps magazine				2			
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard			***	***			
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							
-	·				•			



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Marh 🥢	Magazine removes hard							
он	Opens hard							
OR	Over-rides	2		3	1	20		
PH	Pulls hard	····						
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				1			
RDW	(Action) release doesn't work			1				
RIC	Rings in chamber	3			23.	3		
RIS	Ring in sholder				2			
RS	Rim srem					ilia interest.		
SBC	Stems bottom chambers				1	10		
SBE	Stems bbl extension							<i></i>
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline	1		3	1	;		
SIC	Stems in chamber			*****		1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -		
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride					1		
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber			1				
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							




									_
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
STC	Sterns top chamber								1
SWE 💹	Safety switch works too easily	2			2	1			1
SWH	Safety switch works too hard				1				1
sww	Satety ewitxh won't work								1
TD	Tips down								1
TU	Tips up								1
TWP	Trigger won't pull								1
TWR	Trigger won't retract				Stor.				1
UNCN-T	Uncoded				4.				]
ХН	Extracts hard					2			1
									1
HI	High								1
LO	Low								1
LEFT	Left							li illine	1
RIGHT	Right								1
DG	Doesn't Group								
FSST	Front sight tipped					;			
RSTT	Rear sight tipped					*			
RSBR	Rear sight base raised								]
FSTR	Front sight raised								1
FSTL	Front sight loose								1
RSTL	Rear sight loose								1
MGPT-G	Missing parts at target			****					1
UNCN-G	Uncoded nonconformity at target								-
AI-P	Assembly incompleye at proof								-
BBB	Barrel bracket cracked or broken at proof								1





CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
3C-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer et proof							
BS-P	Barrel split at proof					*		
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof				én			
-CB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof			i Milan				
F-P	Fails to fire at proof	1				ilia - 11an.		
GCSO-P	Gas cylinder shot off at proof							
ISI-P	Magnaflux stamp illegible on bbl							
ISM-P	Magnaflux stamp missing on bbl							li illion.
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions				1	2 .		


wal							totals	700 totais	New Gen totals	
	12	55		515	109	40	3958	3239	679	
	0	0	0	33	0	0	37	4	33	
	0.0	0.0		6,4	0.0	0.0	0.9	0.1	4.9	
	12			719	107	40	4263	7791	826	
	0	0	0	32	9	0	356	315	41	
	0.0			32 4.5	8.4	0.0	8.4	4.0	5.0	
	18			41	97		619	1179	138	
	0	0	0	0	13	0	13	0	13	
	0.0			0.0	13.4		2.1	0.0	9.4	
	XR-100	7400	7500	7600	7615	Rimfire	totals	totais	totals	
					3		3			
							46	46		
							19	19		lan in the second s
						****				
							5	5		
							×	v	and the second	
						***				
						****	2	2		
	L	1			1		1	)		

ILE00093880












Subject to Protective Order Williams v. Remington




Subject to Protective Order Williams v. Remington






Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

BAC	Burr at chamber	7
CH	Closes hard	
FT	Follower tips	
OR	Over-rides	
RIC		- 👯
	Rings in chamber	alite -
BB	Bolt binds/catches	- 200
EDS	Extractor drops shell	-
FPO	Floor plate opens	
CTOG	Chamber torn or gouged	
HBL	Heavy bolt lift	
DE	Doesn't eject	-
SWE	Safety switch works too easily	Sec.
BCOF	Bolt catches on follower	
SI	Stems incline	
DS	Dead safe	
SBC	Stems bottom chambers	<u> </u>
UNCM-P	Uncoded proof malfunctions	
BWCFM	Bolt won't close over full magazine	
CLM	Can't load magazine	•
DX	Doesn't extract	
JM	Jumps magazine	-
RIS	Ring in sholder	- 200
XH	Extracts hard	-
ESB	Ejector sticks back	
FF	Fails to fire	
RBOC		
RDW	Rings and bulges on case	-
	(Action) release doesn't work	-
SOR	Stem over-ride	-
SWH	Safety switch works too hard	-
	Uncoded	-
FF-P	Fails to fire at proof	-
AB	Action binds	_
BABS	Bulge at body shoulder	_
BBMA	BBL-to-bolt misalignment	_
BCOBS	Bolt catches on bolt stop	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	-
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	1
BPO	Bolt pulls out	1
BSSM	Bolt stems shell in magazine	-
BWCD	Bolt won't cam down	-
CD	Case dented	-
co ·	Cutoff	1
CR	Cuts cm	1
CS	Cases swell	1
CTP		-
	Creepy trigger pull	-
CWSB	Carris wrong side of action bar	-
DBB	Doesn't blow back	-
DCS 💥	Double citizk in safety switch	1




 $\begin{array}{c}
 1 \\
 1 \\
 1 \\
 1 \\
 1 \\
 1 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\
 0 \\$ 

DCT	Double click in trigger	]
DCU	Doesn't close-up	1
DEL	Doesn't eject live round	1
DFB	Doesn't feed back	
DFU	Doesn't feed up	1
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DXL	Doesn't extract live round	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	ş
FA	Fires automatically	
FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	
FFP	Flat firing pin	
FOS	Fires on safe	0.000
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPOH	Floor plate opens hard	1.00
FSR	Fires when safe is released	.33
GCSO HMSC	Gas cyl shot off	
HPA	Heading mismatch-steps on case	
	High pressure ammo	
HUR	Hard under rail	6
	Jumps cartridge	
JO	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine leads hard	
MRH	Magazine temoves hard	
он	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RS	Rintsrem	
SBE	Stems bbl extension	1
SCB	Stock cracked of broken	
SCX	Shell catches	
SHI	Shell catches Short indent	
	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SP	Stemsport	
SR	Shoulde rough	
— - * 60000000		



SRIC	Specific rings in chamber
SSOC	Surface scratches on case
STC	Stems top chamber
SWW	Safety ewitxh won't work
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
н	High
LO	Low
LEFT	Left
RIGHT	Right
DG	Doesn't Group
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BBB	Barrel bracket cracked or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnaffux stamp illegible on bbl
MSM-P	Magnattux stamp missing on bbl
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof







AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
DFB	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire




FPHI	Firing pin hits inside rim
FPO	Floor plate opens
FPOH	Floor plate opens hard
FSR	Fires when safe is released
FT	Follower tips
GCSO	Gas cyl shot off
HBL	Heavy bolt lift
HMSC	Heading mismatch-steps on case
HPA	High pressure ammo
HUR	Hard under rail
JCS	Jumps cartridge
JM	
	Jumps magazine Jars off
*******	
LB	Light blow
MAH	Magazine assembles hard
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
ML	Magazine loose
MLH	Magazine loads hard
MRH	Magazine removes hard
OH	Opens hard
OR	Over-rides
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RDW	(Action) release doesn't work
RIC	Rings in chamber
RIS	Ring in sholder
RS	Rim srem
SBC	Stems bottom chambers
SBE	
	Stems bbl extension
SCB	Stock cracked or broken
SCX	Shell catches
SHI	Short indent
SI	Stems incline
SIC	Stems in chamber
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SOR	Stem over-ride
SP	Stems port
SR	Shoulder rough
SRC	Stems right side of chamber
	Specific rings in chamber
SRIG	
SRIC	Surface scratchesioniciaes
SSOC	Surface scratches on case
SSOC	Stems lop chamber
SSOC STC SWE	






TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
	Left	
	Right	;
DG	Doesn't Group	ŝ.
FSST RSTT	Front sight tipped Rear sight tipped	
RSBR	Rear sight base raised	88
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	1
BC-P	Blows cases at proof	See
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	netë
BLSO-P	Barrel lug shot off at proof	1
BP-P	Blown primer at proof	8
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at preof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	1
UNCM-P	Uncoded groof malfunctions	






ESB-P	Ejector sticks back at proof
ESCR	Empty shell catches receiver
CTOG	Chamber torn or gouged
RIC	Rings in chamber
pp_p	Pierced primer at proof
UNCM-P	Uncoded proof malfunctions
AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Bolt catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
CH	Closes hard
CLM	Can't load magazine
co	Cut-off
CR	Cuts rim
CS	Cases swell
CTP	Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double click in trigger
DCU	Doesn't close-up
DE	Doesn't eject
DEL	Doesn't eject live round
DFB	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
DLU	Doesn't look-up
DS	Dead sare
DXL	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
	Fails to connect
FCB	Fore-end cracked or broken
FD 🛞	Follows-down




FF	Fails to fire	1
FFP	Flat firing pin	1
FOS		
	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	ł
FPO	Floor plate opens	l
FPOH	Floor plate opens hard	l
FSR	Fires when safe is released	l l
FT	Follower tips	l
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	69
HUR	Hard under rail	i i
JCS	Jumps cartridge	Í
JM	Jumps magazine	
JO	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	20.0
MFA	Misfires (ammo)	
MFOP		8
	Magazine follower out of position	ŝ.
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	19
он	Opens hard	
OR	Over-rides	k.
PH	Pulls hard	
PSI	Proof stamp illegible	<u> </u>
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	Ì
RDW	(Action) release doesn't work	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stemoverstide	
SP	Stems port	
SR	Shoulder rough	
	Stems right side of chamber	
SRC .		
	Specific rings in chamber	


Subject to Protective Order Williams v. Remington

SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	1
TWP	Trigger won't pull	Ĩ
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	1
RIGHT	Right	]
DG	Doesn't Group	]
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	1
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof.	
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off af proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
SCB-P	Stock cracked or broken at proof	1






HI	High	1
AB	Action binds	1
DE	Doesn't eject	1
EDS	Extractor drops shell	
MCW	Magazine capacity wrong	
SOR	Stem over-ride	1
BABS	Bulge at body shoulder	
BAC	Burr at chamber	1
BBMA	BBL-to-bolt misalignment	•
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	1
BCOF	Bolt catches on follower	1
BC	Blows cases	2
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	k
BLSO	Barrel lug shot off	1
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	1
BWCD	Bolt won't cam down	ł
BWCFM	Bolt won't close over full magazine	ł
CD	Case dented	
CH	Closes hard	ľ
	Can't load magazine	ŀ
	Cut-off	
CR	Cuts rim	ľ
CS		
CTOG	Chamber torn or gouged	ł
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	E
DBB	Doesn't blow back	ľ
DCS	Double click in safety switch	ł
DC3 DCT	Double click in trigger	ł
	Doesn't close-up	ł
		1
	Doesn't eject live round Doesn't feed back	ł
		ł
	Doesn't feed up	$\left  \right $
	Doesn't lock open (after last shell) Doesn't lock-up	
DS	Dead safe	ł
DS DX		ł
DX DXL	Doesn't extract Doesn't extract live round	
ESB	Fiertor sticks back	ł
	Ejector sticks back Empty shell catches receiver	
ESCR		
ESS	Extractor stems shell	
FA	Fires automatically Follower binds	
	LEADAUGT hindowwww.com	
FB	- The formation of the second se	
FB FC	Fails to connect	
FB FC FCB	Fails to connect Fore-end cracked or broken	
FB FC FCB	Fails to connect	




		1
FFP	Flat firing pin	
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	8
HPA	High pressure ammo	<u>in a</u>
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	
JO	Jars off	88
LB	Light blow	
MAH	Magazine assembles hard	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	ŝò
ML.	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	r.
он	Opens hard	Ì.
OR	Over-rides	
РН	Pulls hard	100
PSI	Proof stamp illegible	
PSM	Proof stamp missing	<u>.</u>
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
********		
SCB	Stock cracked or broken	
<u>SCX</u>	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SP	Stems port	
SR	Shoulderrough	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
SSOC	Surface scratches on case	
STC	Stems top chamber	
SWE	Safety switch works too easily	
SWH 🛞	Safety switch works too hard	



SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	]
UNCN-T	Uncoded	1
ХН	Extracts hard	
LO	Low	
LEFT	Left	1
RIGHT	Right	1
DG	Doesn't Group	
FSST	Front sight tipped	1
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	١.
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	8
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	è
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	F
BC-P	Blows cases at proof	ŝ
BEB-P	Barrel extension broken at proof	2011
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	È.
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at press	ĺ
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	





Summary	Total Test + Proof F		1032						-
	Total Rej Overall Rejec	jected: t:Rate:	53 5.14						
		Shot: 34	8 69	) 193	112	235			1
		ejected.	0	0	0	0	0	0	-
		Percent 0.3	and the second		0.0	0.0			_
		Shot 26		202	142	270			
	Test R	eje <mark>cted: 5</mark> Percent: 1.6		8 4.0	10 7.0	23 8.5	0	0	
	· · · · · · · · · · · · · · · · · · ·	Shot: 24		12	138	25	1		1
	Target R	lejected: 0		· · · · · · · · · · · · · · · · · · ·	0	0	0	0	Ŀ
		Percent: 0.0		0.0	<b>9</b> .0	0.0			
CODE	MALFUNCTION INDEX	700 S	PS 700 S		700 SS	700 CDL	700 POLICE	MODEL 7	
	A - (*								-
AB	Action binds				· · · · · · · · · · · · · · · · · · ·				4
BABS	Bulge at body shoulder								_
BAC	Burr at chamber	1		1					_
BBMA	BBL-to-bolt misalignment								
3B	Bolt binds/catches	1		2		3			
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								1
вс	Blows cases						ä		
BHR	Bolt hits receiver								ľ
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of pos	sition							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1




	<i></i>								
	· · · · · · · · · · · · · · · · · · ·	1	}	1	1		1	1	1
	Bolt won't close over full magazine					2			
CD	Case dented								
СН	Closes hand	÷			3	1			
CLM	Can't load magazine								
со	Cut-off								
CR	Cuts rim								
cs	Cases swell								
стоб	Chamber tom or gouged								
СТР	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back		L						
DCS	Double click in safety switch						8eo.		
DCT	Double click in trigger								
DCU	Doesn't close-up								
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								ø
DLU	Doesn't lock-up						ä		
DS	Dead safe					1			
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell					1			
ESB	Ejector sticks back					1			
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								




Subject to Protective Order	
W	FA
ā j	FB
ns	FC
.< TT	FCB
len	FD
nin	FF
lams v. Remington	FFP
ر	FOS

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl			8			
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~		4	<u> </u>		
FPOH	Floor plate opens hard					500.	
FSR	Fires when safe is released						
FT	Follower tips				4		
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					á	
JM	Jumps magazin <del>e</del>			2			<b>1</b> ~
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order		
N.	ML	Magazine loos
liams v. Remingtor	MLH	Magazine load
20 TS	MRH	Magazine tem
TI	он	Opens hand
ien	OR	Over-ndes
ning	PH	Pulls hard
gto	PSI	Proof stamp ill
	PSM	Proof stamp m


ML 🧼								-
141 - XXXXX	Magazine lögse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-ndes		itte.	3		8		
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder						XX	
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			· · · · ·				
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							Ô
SI	Stems incline	1		2	1			Ø
SIC	Stems in chamber						ź	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							





SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						]
STC	Stems top chamber						
SWE	Satety switch works too easily	2			1		
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
тр	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
хн	Extracts hard					80.	
HI	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					2	
RSBR	Rear sight base raised						 l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			*****				




Al-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
BC-P	Blows cases at proof					
вев-р	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		200			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			9 a.e 2 august - Alexandro - Alexa 19 alexandro - A		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				500.	
FF-P	Fails to fire at proof	1	*****			
GCSO-P	Gas cylinder shot off at proof		******			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington





Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failures	984							-
	Total Rejected:	96							
	Overall Reject Rate:	9.76							=
	Shot: Proof Rejected	326 0	80	52 0	117	75 0	0	5 0	
~	Proof Rejscied	0.0	. 0.0	0.0	0.9	0.0	U	0.0	
	Shot	299		126	198	72			1
	Test Rejected.	20	0	1	46	0	0	0	1
	Percent	67		0.8	23.2	0.0	1	1	٦
	<b>Target</b> Rejected:	26 0	<u> </u>	6 000	14 0	7	0	0	
	Percent:	0.0		<b>\$</b> 0	0.0	0.0	5	ů.	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									-
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber	3			27	1100.101000			4
BBMA	BBL-to-bolt misalignment								-
BB	Bolt binds/catches	2			3				4
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower				1		- 1947 		1
BC	Blows cases	ļ							4
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off	<u> </u>							
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								



	<i></i>						
BWCFM CD CH	Bolt won't close over full magazine Case dented Closes hard				7		
CLM CO	Closes hard Can't laod magazine Cut-off	l	· · .		i		-
CR CS	Cuts rim Cases swell						
CTOG CTP	Chamber tom or gouged						
CWSB DBB	Cams wrong side of action bar Doesn't blow back						
DCS DCT	Double click in safety switch Double click in trigger						
DCU DE	Doesn't close-up Doesn't eject			1	1		
DEL DFB DFU	Doesn't eject live round Doesn't feed back Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU DS DX	Doesn't lock-up Dead safe Doesn't extract				1		
DXL EDS	Doesn't extract live round Extractor drops shell						
ESB ESCR	Extractor drops sheri Ejector sticks back Empty shell catches receiver						
ESS	Extractor stems shell						



Protective Order	
Willia	FA
ams v. Remington	FC
.< T	FCB
ren	FD
ning	FF
gtor	FFP
ب	FOS
	FPHB
	I


Subject to

FA.	Fires automatically					]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	2		2		
FPOH	Floor plate opens hard				889.	
FSR	Fires when safe is released					
FT	Follower tips	11				
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift	1				
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				1	
JM	Jumps magazin <del>e</del>					I.«
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
N.	ML
lian	MLH
iams v. Remingto	MRH
ר דו	он
len	OR
inc	РН
ytor	PSI
<u>د</u>	PSM
	0000

			1	•	•	 	
	Magazine lögse						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Overandes	1			1		
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			108			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						ø
SIC	Stems in chamber					;	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
ā	SSOC
1 S	STC 🔅
.< TI	SWE
lams v. Remingtor	SWH
ing	sww
jtor	TD
<u>ب</u>	TU
	1


SRIC	Specific rings in champer						
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily				1		
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· **			1		
хн	Extracts hard					900.	
HI	High						
LO	Low			1100			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					 	ø
RSTT	Rear sight tipped					 2	
RSBR	Rear sight base raised						I.
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





AI-P	Assembly incompleye at proof						
368	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
зев-р 👋	Barrel extension broken at proot						
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~					
FESO-P	Fore-end shot off at proof					See.	
=F-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof		****	****			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions				1		


		Test Date:							
				(1)terre			totais		
Ī		16	1 ////	160	34	40	905		
	0	0 0.0	0	18 11.3	0 20	0 0.0	19 2.1		
Г				183	47	40	965		
L	0	0	1 0	0 0.0	1 2.1	0	68 68 7.0		
г				18	46	00	117		
L	0	0	0	0	<b>. 9</b> ///	ο (	9		
			•	0.0	<b>19</b> .6		7.7	_	
	XR-100	7400	7500	7600	7615	Rimfire	totals		
l						*****			
							30		
							_		
							5		
-							1		
ŀ							E		
ŀ									
⊦									97 (
ŀ									
ŀ									
ŀ									
┢									
								-	
L			1						


ILE00093920











Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failure Total Rejected							
	Overall Reject Rat							
		t 🚺 119	5	13	162	461	5	
	Proof Rejecte Percei		0.0	0 0.0	0 0.0	2 0.4	0 0.0	0
	Sho	1999 <u>1 - 1999</u>		153	232	256	0.0	1
	Test Rejecto	and the second	0	0	20	18	0	0
	Peircei	: <u> </u>		0.0	8.6	7.0		
	Sho			15	45 0	18 0	0	0
	Target Rejecte Percer		0	0 00	0 90	0.0	υ	U
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			····					
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber	1						
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches				2			
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						*	
BC	Blows cases							
BHR	Bolt hits receiver							
BHS BLOP	Bolt plug hits safety switch							
BLSO	Bar lock or disconnector out of position							
	Barrel lug shot off Bolt pulls out							
IBBO		1	1					
BPO BSSM	Bolt stems shell in magazine							

		1		1	1		1	1	1
	Bolt won't close over full magazine								
CD	Case dented								
СН	Closes hard				17				
CLM	Can't laod magazine					1			
со	Cut-off								
CR	Cuts rim								
cs	Cases swell								
стоб	Chamber tom or gouged	5 🥢	<u> ////</u>						
СТР	Creepy trigger pull				ann. Millionn				
CWSB	Carns wrong side of action bar								
DBB	Doesn't blow back	1 W.S.	l						
DCS	Double click in safety switch						5ao.		
DCT	Double click in trigger		*****						
DCU	Doesn't close-up		****						
DE	Doesn't eject								
DEL	Doesn't eject live round				1988) 1988)				
DFB	Doesn't feed back								
DFU	Doesn't feed up		****						
DLO	Doesn't lock open (after last shell)		****						Ø
DLU	Doesn't lock-up		****				ä		
DS	Dead safe					1			1
DX	Doesn't extract					1			
DXL	Doesn't extract live round								
EDS	Extractor drops shell				1	3			
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								




Subject to Protective Order	
W	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
inc	FF
liams v. Remington	FFP
-	FOS

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl			1200 1997 - Maria Maria			
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~			2		
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips	1					
GCSO	Gas cyl shot off		****				
HBL	Heavy bolt lift			1988) 1988)	1		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					200 <b>4</b>	
JCS	Jumps cartridge					;	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
a a a a a a a a a a a a a a a a a a a	MALH
ດ ເ	MRH
TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
L	PSM

a at				1	1			1	1
	Magazine lööse								
MLH	Magazine loads hard								
MRH	Magazine removes hard								
он	Opens hand								
OR	Overandes	1	- 200. 						
РН	Pulls hard								
PSI	Proof stamp illegible								
PSM	Proof stamp missing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work								
RIC	Rings in chamber	3				<u> </u>			
RIS	Ring in sholder						Steel		
RS	Rim srem								
SBC	Stems bottom chambers					3			
SBE	Stems bbl extension								
SCB	Stock cracked or broken								
scx	Shell catches								
SHI	Short indent								Ś
SI	Stems incline								Ø
SIC	Stems in chamber						ż		
SL	shaves lead								1
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SOR	Stem over-ride					1			
SP	Stems port								
SR	Shoulder rough								
SRC	Stems right side of chamber								
	1		2	1	1		1	1	




Subject to Protective Order	
N	SRIC
ā	SSOC
ns '	STC 🛞
דו	SWE
len	SWH
line	sww
llams v. Remington	то
<u>ب</u>	TU
	TIME


SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard		àte.				
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard				2	àte.	
HI	High			******			
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					2	
RSBR	Rear sight base raised						ſ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose		***				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			****				





Subject to Protective Order	
N.	AI-P
Ē	868
ns .	BC-P
א דו	BEB-P
len	BLP-P
ams v. Remington	BLSO-P
ytor	BP-P
د	BC_D


AI-P	Assembly incompleye at proof			1			]
368	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof						1
BEB-P	Barrel extension broken at proof						1
3LP-P	Blanked primer at proof		day.				
BLSO-P	Barrel lug shot off at proof						 1
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~					
FESO-P	Fore-end shot off at proof					886.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						]
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions				2	1999 (A. 1997)	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejected Overall Reject Rate	d: 104							_
	Show Show		59	2	162	121	4		7
	Proof Rejecte	d	0	0	0	0	0	0	-
	Percer	st: 0.0	0.0	0.0	0.0	0.0	0.0		
	Sha			22	259	279			
	Test Rejecto		0	6	36	45	Ð	0	
	Percer	<u></u>		27.3	13.9	16.1	1	1	7
	Sho Target Rejecte		5 	16 0	21	26 0	0	0	
	Percer.	1111111111	00	<b>10</b> 0	90.	0.0	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								_
BABS	Bulge at body shoulder								
BAC	Burr at chamber				1				
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches				4				
BCOBS	Bolt catches on bolt stop								]@
BCOF	Bolt catches on follower			2	1				
BC	Blows cases						;		
BHR	Bolt hits receiver								1 👒
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
00011		3	1						


ILE00093938

BWCFM	Bolt won't close over full magazine							1
CD	Case dented							1
СН	Closes hapd				3	4		1
CLM	Can'i laod magazine					1		1
со	Cut-off		in.					
CR	Cuts rim		illi in.					1
CS	Cases swell			<b>.</b>				1
CTOG	Chamber tom or gouged	5						
СТР	Creepy trigger pull							
CWSB	Carns wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch						à	
DCT	Double click in trigger							
DCU	Doesn't close-up						-	
DE	Doesn't eject			2				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up						-	瀫
DS	Dead safe							l.«
хD	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell	1		1	3	7		
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor sterns shell							



Subject to Protective Order	
	FA
ā l	FB
 ສຸ	FC
ams v. Remington	FCB
fen	FD
ning	FF
gto	FFP
Ĺ	FOS
	FPHB

FA.	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down		àn.					
FF	Fails to fire				1			
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	· ***				<i></i>		
FPOH	Floor plate opens hard						See.	
FSR	Fires when safe is released							
FT	Follower tips				1	9		
GCSO	Gas cyl shot off			198				
HBL	Heavy bolt lift					4		
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							Ø
JCS	Jumps cartridge						ž.	
JM	Jumps magazin <del>e</del>							l
OL	Jars off							
⊾B	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							




Subject to Protective Order	
<b>VIII</b>	ML
lian	MLH
iams v.	MRH
ר דו	он
len	OR
ing	PH
. Remington	PSI
ت	PSM
	PPAC


ML	Magazine lööse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-indes	· .			12			
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case			1				
RDW	(Action) release doesn't work							
RIC	Rings in chamber	 I		17 💥	2			
RIS	Ring in sholder			2		Xao.		
RS	Rim srem							
SBC	Stems bottom chambers		***					
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							Alter.
SI	Stems incline					a a a a a a a a a a a a a a a a a a a		
SIC	Stems in chamber					į.		
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case						1999 (B	
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily			1		
SWH	Safety switch works too hard		itte.	1		
sww	Safety ewitxh won't work					
тр	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	1995				
хн	Extracts hard				àte.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					





AI-P	Assembly incompleye at proof						1
368	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· ***					
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				







Subject to Protective Order - Williams v. Remington









Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	áto.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
N	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
ling	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically						]
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl				8999 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard						
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1.0			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					;	
JM	Jumps magazin <del>e</del>						I ~
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML 🖉
<u>a</u>	MILH
S No.	MRH
	он
٦en	OR
ning	PH
ams v. Remingtor	PSI
ب	PSM

ML	Magazine loose						1
RALH	Magazine loads hard						1
MRH	Magazine temoves hard						1
он	Opens hard						1
OR	Over-indes		- 242.				1
PH	Pulls hard						1
PSI	Proof stamp illegible			<b>.</b>			]
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·					
RIS	Ring in sholder					in.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						].
SHI	Short indent						
SI	Stems incline					- 1998 - 1998	1
SIC	Stems in chamber					ä	
SL	shaves lead						1.
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
ā	SSOC
1 S	STC 🔅
.< TI	SWE
lams v. Remingtor	SWH
ing	sww
jtor	TD
<u>ب</u>	TU
	1

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			****				



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
co	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				Dec.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up	 				
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				á	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
lan I	FB
20 C	FC
ר. דו	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

		 	 	 	 -
1/////	Fires automatically				
FB	Follower binds				
FC	Fails to connect				
FCB	Fore-end cracked or broken				
FD	Follows-down				
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard			200.	
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				
HPA	High pressure ammo				
HUR	Hard under rail			and the	Ø
JCS	Jumps cartridge			;	
JM	Jumps magazin <del>e</del>				r 🗮
OL	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				



Subject to Protective Order	
	ML
ā	MIH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM


ML	Magazine loose				1
	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hard				
OR	Over-indes	322.			1
РН	Pulls hard				1
PSI	Proof stamp illegible				]
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			800.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				] .
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			2	
SL	shaves lead				1.00
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
la la	SSOC
S S S	STC
<u>ج</u> ٦٦	SWE
ams v. Remington	SWH
nin	sww
gtor	TD
د	τυ
	-

Subject to

SRIC	Specific rings in chamber					1
8500	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard					
HI	High		****			
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					48
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	48
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					1
FSTL	Front sight loose	*				1
RSTL	Rear sight loose					_
MGPT-G	Missing parts at target			 		1
UNCN-G	Uncoded nonconformity at target					4



AI-P	Assembly incompleye at proof	1					1
368	Barrel bracket gracked or broken at proof						
3C-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				













Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof Failu	res 583							-
	Total Reject								
	Overall Reject Re								-
		iot: 69	25	14	71	38		233	]
	Proof Rejec		0	0	0	0	0	0	
	Perc		0.0	0.0	0.0	0.0	1	0.0	7
		ioi. 20 fod: 0	4	112	102 16	101 17	0	107 9	]
	Test Reject		23.5	12.5	15.7	16.8	v	ş 8.4	
		iot:	1	16	31			9	1
	Target Rejec	ted: 0 🎆		000	0	0	0	0	1
	Perc	ent:		<b>\$\$</b> 00	00			0.0	_
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
			**********						]
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber			9	2				
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches		****	1					
BCOBS	Bolt catches on bolt stop		****						
BCOF	Bolt catches on follower			1					
BC	Blows cases						ä		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch		-						1
BLOP	Bar lock or disconnector out of position	n							1
BLSO	Barrel lug shot off		-						
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine		-						1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand	3		3			
CLM	Can't laod magazine						
со	Cut-off	322.					
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				in.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		198				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						ø
DLU	Doesn't lock-up				à		
DS	Dead safe						r w
DX	Doesn't extract	1					
DXL	Doesn't extract live round						
EDS	Extractor drops shell			2		2	
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
	FA
ă L	FB
2 n	FC
.< T	FCB
fen	FD
ji nic	FF
liams v. Remingtor	FFP
<u>د</u>	FOS
	1

FA	Fires automatically					1		1
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked of broken							
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							1
FPHB	Firing pin hits bbl							1
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				3		1	
FPOH	Floor plate opens hard					io.		
FSR	Fires when safe is released							
FT	Follower tips		****		2		6	
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift		1	7				
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge					á		
JM	Jumps magazin <del>e</del>							ľ≪
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							




Subject to Protective Order	
	ML
<b>B</b>	MLH
2 n	MRH
ams v. Remingtor	он
fen	OR
ŋiŋ	PH
ytor	PSI
<u>ر</u>	PSM

ML	Magazine loose							]
MLH	Magazine loads hard							
MRH	Magazine temoves hard							
он	Opens hard							
OR	Over-rides		- 200.					
РН	Pulls hard							]
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~			6			
RIS	Ring in sholder						See.	
RS	Rim srem							
SBC	Stems bottom chambers				1	7		
SBE	Stems bbl extension			1100				
SCB	Stock cracked or broken							
scx	Shell catches							
SHI	Short indent							
SI	Stems incline			1				Þ
SIC	Stems in chamber						á	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber			1				




SRIC SSOC STC SWE SWH SWW TD TU	Subject to Protective Order	
ams V. Remington	VII	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW ED EU	S SU	STC 🕺
Remington	.S. TI	SWE
nington	len	SWH
at not not	jini	sww
- TU	ytor	тр
	-	ти


SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					





AI-P	Assembly incompleye at proof						1
368	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· ***					
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				




Subject to Protective Order - Williams v. Remington











Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
<b>V</b>	FA
lan .	FB
20 C	FC
т	FCB
len	FD
inc	FF
ams v. Remington	FFP
ت	FOS

FA	Fires automatically					
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	ása.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				â	瀫
JM	Jumps magazin <del>e</del>					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
<b>B</b>	MLH
<b>.</b>	MRH
.< T	он
fen	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ب</u>	PSM


ML	Magazine loose					
MALH	Magazine loads hard					
MRH	Magazine removes hard		****			
он	Opens hard					
OR	Over-indes		340.			
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· ***				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		******			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					Í
SI	Stems incline					Ø
SIC	Stems in chamber				,	
SL	shaves lead					l
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
Ē	SSOC
10 1000 S	STC
.< T	SWE
ien	SWH
nin	sww
iams v. Remington	TD
<u>د</u>	TU

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC 💮	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				See.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					17
RSTT	Rear sight tipped				â	
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							



BWCFM	Bolt won't close over full magazine				]
CD	Case dented				1
СН	Closes hard				
CLM	Can't laod magazine				
со	Cut-off				
CR	Cuts rim				
cs	Cases swell				
стоб	Chamber tom or gouged				
СТР	Creepy trigger pull		888. 		
CWSB	Carns wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			Dec.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				╡.
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				Þ
DLU	Doesn't lock-up			á	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				




Subject to Protective Order	
	FA
<u>a</u>	FB
ns 🐄	FC
.< TI	FCB
٦en	FD
jnir	FF
lams v. Remington	FFP
ر	FOS
	FPHB

FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect		****			
FCB	Fore-end cracked or broken					
FD	Follows-down		340.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released		*****			
FT	Follower tips		*****			
GCSO	Gas cyl shot off		*****			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo		****			
HUR	Hard under rail					Ø
JCS	Jumps cartridge		****		1. K.	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML.		ML MLH MRH <	Subject to Protective Order	
	P MLH	MRH	N.	ML
MRH S OH	П ОН		len	OR
	. ОН Фл	OR OR	ing	РН
ля V. Петing	л он ок Рн	CR PH	ytor	PSI
MRH H O R H Ø P P Ø	<u>он о рн ря</u> . Remingtor	CR PH PSI PSI	ب	PSM
Remington	Remington			PPOC


ML	Magazine loose					
	Magazine loads hard					
MRH	Magazine temoves hard					
ОН	Opens hard					
OR	Over-indes		- 200.			
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	. ***				
RIS	Ring in sholder				teo.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					Ś
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					l
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						1
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	**					
хн	Extracts hard					See.	
			****				
н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			***				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 <b>0</b> -M	Uncoded proof malfunctions							et 1














									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0	]
	Sho <b>Test</b> Rejecte Percer		0	0 0	0	0	0	0	]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				<b>F</b> - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 <b>-</b> 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	Subject to Protective Order	
	WIIIa	FA
	.< T	FCB
S FCB	len	FD
. FCB P FD FD	ing	FF
V. Reming	ytor	FFP
V. Remingtor	<u>ب</u>	FOS
FP FF		соцо

FA.	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		- Arr.				
FF	Fails to fire						1
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips			***			
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					200 <b>4</b>	
JCS	Jumps cartridge					;	
JM	Jumps magazin <del>e</del>						 1.3
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)				 		
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML.	Magazine loose					1		1
ML	******					 		
MRH	Magazine loads hard Magazine removes hard							
ОН	Opens hant							
OR	Over-ndes							
РН								
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· •••						
RIS	Ring in sholder					500.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
вні	Short indent							
SI	Stems incline							ø
SIC	Stems in chamber					8		
SL	shaves lead							1
SLC	Stems left side of chamber							1
SMOC	Stretch marks on case							1
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							1
1	1	8	1	1	ł	1	1	3



Subject to Protective Order	
N N	SRIC
<b>B</b>	8506
n ree	STC 🛞
.< TI	SWE
len	SWH
jing	sww
ams v. Remingtor	TD
L	TU
	I

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						Xeo.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								

din.















									_
Summary	Total Test + Proof Failu Total Reject								
	Overall Reject Ra								
	S	iot:							]
N.	Proof Reject Perc		0	0	0	0	0	0	-
		ion	1	[	1		1	1	7
	Test Rejec		0	<u>ا</u>	0	0	0	0	1
	Perc	88 <u> </u>					,	,	-
		iot: ted:0	<u> </u>		0	0	0	0	
	<b>Target</b> Rejëč Perc					U	5	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases								
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	n							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down		1						

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim						]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
N	FA
la l	FB
ns /	FC
ר דו	FCB
len	FD
inc	FF
liams v. Remington	FFP
-	FOS

FA	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				io.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin <del>e</del>					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
ā	MIH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM

ML	Magazine loose				1
	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hard				
OR	Over-indes	322.			1
РН	Pulls hard				1
PSI	Proof stamp illegible				]
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			800.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				] .
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			2	
SL	shaves lead				1.00
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
		SRIC
	ns '	STC
STC	א דו	SWE
STC SWE	len	SWH
ns V. Ren SWE	ing	sww
ns <. Reming	jtor	TD
ns v. Remingtor	<u>ب</u>	ти
v. Remingtor		THE

SRIC	Specific rings in chamber				
8500	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			See.	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group	 			
FSST	Front sight tipped				1
RSTT	Rear sight tipped			à	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
		****			



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 <b>0</b> -M	Uncoded proof malfunctions							et 1

á a














Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




	<i></i>							
·		1	ł	1	I	1	1	-
	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand		* * * *					
CLM	Can't laod magazine							
co	Cut-off							
CR	Cuts rim							
cs	Cases swell			• •				
стоб	Chamber tom or gouged							
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch					800.		
DCT	Double click in trigger							
DCU	Doesn't close-up				Maria			
DE	Doesn't eject							
DEL	Doesn't eject live round							
DFB	Doesn't feed back							].
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							Þ
DLU	Doesn't lock-up					ž		
DS	Dead safe							ľ×
DX	Doesn't extract							]
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							]



FA	Subject to Protective Order	
	N.	FA
	SLL SLL	FC
T FC	.< TI	FCB
FC FCB	len	FD
FC FC FCB FD	ling	FF
FC FCB FD FD FF	ytor	
ns v. Remingtor	ب	FOS
FD FF FF FF		


FA	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down		itte.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				á	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)			 		
MFOP	Magazine follower out of position					



ILE00094036

Subject to Protective Order	
	ML
lan .	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						]
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hant						
OR	Overindes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			1100			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						P
SIC	Stems in chamber					á	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
ā s	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
۲en	SWH
nin	sww
ams v. Remington	D
د.	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 <b>0</b> -M	Uncoded proof malfunctions							et 1

(in the second sec













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim						]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	FA FB	FA FB FC	Subject to Protective Order	
	a FB	FB FC	X	FA
FC FCB	FCB		len	FD
FC FCB FD FD		FD FD	ing	FF
FC B FC FC FC FF FC FF FF	. FCB FD FD FF	eming	jtor	
TS V. Remingtor	7. Remingtor	FD FD FF FF FF FF	ب_	FOS
V. FCB FD FD	FCB       FCB       FD       FF       FF       FF       FF       FF       FOS	remington		

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect	 				
FCB	Fore-end cracked or broken	****				
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released	*****				
FT	Follower tips	****				
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					1
JCS	Jumps cartridge	*****			a a	12
JM	Jumps magazin <del>e</del>					<u> </u>
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					]



Subject to Protective Order	
	ML
<u>B</u>	MLH
	MRH
ams v. Remingtor	он
Ren	OR
nir	PH
ytor	PSI
<u>د</u>	PSM


ML	Magazine loose					
MALH	Magazine loads hard					1
MRH	Magazine removes hard	 ****				]
он	Opens hant					
OR	Overindes	340.				
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				in.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension	*****	~~			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					P
SIC	Stems in chamber	*****			;	
SL	shaves lead					l
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
liams v. Remington	SWH
ning	sww
gto	TD
<u>د</u>	ΤU
	TIME

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					See.	
			****				
н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



BBB     Barrel bra       BC-P     Blows car       BEB-P     Barrel ex       BLP-P     Blanked p       BLSO-P     Barrel lug       BP-P     Blown pri       BS-P     Barrel spi       DLOS-P     Doesn't log       ESB-P     Ejector st       FCB-P     Fore-end	incompleye at proof icket stacked or broken at proof estat proof estat proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof cracked at proof							
BC-P     Blows ca:       BEB-P     Barrel ex       BLP-P     Blanked i       BLSO-P     Barrel lug       BP-P     Blown pri       BS-P     Barrel spi       DLOS-P     Doesn't log       ESB-P     Ejector st       FCB-P     Fore-end	es at proof easion broken at proof mer at proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof							
BEB-P Barrel ex BLP-P Blanked ( BLSO-P Barrel lug BP-P Blown pri BS-P Barrel sp DLOS-P Doesn't k ESB-P Ejector st FCB-P Fore-end	easion broken at proof nimer at proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof							
BLP-P Blanked   BLSO-P Barrel lug BP-P Blown pri BS-P Barrel spl DLOS-P Doesn't lo ESB-P Ejector st FCB-P Fore-end	orimer at proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof							
BLSO-P     Barrel lug       BP-P     Blown pri       BS-P     Barrel spi       DLOS-P     Doesn't log       ESB-P     Ejector st       FCB-P     Fore-end	shot off at proof mer at proof it at proof ck over shells at proof icks back at proof							
BP-P     Blown pri       BS-P     Barrel spi       DLOS-P     Doesn't lo       ESB-P     Ejector st       FCB-P     Fore-end	ner at proof it at proof ick over shells at proof icks back at proof							
BS-P Barrel spl DLOS-P Doesn't lo ESB-P Ejector st FCB-P Fore-end	it at proof ck over shells at proof icks back at proof							
DLOS-P Doesn't lo ESB-P Ejector st FCB-P Fore-end	ck over shells at proof							
ESB-P Ejector st FCB-P Fore-end	icks back at proof			Carl Charles			1	
FCB-P Fore-end		1 00000000	1 (1993) 300 (1997)					
	shot off at proof							
	re at proof					na. Maria		
	der shot off at proof						Steel.	
	x stamp illegible on bbl							
	x stamp missing on bbl							
PP-P Pierced p	rimer at proof							
	cked or broken at proof	*			1999/01			
UNCM-P Uncoded	proof malfunctions							













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			ann. Millionn		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		110			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					P
DLU	Doesn't lock-up				á	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FB FB		Subject to Protective Order	
	S FCB	Williams	FA FB
en FD		ning	FF
Reming		ytor	FFP
Remingtor	ningtor	<u>ب</u>	FOS
FD FF FF FF	nington		COUD

FA.	Fires automatically					]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	itte.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				XX.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1165			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				,	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
	MILH
<b>.</b>	MRH
.< T	ОН
fen	OR
ning	РН
ams v. Remington	PSI
<u>د</u>	PSM
	1


ML	Magazine lõose					1
RALH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Overandes	340.				
PH	Pulls hard					]
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder				500.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1168			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				à	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
a la	SSOC
iams v.	STC 🛞
<u>ج</u>	SWE
len	SWH
nin	sww
Remington	TD
<u>د</u>	ΤU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			****				



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		














									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0	]
	Sho <b>Test</b> Rejecte Percer		0	0 0	0	0	0	0	]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				<b>F</b> - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FB	FA FB FC	FA FB FC FC FCB	FA FB FC FC FC FC FC FC FC FC FC FC FC FC FC	Subject to Protective Order	
	J FC	FC FCB	rns V. Remington FCB FD FF FF FF FF FOS	Willia	FA
Y. FCB FD FD	FD FD		FFP FOS	ling	
Y. Reming	FD FF FF		FOS	jtor	
v. Remingtor	P FF FF	ningtor		-	FOS

						_
FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ź	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
a la	MLH
20 20 20	MRH
ج ت	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>ت</u>	PSM

ML	Magazine loose					1
RALH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					1
OR	Over-indes	322.				
PH	Pulls hard					1
PSI	Proof stamp illegible		<b>.</b>			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			12		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					]
RIS	Ring in sholder				5ao.	]
RS	Rim srem					
SBC	Stems bottom chambers	****				
SBE	Stems bbl extension		~~			
SCB	Stock cracked or broken					]
SCX	Shell catches					] _
SHI	Short indent					
SI	Stems incline					]ø
SIC	Stems in chamber				;	
SL	shaves lead					]~~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					]



SRIC			Subject to Protective Order	
	ଞ୍ଚିଷ୍ଟର୍ବ୍ଦର	A SSOC STC	N.	SRIC
NS STC V. SWE	SWE		len	SWH
ns v. Ren	SWE D C C C C C C C C C C C C C C C C C C	SWH	iine	sww
ns <. Reming	v. Reming	eming swu	jtor	TD
ns v. Remingtor	SWE SWH SWH SWW TD	emingtor	-	тυ
v. Remingtor	×. Remington	ternington		I

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
ти	Tips up					
TWP	Trigger won't pull			800. 		
TWR	Trigger won't retract				 	
UNCN-T	Uncoded	~~				
хн	Extracts hard				See.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					ľ
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				à		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
N.	FA
a a a a a a a a a a a a a a a a a a a	FB
201 N	FC
TI	FCB
len	FD
ing	FF
llams v. Remington	FF FFP
ت	FOS

	<i></i>				
FA.	Fires automatically				1
1/2004	Follower binds				1
FC	Fails to connect				1
FCB	Fore-end cracked or proken				1
FD	Follows-down	án.			
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard			XX.,	
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off	 			
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				╡.
HPA	High pressure ammo	 			4
HUR	Hard under rail				1
JCS	Jumps cartridge			á	
JM	Jumps magazin <del>e</del>				
JO	Jars off	 			
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				



Subject to Protective Order		
	ML	
ă L	MLH	
ייי אר אר	MRH	
TI	он	997. 1
ien	OR	
ŋiŋ	PH	
ams v. Remingtor	PSI	
د.	PSM	
	1	


ML	Magazine loose				1
MLH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				
OR	Overandes	àn.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			5a.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				<b>.</b>
SHI	Short indent	 			
SI	Stems incline				P
SIC	Stems in chamber			;	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				




Protective Order	
X	SRIC
ā	SSOC
ns 🐄	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
L	TU

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up	···· ////				
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	· **				
ХН	Extracts hard				500.	
HI	High		*****	<b>.</b>		
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 <b>0</b> -M	Uncoded proof malfunctions							













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off	itte.				
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				See.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back	-				
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




o Protective Order	
×.	FA
llams v. Remington	FB
5	FC
רו	FCB
îen	FD
ning	FF
gto	FFP
	FOS

FA 💦	Fires automatically					
	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	 L				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				ž	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong	****				
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


	<b>6</b>	1		1	•	1	1	1
	Magazine lööse					 		
MLH	Magazine loads hard							
MRH	Magazine removes hard	×						
он	Opens hard							
OR	Over-indes							
РН	Pulls hard							
PSI	Proof stamp illegible			•				
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				88			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					Sec.		
RS	Rim srem							
SBC	Stems bottom chambers			****				
SBE	Stems bbl extension							
SCB	Stock cracked or broken				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
scx	Shell catches							
SHI	Short indent							
SI	Stems incline							Ø
SIC	Stems in chamber					ä		
SL	shaves lead							r
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
orto	orems right side of chamber		5 				]	



Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 <b>0</b> -M	Uncoded proof malfunctions							et 1

din.













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0	]
	Sho <b>Test</b> Rejecte Percer		0	0 0	0	0	0	0	]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				<b>F</b> - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		- 2000.				
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~>					
DCS	Double click in safety switch					500.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			110			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						ø
DLU	Doesn't lock-up					á	
DS	Dead safe						I ~
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order	
	FA
<u>a</u>	FB
S S S	FC
liams v. Remington	FCB
٦en	FD
jnir	FF
ytor	FFP
د	FOS
	FPHR


FA.	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Follows-down	- 200.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard			900.		
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge			â		
JM	Jumps magazin <del>e</del>				*****///	
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ILE00094108

Subject to Protective Order	
	ML
la la	MLH
S No.	MRH
-	он
len	OR
ņir	PH
ams v. Remingtor	PSI
د	PSM


ML.	Magazine loose					1
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hard					
OR	Over-indes					
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			800. 2007/000		
RDW	(Action) release doesn't work					
RIC	Rings in chamber			·····		
RIS	Ring in sholder				No	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		110			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				à	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
Ē	SSOC
 ອີ	STC
	SWE
liams v. Remington	SWH
ning	sww
gto	TD
<u>د</u>	TU
	TIAD

Subject to

SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down		• •			
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
н	High					
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised			 		ľ
FSTR	Front sight raised			 		
FSTL	Front sight loose	<u> </u>		 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof	1					1
368	Barrel bracket gracked or broken at proof						
3C-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· ***					
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	áto.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				à		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




FA FA FB FC FC FC FD FF FF FF FF FF FF FF	Subject to Protective Order	
S FCB	Williams	FA
	.<	FCB
	ning	FF
ning FF	gtor	FFP
ningtor	<u>ر</u>	FOS
nington		COUD

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or proken					
FD	Follows-down	320.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl			899. 		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		~			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				2	
JM	Jumps magazin <del>e</del>					I.
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1			 		_
	Magazine lõose							
BALH.	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		itte.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				58			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					5ao.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches							].
SHI	Short indent							]ø
SI	Stems incline							
SIC	Stems in chamber					ä		
SL	shaves lead							1.
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough						_	
SRC	Stems right side of chamber							



Subject to Protective Order	
	SRIC
<u>a</u>	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
iams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




o Protective Order	
Willian	FA FB
llams v. Remington	FC
TI	FCB
fen	FD
jnir	FF
jtor	FFP
ت	FOS
	соцо

FA.	Fires automatically					]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					1
FD	Follows-down	- Arr.				1
FF	Fails to fire					
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl			12		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips		****			
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			19.000 N		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				200 <b>4</b>	Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin <del>e</del>					 L.
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1			 		_
	Magazine lõose							
BALH.	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		itte.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				58			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					5ao.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches							].
SHI	Short indent							]ø
SI	Stems incline							
SIC	Stems in chamber					à		
SL	shaves lead							1.
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough						_	
SRC	Stems right side of chamber							



SRIC SSOD STC SWE SWH SWH SWW TD TU	Subject to Protective Order	
ams v. Remingtor	W	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW TD TU	n s	STC 📎
emington TU	א דו	SWE
nington 단	len	SWH
	ing	sww
- TU	jtor	ат
	-	TU

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		- 240a				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up	···· ////					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· **					
хн	Extracts hard					80.	
HI	High						
LO	Low			1165			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						拶
RSTT	Rear sight tipped					2	橡
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			***				



AI-P	Assembly incompleye at proof	}				1
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		400.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
ESO-P	Fore-end shot off at proof				See.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off	itte.				
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				See.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back	-				
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round	-				
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC FC	X	FA
FC FCB	FCB		ren	FD
FC FC FCB FD	FCB FD FD	en FD	ning	FF
FC FCB FD FD FF	V. Reming	Reming	jtor	FFP
ns v. Remingtor	<ul> <li>FCB</li> <li>FCB</li> <li>FD</li> <li>FD</li> <li>FF</li> <li>FFP</li> </ul>	Remingtor	<u>د</u>	FOS
ns v. Remingtor	<ul> <li>FCB</li> <li>FD</li> <li>FD</li> <li>FF</li> <li>FFP</li> <li>FOS</li> </ul>	Remington FD FF FF FF FOS		

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect		****			
FCB	Fore-end cracked or broken		****			
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard				880.	
FSR	Fires when safe is released		*****			
FT	Follower tips		******			
GCSO	Gas cyl shot off		*****			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				;	
JM	Jumps magazin <del>e</del>					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
<b>B</b>	MLH
ns 1990	MRH
T	он
ien	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM
	1


ML	Magazine loose					]
MLH	Magazine loads hard					]
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes		àre.			
PH	Pulls hard					]
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~		· · · · · · · · · · · · · · · · · · ·		]
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					].
SHI	Short indent					
SI	Stems incline					P
SIC	Stems in chamber				ź	
SL	shaves lead					]~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					]



Protective Order	
	SRIC
Ē	SSOC
10 1000 S	STC
.< T	SWE
ien	SWH
nin	sww
iams v. Remington	TD
<u>د</u>	TU

Subject to

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped					à	鑁
RSBR	Rear sight base raised						1~
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						1
MGPT-G	Missing parts at target						1
UNCN-G	Uncoded nonconformity at target						 4
	1		****				



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FA	- 3 <del>77,</del> 335 - 1224	- 3 <del>77,</del> 335 - 1224	- 3 <del>77,</del> 335 - 1224	- 3 <del>77,</del> 335 - 1224	Subject to Protective Order	
	₩ ₩	B FB	A FB FC	PE FC FC FCB		FA
FC V. Ren FD	V. FCB PD FD	P FCB FD	PT FD		in	FF
ms V. Reming	V. Reming	FCB FD FD FF FF	eming		, to	FFP
ms v. Remingtor	V. Remingtor	FCB FD FD FF FF FF FFP	FD FD FF FF FFP	ningtor	د	FOS
Remingtor	v. Remington FCB	- FCB FD FD FF FF FFP FOS	FD FF F	FF FFP FOS		COUD

FA.	Fires automatically						1
FB	Follower binds						
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					889.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					and the	Ø
JCS	Jumps cartridge					ž	捡
JM	Jumps magazin <del>e</del>						ļ
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
	MILH
<b>.</b>	MRH
.< T	ОН
fen	OR
ning	РН
ams v. Remington	PSI
<u>د</u>	PSM
	1


					_
ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hant	****			
OR	Overandes				
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		88.0 8889 - Maria		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder				
RS	Rim srem				
SBC	Stems bottom chambers	*			
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline			- and the second s	Ø
SIC	Stems in chamber			á	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order-	
	SRIC
ā į	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
len	SWH
nin	sww
ams v. Remington	D
د	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up	···· ////				
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	· **				
хн	Extracts hard				500.	
HI	High		*****	<b>.</b>		
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine		****			
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up		*			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	FA FB FB FC	FA FB FC FC FCB	FA FB FC FC FC FC FC FC FC FC FC FC FC FC FC	Subject to Protective Order	
	FC	л « Fc - FcB	FC FCB FD FF	Willia	FA.
FCB FD FD	fo FD		for FFP FOS	juir	FF
<ul> <li>FCB</li> <li>FD</li> <li>FF</li> </ul>	FD FF	nin FF	FOS	ytor	FFP
V. Remingtor	Remingtor	FF FP		ب	FOS

						_
FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ź	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose					
MALH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hand					
OR	Over-indes	- 2000.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		~~			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					Í
SI	Stems incline					Ø
SIC	Stems in chamber				á	
SL	shaves lead					<b>1</b> ~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in chamber				1
SSOC	Surface scratches on case				1
STC	Stems top chamber				
SWE	Safety switch works too easily				
SWH	Safety switch works too hard	àre.			
sww	Safety ewitxh won't work				
TD	Tips down				
τυ	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			5a.	
н	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				4
RSTT	Rear sight tipped			;	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
		****			



AI-P	Assembly incompleye at proof	}				1
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		440.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
ESO-P	Fore-end shot off at proof				See.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim						]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order	
X	FA
<u>ē</u>	FB
ams v. Remington	FC
.< T	FCB
ien	FD
ning	FF
ytor	FFP
<u>د</u>	FOS
	ЕРНВ

FA.	Fires automatically							
FB	Follower binds							1
FC 💮	Fails to connect							1
FCB	Fore-end cracked or broken							
FD	Follows-down		44					
FF	Fails to fire	· · · · · · · · · · · · · · · · · · ·						
FFP	Flat firing pin							1
FOS	Fires on safe							1
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips						·	
GCSO	Gas cyl shot off			**				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							Ø
JCS	Jumps cartridge					ž		
JM	Jumps magazin <del>e</del>							ľ
OL	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
ā	MILH
S I S	MRH
<u>ج</u>	он
ren	OR
nin	PH
ams v. Remingtor	PSI
ر	PSM

ML	Magazine lögse							
MALH	Magazine loads hard							
MRH	Magazine temoves hard		****					
он 👋	Opens hant							
OR	Over-indes							
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder					in.		
RS	Rim srem							
SBC	Stems bottom chambers			*******		· · · · · · · · · · · · · · · · · · ·		
SBE	Stems bbl extension			~				
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							allan.
SI	Stems incline							
SIC	Stems in chamber					à		
SL	shaves lead	<u> </u>						
SLC	Stems left side of chamber							
SMOC	Stretch marks on case						- **	
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		*****					




ILE00094181

Protective Order	
	SRIC
ā s	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
۲en	SWH
nin	sww
ams v. Remington	D
د.	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	Subject to Protective Order	
	WIIIa	FA
	.< T	FCB
S FCB	len	FD
. FCB P FD FD	ing	FF
V. Reming	ytor	FFP
V. Remingtor	<u>ب</u>	FOS
FP FF		соцо

FA 🦾	Fires automatically						
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		44				
FF	Fails to fire	· · · · · · · · · · · · · · · · · · ·					1
FFP	Flat firing pin						1
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		****				
FT	Follower tips						]
GCSO	Gas cyl shot off			100			]
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge		****			ž	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
<u>a</u>	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
iams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily		****				
SWH	Safety switch works too hard		áto.				
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					800.	
HI	High						
LO	Low			110			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						Ø
RSTT	Rear sight tipped					â	
RSBR	Rear sight base raised						l
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim						]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
N.	FA
a a a a a a a a a a a a a a a a a a a	FB
201 N	FC
TI	FCB
len	FD
ing	FF
llams v. Remington	FF FFP
ت	FOS

FA 💦	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			·····		
FPOH	Floor plate opens hard					]
FSR	Fires when safe is released					
FT	Follower tips					]
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					]#
JCS	Jumps cartridge				ä	
JM	Jumps magazin <del>e</del>					]%
O	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
ā s	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
۲en	SWH
nin	sww
ams v. Remington	D
د.	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						













Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							



BWCFM	Bolt won't close over full magazine					1
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					1
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	· · · · ·				
DCS	Double click in safety switch				5eo.	
DCT	Double click in trigger					
DCU	Doesn't close-up		****			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				ä	
DS	Dead safe					
хD	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
X	FA
an a	FB
ams v. Remington	FC
ר. ת	FCB
len	FD
ling	FF
Itor	FFP
-	FOS

FA     Fires automatically     Image: Constraint of the second se										
FB       Follower binds       Image: Contract of proken         FC       Fails to contract or broken       Image: Contract of proken         FD       Foltows-down       Image: Contract of proken         FD       Foltows-down       Image: Contract of proken         FF       Fails to fire       Image: Contract of proken         FF       Fails to fire       Image: Contract of proken         FFP       Flat firing pin       Image: Contract of proken         FOS       Fires on safe       Image: Contract of proken         FPH       Flat firing pin hits bil       Image: Contract of proken         FPH       Filing pin hits inside rim       Image: Contract of proken         FPO       Floor plate opens       Image: Contract of proken         FPOH       Floor plate opens hard       Image: Contract of proken         FSR       Fires when safe is released       Image: Contract of proken         FT       Follower tips       Image: Contract of proken       Image: Contract of proken         GCSO       Gas cyl shot off       Image: Contract of proken       Image: Contract of proken         HBL       Heavy bott lift       Image: Contract of proken       Image: Contract of proken       Image: Contract of proken         HPA       High presure armo       Image	····	<b>.</b>	1		1	1		1	1	٦
FC       Fails to connect       Image: Connect Connec	<u> </u>									4
FCB       Rore-end bracked or groken       Image: Constraint of the second of t	COM STRUCT		<b></b>							4
FD       Fölfswe-down       Image: Constraint of the state o	20000			****						_
FF       Fails to fire       Image: Constraint of the second seco	2020	hanna han								4
FFP       Flat firing pin       Image: Second secon										4
FOS       Fires on safe       Image: Constraint of the second sec										_
FPHB       Firing pin hits bbl       Image: Second										4
FPHB       Filling pin hits bold					<u> </u>	~				_
FPO       Floor plate opens       Image: Constraint of the second		Fining phirmus obr								4
FPOHFloor plate opens hardImage: seleasedImage: seleasedFSRFires when safe is releasedImage: seleasedImage: seleasedFTFollower tipsImage: seleasedImage: seleasedGCSOGas cyl shot offImage: seleasedImage: seleasedHBLHeavy bolt liftImage: seleasedImage: seleasedHMSCHeading mismatch-steps on caseImage: seleasedImage: seleasedHPAHigh pressure ammoImage: seleasedImage: seleasedHURHard under railImage: seleasedImage: seleasedJCSJumps magazineImage: seleasedImage: seleasedJOJars offImage: seleasedImage: seleased							**			_
FSR       Fires when safe is released       Image: Constraint of the second sec										_
FT       Follower tips       Image: Constraint of the	POH I	Floor plate opens hard						500.		
GCSO       Gas cyl shot off       Image: Constraint of the system	SR I	Fires when safe is released								
HBLHeavy bolt liftImage: Constraint of the second se	-	Follower tips				Million Million				
HMSC       Heading mismatch-steps on case       Image: Construction of the steps on case       Image: Construction of the steps on case         HPA       High pressure ammo       Image: Construction of the steps on case       Image: Construction of the steps on case       Image: Construction of the steps on case         HVR       Hard under rail       Image: Construction of the steps on case       Image: Construction of the steps on case       Image: Construction of the steps on case         JCS       Jumps cartridge       Image: Construction of the steps on case       Image: Construction of the steps on case       Image: Construction of the steps on case         JM       Jumps magazine       Image: Construction of the steps on case       Image: Construction of the steps on case       Image: Construction of the steps on case         JO       Jars off       Image: Construction of the steps on case       Image: Construction of the steps on case       Image: Construction of the steps on case	cso	Gas cyl shot off			1100					
HPA       High pressure ammo       Image: Constraint of the system       Image: Constraintow       Image: Constraint of the system	3L I	Heavy bolt lift								
HUR       Hard under rail       Image: Constraint of the second s	VISC	Heading mismatch-steps on case								].
Hork     Hard under rain       JCS     Jumps cartridge       JM     Jumps magazine       JO     Jars off	PA I	High pressure ammo		****						]@
JM     Jumps magazine     Image: Constraint of the second	JR I	Hard under rail		****						]>
JO Jars off	s .	Jumps cartridge						\$		1
	1 .	Jumps magazin <del>e</del>								1%
LB Light blow	> .	Jars off		-						1
	3	Light blow								1
MAH Magazine assembles hard	AH I	Magazine assembles hard								1
MCW Magazine capacity wrong	cw I	Magazine capacity wrong								1
MFA Misfires (ammo)	FA I	Misfires (ammo)								1
MFOP Magazine follower out of position	FOP I	Magazine follower out of position		-						1




Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1

ML	Magazine loose					
MLH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Overandes	ása.				
PH	Pulls hard					1
PSI	Proof stamp illegible		• •			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			12		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				io.	1
RS	Rim srem					
SBC	Stems bottom chambers		****			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				;	
SL	shaves lead					ľ
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					1
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
a la	8506
n ''	STC 🛞
<u>ר</u>	SWE
len	SWH
jing	sww
ams v. Remington	TD
L	TU

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			****				



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim						]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order		
	FA	Fires automation
la l	FB	Follower binds
S S	FC	Fails to conner
TI	FCB	Fore-end crack
len	FD	Follows-down
ŋiŋ	FF	Fails to fire 🛛 🖗
ams v. Remingtor	FFP	Flat firing pin
<u>د</u>	FOS	Fires on safe
	1	

								_
Fires automatically								
Follower binds								
Fails to connect								
Fore-end cracked or broken		****						
Follows-down								
Fails to fire								
FIGULIUUNG PULI (2007/27 2007/27 2007/27								
Firing pin hits bbl								
Firing pin hits inside rim								
Floor plate opens	· ***							
Floor plate opens hard								
Fires when safe is released								
Follower tips		****						
Gas cyl shot off		*****						
Heavy bolt lift								
Heading mismatch-steps on case								
High pressure ammo		****						
Hard under rail								
Jumps cartridge		*****				8		徽
Jumps magazin <del>e</del>								144
Jars off								
Light blow								1
Magazine assembles hard		****						
Magazine capacity wrong								
Misfires (ammo)								
Magazine follower out of position								
	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine capacity wrong Misfires (armo)	Follower binds       Fails to connect         Fails to connect       Follower broken         Follower-end cracked or broken       Follower broken         Follower-down       Follower broken         Fails to fire       Follower broken         Flat firing pin       Follower black         Fires on safe       Follower black         Firing pin hits bbl       Follower black         Floor plate opens       Follower black         Floor plate opens hard       Follower black         Follower tips       Gas cyl shot off         Heavy bolt lift       Heavy bolt lift         Heading mismatch-steps on case       High pressure ammo         Hard under rail       Jumps magazine         Jars off       Light blow         Magazine assembles hard       Magazine capacity wrong         Misfires (armo)       Follower black	Follower binds       Image: Connect of broken         Fails to connect or broken       Image: Connect of broken         Follows-down       Image: Connect of broken         Fails to fire       Image: Connect of broken         Flat firing pin       Image: Connect of broken         Fires on safe       Image: Connect of broken         Flat firing pin hits inside rim       Image: Connect of broken         Floor plate opens       Image: Connect of broken         Floor plate opens hard       Image: Connect of broken         Floor plate opens hard       Image: Connect of broken         Follower tips       Image: Connect of broken         Gas cyl shot off       Image: Connect of broken         Heavy bolt lift       Image: Connect of broken         Heavy bolt lift       Image: Connect of broken         Jumps cartridge </td <td>Follower binds       Image: Connect Connet Connect Connect Connect Connect Connect Connect Con</td> <td>Follower binds       Image: Connect (Connect (Connect</td> <td>Follower binds       Image: Contract of Contrel of Contrend of Contrel of Contract of Contract of Contract of</td> <td>Follower birds       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Follower down       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Follower down       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Fails to fire       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Filts firing pin       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Filts of the second case ked or broken       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Filts of the second case ked or broken       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Heading mismatch-steps on case       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         High pressure anno       Image: Construct of the second case ked or broken case ked or broken</td> <td>Follower binds       Image: Sector Sect</td>	Follower binds       Image: Connect Connet Connect Connect Connect Connect Connect Connect Con	Follower binds       Image: Connect (Connect	Follower binds       Image: Contract of Contrel of Contrend of Contrel of Contract of Contract of Contract of	Follower birds       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Follower down       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Follower down       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Fails to fire       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Filts firing pin       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Filts of the second case ked or broken       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Filts of the second case ked or broken       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         Heading mismatch-steps on case       Image: Construct of the second case ked or broken       Image: Construct of the second case ked or broken         High pressure anno       Image: Construct of the second case ked or broken	Follower binds       Image: Sector Sect



Subject to Protective Order	
	ML
<b>B</b>	MLH
2 n	MRH
ams v. Remingtor	он
fen	OR
ŋiŋ	PH
ytor	PSI
<u>ر</u>	PSM

ML.	Magazine loose				1
MLH	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hand				1
OR	Overandes	- 444.			1
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		12		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			ites.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
scx	Shell catches				] _
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			,	
SL	shaves lead				1000
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				




ILE00094229

Protective Order	
V	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
len	SWH
nin	sww
iams v. Remington	TD
ب	ΤU

Subject to

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · ·					
хн	Extracts hard					See	
			****				
н	High			****			
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped				 	2	
RSBR	Rear sight base raised				 		<u>``</u>
FSTR	Front sight raised						
FSTL	Front sight loose		*		 		
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						-
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				á	瀫
DS	Dead safe					ľ
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N	FA
liams v. Remington	FB
ns /	FC
ר. רד	FCB
len	FD
inc	FF
ytor	FFP
ب	FOS

FA	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				io.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin <del>e</del>					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
<b>B</b>	MLH
n 'we	MRH
T	он
len	OR
ning	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM

ML	Magazine loose					
MLH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes	àn.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder			500.		
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber			à		
SL	shaves lead				****///	
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
N N	SRIC
<b>B</b>	8506
n ree	STC 🛞
.< TI	SWE
len	SWH
jing	sww
ams v. Remingtor	TD
L	TU
	I

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		áto.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off				
CR	Cuts rim				
cs	Cases swell				
CTOG	Chamber tom or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			1990.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				ø
DLU	Doesn't lock-up			à	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor sterns shell				




Subject to Protective Order	
N	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
ling	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	-240.				
FF	Fails to fire					1
FFP	Flat firing pin		<b>.</b>			
FOS	Fires on safe					
FPHB	Firing pin hits bbl			1200 1997 - Maria Maria		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					1
JCS	Jumps cartridge				ž	
JM	Jumps magazin <del>e</del>					ľ×
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
<u>B</u>	MLH
	MRH
ams v. Remingtor	он
Ren	OR
nir	PH
ytor	PSI
<u>د</u>	PSM

ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard	 ****			
он	Opens hant				
OR	Overindes	240			
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		8999 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension	******			
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			ä	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
		SRIC
	ns v	STC
STC	דו	SWE
NS STC V. SWE	len	SWH
ns v. Ren	line	sww
ns <. Reming	,tor	TD
ns v. Remingtor	-	ти
<. Reming		

SRIC	Specific rings in chamber					1
SSOC 👘	Surface scratches on case					1
STC	Stems top chamber					1
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				àc.	
HI	High			·		
LO	Low		1.00			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1	******				



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes haid							
CLM	Can't laod magazine							
00	Cut-off							
CR	Cuts rim							
CS	Cases swell				ito.			
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull					littere .		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch				. ///			
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round					·**///		
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS	Extractor sterns shell							
FA	Fires automatically		****					
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire				×			
FFP	Flat firing pin							
FOS	Fires on safe					Illina -		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard		*****					
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off					·***///		
HBL	Heavy bolt lift		****					
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							



ILE00094264

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position.	×						
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				800.			
PH	Pulls hard							
PSI	Proof stamp illegible					in.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				. ///			·
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers					·***///		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port		****					
SR	Shoulder mugh		****					
SRC	Stems nght side of chamber		****					
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
SWW	Safety ewitxh won't work					allen.		
TD	Tips down							
тυ	Tips up							
TWP	Trigger won't pull		****					
TWR	Trigger won't retract		*****					
UNCN-T	Uncoded		****					
хн	Extracts hard				· · · ·			
						****///		
н	High							
LO	Low		****				;	
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		****					
RSTT	Rear sight lipped							
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							



ILE00094266

CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
rstl	Rear sight loose							
MGPT-G 📎	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				8			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof				. <i>110</i>			
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					N900///		
FF-P	Fails to fire at proof		***					
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof maifunctions							











