Summary	Total Test + Proof Failure	s 1032						
	Total Rejected	: 53						
	Overall Reject Rate	: 5.14						
	Shot		69	193	112	235		
	Proof Rejected		0	0	0	0	0	0
	Percien	0/////////////////////////////////////	0.0	0.0	0.0	0.0	1	1
	Shot Test Rajectic		 ‱ 0	202 8	142	270 23	0	0
	Test Rejected Parcen			4.0	7.0	8.5	U	U
	Shot	CORRECT CORRECT	1	12	138	25		
	Target Rejected	t: 0	l0	0	0	0	0	0
	Percen	t: 0:0		0.0	0.0	0.0		
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds						9844 I.	
BABS	Buige at body shoulder							
BAC	Burr at chamber	1		1				
BBMA	BBL-to-bolt misalignment			·····.				
38	Bolt binds/catches	1		2		3		
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower					4		
BC	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							2464
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
3PO	Boit pulls out							
SSM	Bolt stems shell in magazine							
BWCD	Bolt won't carn down							
BWCFM	Bolt won't close over full magazine					2		
CD	Case dented							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Сн	Closes hard				3	1		
CLM	Can't load magazine							
со	Cut-off							
CR	Cuts rim							
cs	Cases swell							
стод	Chamber torn or gouged							
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar				and the second se			
DBB	Doesn't blow back							
DCS	Double click in safety switch							
рст	Double click in trigger							
DCU	Doesn't close-up						an a	
DE	Doesn't eject							<i></i>
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)				****			
DLU	Doesn't lock-up							
DS	Dead safe					1		
DX	Doesn't extract							
DXL	Doesn't extract live round				***			
EDS	Extractor drops shell					1		
ESB	Ejector sticks back					1		
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds							

Í.



	·····							
CODE		700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Fallows-down			***				
FF	Fails to fire							
FFP	Flat firing pig							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				4.	1		
FPOH	Floor plate opens hard							
FSR	Fires when safe is released		1					
FT	Follower tips					4		
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail					;		
JCS	Jumps cartridge					*		
JM	Jumps magazine				2		1	
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MARH	Magazine removes hard							
он	Opens hard							
OR	Over-nides			3		8		
PH 🤍	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem					ilia - 11 marca		
SBC	Stems bottom chambers							
SBE	Stems bbl extension							<i></i>
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline	1		2	1			
SIC	Stems in chamber			*****		\$		
SL	shaves lead			*****				
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							



	<i></i>							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
STC	Sterns top chamber							
SWE	Safety switch works too easily	2				1		
SWH 🛛	Salety switch works too hard							
sww	Safety ewitxh won't work	1						
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded							
ХН	Extracts hard							
				r 🦾 🔍		ille Maria		
HI	High							
LO	Low							
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped					;		
RSTT	Rear sight tipped							
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							




CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
8C-P	Blows cases at preof							
BEB-P	Barrel extension broken at proof							
ILP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer et proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
-CB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof			i iliina		***		
F-P	Fails to fire at proof	1				ilia tara.		
GCSO-P	Gas cylinder shot off at proof							
/ISI-P	Magnaflux stamp illegible on bbl							
ISM-P	Magnaflux stamp missing on bbl							
P-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							


mali							totals	700 totais	New Gen totals	
	2	31		<u></u> 102	39		1131	959	172	
	Û.	0	0	δ.	0	0	7	1	6	
	0.0			6 5.9	0.0		0.6	0.1	3.5	
			0 🐘 🎆	143			1025	1782	143	
	0	0	0	0	0	0	46	46	0	
				0.0		all the second s	4.5	2.6	0.0	
					ŧ .		199	374		
	0	0	0	0		0	0	0	0	
							0.0	0.0		
	XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals	
						144	1	2		
							6	6		
								1		
										• 100jo.


					<u> </u>					
							2	2		


Subject to Protective Order Williams v. Remington


ILE00097098














Subject to Protective Order Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

AB	Action binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	ŝ
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	<u>8</u>
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	-
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
	Case dented	90 200 200 200 200 200 200 200 200 200 2
CH	Closes hard	
	Can't load magazine	

CR	Cuts rim	- 200
<u>CS</u>	Cases swell	-200
CTOG	Chamber torn or gouged	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	<u> </u>
DBB	Doesn't blow back	
DCS	Double click in safety switch	
ОСТ	Double click in trigger	
0.00	Doesn't close-up	
DE	Doesn't eject	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	
DFU	Doesn't feed up Doesn't lock open (after last shell)	
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DS	Dead safe	
DX XC	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	-
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	
= <u>00</u> =A	Fires automatically	
-B	Follower binds	
=C	Fails to connect	
-C -CB	Fore-end gracked or broken	
FD 	Follows-down	_
-F	Fails to fire	_
FP	Flat filling pin	
-os	Fires on safe	
-PHB 👯	Firing pininits bbl	



FPHI	***********************	Firing pin hits inside rim	1
FPO		Floor plate opens	i i
FPOH		Floor plate opens hard	
FSR		Fires when safe is released	
FT		Follower tips	
GCSO		Gas cyl shot off	Ś
HBL		Heavy bolt lift	
HMSC		Heading mismatch-steps on case	
HPA		High pressure ammo	
HUR		Hard under rail	serv P
JCS			:
		Jumps cartridge	
JM		Jumps magazine	Lette
lo		Jars off	
LB		Light blow	verið
MAH		Magazine assembles hard	88
MCW		Magazine capacity wrong	<u>388</u>
MFA		Misfires (ammo)	Ś.,
MFOP		Magazine follower out of position	
ML		Magazine loose	86.S
MLH		Magazine loads hard	
MRH		Magazine removes hard	
он		Opens hard	
OR		Over-rídes	
PH		Pulls hard	
PSI		Proof stamp illegible	
PSM		Proof stamp missing	
RBOC		Rings and bulges on case	
RDW		(Action) release doesn't work	
RIC		Rings in chamber	
RIS		Ring in sholder	
RS		Rim srem	
SBC		Stems bottom chambers	
SBE		Stems bbl extension	
SCB		Stock cracked or broken	
SCX		Shell catches	

<u>\$HI</u>		Short indent	
<u>SI</u>		Stems incline	
SIC		Stems in chamber	
SL		shaves lead	
SLC		Stems left side of chamber	
SMOC		Stretch marks on case	
SOR		Stem over-ite	
SP	*****	Stems port	
SR	Alt	Shoulder rough	
SRC		Stems right side of chamber	
SRIC		Specific rings in chamber	
SSOC		Surface scratches on case	
STC	illin.	Stems top chamber	
SWE		Safety switch works too easily	
SWH		Safety switch works too hard	
sww		Safety ewitch won't work	
~~ ~ 7 7 7 4	-99999	Territory entry to the try of the territory of	




TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	ź
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	1997 - C.C.
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	<u></u>
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
***************************************	······································	
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proot	****
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnatiux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked of broken at proof	
UNCM-P	Unseded proof malfunctions	






AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Bolt catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
СН	Closes hard
CLM	Can't load magazine
<u> </u>	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Chamber torn or gouged
СТР	Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double click in trigger
DCU	Doesn't close-up
DE	Doesn't eject
DEL	Doesn't eject live round
DFB	Doesn't feed back
DFU	Doesn't feed up
DLO	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DS DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
FCB	Fore-end cracked or broken
FD	Follows-down
FF .	Fails to fire
FFP	Elat firing pin
	Fires on safe




FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	À
JO	Jars off	
LB	Light blow	•
MAH		
	Magazine assembles hard	88
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	- 2
ML	Magazine loose	
MLH	Magazine loads hard	Ì
MRH	Magazine removes hard	
он	Opens hard)
OR	Over-rides	:
РН	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	à.,
RIC	Rings in chamber	\$\$-
RIS	Ring in sholder	8
RS	Rim srem	S.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
<u>SHI</u>	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
SRIC	A CONTRACT OF A CONTRACT.	
SSOC	Surface scratches on case	
SSOC	Surface scratches on case Stems top chamber	
SSOC STC SWE	Surface scratches on case	



TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	1
DG	Doesn't Group	1
FSST	Front sight tipped	ŧ
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	
FSTR	Front sight raised	ł
FSTL	Front sight loose	ļ
RSTL	Rear sight loose	ł
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	
		l
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	ł
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	1
BS-P	Barrel split at proof	I
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at prest	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1







AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire




FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	Ŕ
JO	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW		ŝ
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	ŝ
MRH	Magazine removes hard	
он	Opens hard	ġ,
OR	Over-rides	2
PH	Pulls hard	è
PSI	Proof stamp illegible	1
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	ŝ.
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	ŝ.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC		
	Stems in chamber	
<u>SL</u>		
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
	Stems port	
SP		
SR	Shoulder rough	
SR SRC	Shoulder rough Stems right side of chamber	
SR SRC SRIC	Shoulder rough	
SR SRC	Shoulder rough Stems right side of chamber	
SR SRC SRIC	Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	
SR SRC SRIC SSOC	Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber	
SR SRC SRIC SSOC STC	Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	





TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	1
DG	Doesn't Group	1
FSST	Front sight tipped	ŧ
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	
FSTR	Front sight raised	ł
FSTL	Front sight loose	ļ
RSTL	Rear sight loose	ł
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	
		l
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	ł
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	1
BS-P	Barrel split at proof	I
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at prest	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1







AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
DFB	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire




FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	Ŕ
JO	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW		ŝ
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	ŝ
MRH	Magazine removes hard	
он	Opens hard	ġ?
OR	Over-rides	2
PH	Pulls hard	è
PSI	Proof stamp illegible	1
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	ŝ.
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	ŝ.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC		
	Stems in chamber	
<u>SL</u>		
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
	Stems port	
SP		
SR	Shoulder rough	
SR SRC	Shoulder rough Stems right side of chamber	
SR SRC SRIC	Shoulder rough	
SR SRC	Shoulder rough Stems right side of chamber	
SR SRC SRIC	Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	
SR SRC SRIC SSOC	Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber	
SR SRC SRIC SSOC STC	Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	





TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	1
DG	Doesn't Group	1
FSST	Front sight tipped	ŧ
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	
FSTR	Front sight raised	ł
FSTL	Front sight loose	ļ
RSTL	Rear sight loose	ł
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	
		l
AI-P	Assembly incompleye at proof	l
BBB	Barrel bracket cracked or broken at proof	ł
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	1
BS-P	Barrel split at proof	I
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at prest	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1





										_
Summary	Total Test + Proof Fi		1032							
	Total Rej Overall Rejec		53 5.14							
		Shot:	348	69	193	112	235			1
		ejected.	1	0	0	0	0	0	0	
		Percent	0.3	0.0	0.0	0.0	0.0			_
		Shot.	268		202	142	270			
		eje clød: Percent:	5 1.9	0	8 4.0	10 7.0	23 8.5	0	0	
	· · · · · · · · · · · · · · · · · · ·	Spot:	24	<u>111 - 1111 - 111</u> 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111 - 111	1.0	138	2:0			٦
		eječted:	0 /////	<u>e en la comp</u>		0	0	0	0	_
		Percent:	0.0		\$,0	0.0	0.0			_
CODE	MALFUNCTION INDEX		700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
	A stine to be									-
AB	Action binds							<u>it ((((())))</u>). 		
BABS	Bulge at body shoulder									-
BAC	Burr at chamber		1		1					4
BBMA	BBL-to-bolt misalignment									
3B	Bolt binds/catches		1		2		3			┨,
BCOBS	Bolt catches on bolt stop									48
BCOF	Bolt catches on follower									1
BC	Blows cases							4		48
BHR	Bolt hits receiver									
BHS	Bolt plug hits safety switch									
BLOP	Bar lock or disconnector out of pos	sition								
BLSO	Barrel lug shot off									
BPO	Bolt pulis out									
BSSM	Bolt stems shell in magazine									
BWCD	Bolt won't cam down									1




							_
BWCFM	Bolt won't close over full magazine				2		
CD	Case dented						
СН	Closes hard			3	1		
CLM	Can't load magazine						
со	Cut-off						
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull			800. 			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch						
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					- and the	P
DLU	Doesn't lock-up					à	
DS	Dead safe				1		
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell				1		
ESB	Ejector sticks back				1		
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
N	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
ling	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically							
FB	Follower binds							1
FC	Fails to connect							1
FCB	Fore-end cracked or broken							1
FD	Follows-down		220.					
FF	Fails to fire							
FFP	Flat firing pin			·				1
FOS	Fires on safe	···· ///						
FPHB	Firing pin hits bbl				8			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	~~~			4	<u></u> 1		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released							
FT	Follower tips					4		
GCSO	Gas cyl shot off		*****	100				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo		****					
HUR	Hard under rail							ŧ
JCS	Jumps cartridge		****				12	
JM	Jumps magazin e				2			L.
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
B	MLH
n 1998	MRH
TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
-	PSM

ML	Magazine loose						
MLH	Magazine lo ads hard						
MRH	Magazine removes hard						
он	Opens.hand						
OR	Over-ndes		 3		8		
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	··· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches]
SHI	Short indent						
SI	Stems incline	1	2	1			ø
SIC	Stems in chamber					:	
SL	shaves lead						1.00
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						





SRIC	Specific rings in chamber							1
SSOC	Surface scratches on case							1
STC	Stems top chamber							1
SWE	Satety switch works too easily	2				1		
SWH	Safety switch works too hard		200.					1
sww	Safety ewitxh won't work							1
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				17. m. 1997 - Maria Maria			1
TWR	Trigger won't retract							
UNCN-T	Uncoded]
хн	Extracts hard						See.	


H	High		******					
LO	Low		*****	· · ·				
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped							
RSTT	Rear sight tipped						:	
RSBR	Rear sight base raised							ľ
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							





AI-P	Assembly incompleye at proof						1
368	Barrel bracket stacked or broken at proof						
3C-P	Blows cases at proof						
зев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		dan.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· ***					
FESO-P	Fore-end shot off at proof					889.	
FF-P	Fails to fire at proof	1					
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			100			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
N.	FA
Ĩ.	FB
20 C	FC
ר. דו	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

FA	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					1
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				io.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
	MILH
.	MRH
.< T	ОН
fen	OR
ning	РН
ams v. Remington	PSI
<u>د</u>	PSM
	1


					_
ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hant	****			
OR	Overandes				
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		88.0 8889 - Maria		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder				
RS	Rim srem				
SBC	Stems bottom chambers	*			
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				Ø
SIC	Stems in chamber			á	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
N.	SRIC
a la	SSOC
ר <u>איי</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

						_
SRIC	Specific rings in chamber]
8500	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				See.	
HI	High		****			
LO	Low		~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					l.»
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стод	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back].
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				200 4	jø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
X	FA
B	FB
 ສຸ	FC
liams v. Remington	FCB
ien	FD
jnir	FF
ytor	FFP
<u>ر</u>	FOS

FA 💦	Fires automatically]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			·····		
FPOH	Floor plate opens hard]
FSR	Fires when safe is released					
FT	Follower tips]
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail]#
JCS	Jumps cartridge				ä	
JM	Jumps magazin e]%
O	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1



Subject to Protective Order	
W	ML
a la	MLH
ams v. Remingtor	MRH
ר. דו	он
ien	OR
inc	PH
ytor	PSI
ت	PSM


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hand						
OR	Over-indes		- Arr.				
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	··· ///					
RBOC	Rings and bulges on case				800. 2007/000		
RDW	(Action) release doesn't work						
RIC	Rings in chamber				·····		
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers			****			
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						Ő
SI	Stems incline						ø
SIC	Stems in chamber					ä	
SL	shaves lead						r‱
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
N.	SRIC
a la	SSOC
ר <u>איי</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof	1					1
368	Barrel bracket gracked or broken at proof						
3C-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· ***					
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC FC	X	FA
FC FCB	FCB		ren	FD
FC FC FCB FD	FCB FD FD	en FD	ning	FF
FC FCB FD FD FF	V. Reming	Reming	jtor	FFP
ns v. Remingtor	 FCB FCB FD FD FF FFP 	Remingtor	<u>د</u>	FOS
ns v. Remingtor	 FCB FD FD FF FFP FOS 	Remington FD FF FF FF FOS		

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	àn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				8eo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		198			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail]//
JCS	Jumps cartridge				ä	
JM	Jumps magazin e]~
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order		
N.	ML	Magazine loos
Ē	MALH	Magazine load
ns 🕬	MRH	Magazine tem
<u>ج</u> ٦٦	он	Opens hard
ren	OR	Over-indes
ning	РН	Pulls hard
liams v. Remingtor	PSI	Proof stamp ill
د	PSM	Proof stamp m
	1	


			 		 	 _
ML.	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens.hant					
OR	Over-ndes					
PH	Pulls hard					
PSI	Proof stamp illegible		• •			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			ia		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				ites.	
RS	Rim srem					
SBC	Stems bottom chambers		****			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline				2000 B	Ø
SIC	Stems in chamber				ź	
SL	shaves lead					r‱
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order		
V	SRIC	
ā	SSOC	
ns .	STC	
T	SWE	
ìen	SWH	
liams v. Remington	sww	
gto	TD	
د	ΤU	
	TIME	

Subject to

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				Sec.	
HI	High					
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					撑
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			888. 		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					.
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Þ
DLU	Doesn't lock-up				á	
DS	Dead safe					
хD	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




E FA	Subject to Protective Order		
	N.	FA	1
	n su	FC	
J FC	.< TI	FCB	1
FC FC FCB	٩en	FD	
FC FC FC FC FC FC FC FC FC	jing		
ns v. Reming	ytor	FFP	
ns v. Remingtor	<u>ر</u>	FOS	
Perming		FPHB	

FA.	Fires automatically						1
FB	Follower binds						1
FC 💮	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		Att.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					889.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Þ
JCS	Jumps cartridge						
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ian I	MLH
אייי אר אר	MRH
TI	он
len	OR
jnir	PH
lams v. Remingtor	PSI
ت	PSM
	0000

ML	Magazine loose				1	1
RALH	Magazine loads hard					
MRH	Magazine removes hard					
	Opens hard					
OR	Over-indes					
PH	Pulls hard					1
PSI	Proof stamp illegible					1
PSM	Proof stamp missing					1
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	·····		· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		8			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					1
SIC	Stems in chamber				;	
SL	shaves lead					ľ
SLC	Stems left side of chamber					1
SMOC	Stretch marks on case					1
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Protective Order	
	SRIC
la la	SSOC
S S	STC
<u>ج</u>	SWE
ren	SWH
nin	sww
iams v. Remington	TD
د	ΤU
	740

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	**					
хн	Extracts hard					See.	

н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	1		***				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




₹ FA	FA FB T	FA FB FC FC	FA FB FC FC FCB	Subject to Protective Order	
	E E E E E E E E E E E E E E E E E E E		FC FC FC FCB	N III	FA.
V. FCB FD	FCB FD FD	E FD		in	FF
v. Reming	Reming	FD FF FF		gtoj	FFP
s v. Remingto	Remingto	FD FD FF FF FFP	ningto		FOS
V. Remingto	Remington FCB	FD FF FF FOS	nington FF FOS		

FA 💦	Fires automatically					
	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	àn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	 L				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				ž	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong	****				
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order		
X	ML	Magazine loos
Ē	MALH	Magazine loac
ີ 1 ເ	MRH	Magazine tem
	он	Opens hard
fen	OR	Over-indes
ning	РН	Pulis hard
liams v. Remingtor	PSI	Proof stamp ill
Ĺ	PSM	Proof stamp m

								-
Magazine lööse								
Magazine loads hard								
Magazine removes hard								
Opens.hard								
Over-indes		itte.						
Pulls hard								
Proof stamp illegible								
Proof stamp missing	··· ////							
Rings and bulges on case				58				
(Action) release doesn't work								
Rings in chamber								
Ring in sholder						5eo.		
Rim srem								
Stems bottom chambers								
Stems bbl extension								
Stock cracked or broken								
Shell catches								
Short indent								
Stems incline								Ø
Stems in chamber						ź		
shaves lead								1000
Stems left side of chamber								
Stretch marks on case								
Stem over-ride								
Stems port								
Shoulder rough								
Stems right side of chamber								
	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Ring in sholder Rim srem Stems bottom chambers Stems incline Stems incline Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems port Stems port Shoulder rough	Magazine loads hard Magazine removes hard Opens hard Second S	Magazine loads hardImageMagazine removes hardImageOpens hardImageOver-ridesImagePulls hardImageProof stamp illegibleImageProof stamp missingImageRings and bulges on caseImage(Action) release doesn't workImageRings in chamberImageRing in sholderImageRim sremImageStems bottom chambersImageStems bottom chambersImageStems bott or brokenImageStems inclineImageStems in chamberImageStems in chamberImageStems leadImageStems leadImageStems leadImageStems or caseImageStems or caseImageStems portImageStems portImageStems portImageShoulder roughImage	Magazine loads hardImage is and iteration is and	Magazine loads hardImage is and iteration is and	Magazine loads hardImage in the store of the	Magazine feads hardImage in the set of th	Magazine loads hardIndex



SRIC SSOD STC SWE SWH SWH SWW TD TU	Subject to Protective Order	
ams v. Remingtor	W	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW TD TU	n s	STC 📎
emington TU	א דו	SWE
nington 단	len	SWH
	ing	sww
- TU	jtor	ат
	-	TU

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
Ĩ.	FB
20 C	FC
ר. דו	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

FA	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				io.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hard				
OR	Over-indes				
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		8999 1999 - Maria Mariana, 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			in.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				
SIC	Stems in chamber			ä	
SL	shaves lead				ľ∞
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
a la	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
ren	SWH
nin	sww
iams v. Remington	TD
J	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull			800. 8000 (2010		
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				500.	
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						Xeo.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								

in.













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	Subject to Protective Order	
		FA
	.	FC
Ts FC		FCB
FC FCB	fen	FD
FC FC FC FD FD	ning	FF
FC FCB FD FF	ytor	FFP
ns v. Remingto	<u>د</u>	FOS
FD FF F		

FA	Fires automatically				1	1	1
FB	Follower binds						
FC	Fails to connect						1
20000	Fore-end cracked or broken						
FD	Follows-down						
FF	Fails to fire						1
FFP	Flat firing pin						1
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard				Sec.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off		· · · · ·				
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						╡.
HPA	High pressure ammo	 					
HUR	Hard under rail						17
JCS	Jumps cartridge	 			,		
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow	 				<u> </u>	
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position	******					



Subject to Protective Order	
	ML
la n	MILH
S I S	MRH
<u>ج</u> ٦٦	он
ams v. Remingtor	OR
in	PH
gtor	PSI
ت.	PSM


ML.	Magazine loose]
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hant						
OR	Overindes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			1100			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						P
SIC	Stems in chamber					á	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
V	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
len	SWH
nin	sww
iams v. Remington	TD
د.	ΤU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						1
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work]
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					8a.	
HI	High			******			
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						ľ
RSTT	Rear sight tipped					2	
RSBR	Rear sight base raised						ſ
FSTR	Front sight raised						
FSTL	Front sight loose				 		
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




ILE00097216

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA.		Subject to Protective Order	
			N.	FA
FC FC FCB	.> ГЛ FCB		em	FD
FC FCB FD FD	P FCB FD FD	PD FD	ling	
FC FCB FD FF	7. FCB FD ming	eming	lton	
TS V. Remington	7. Remingtor	erningtor	-	FOS
Y. FCB FD FD FF	FCB FCB FD FF FF FS FF FOS	emington		

FA.	Fires automatically]
FB	Follower binds					1
FC	Fails to counect					
FCB	Fore-end cracked of broken					
FD	Follows-down	àre.				
FF	Fails to fire]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl			1200 1997 - Maria Maria		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips	****				
GCSO	Gas cyl shot off		198			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				á	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
B	MLH
2 n	MRH
ams v. Remingtor	он
fen	OR
ŋiŋ	PH
ytor	PSI
<u>ر</u>	PSM

ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard		****				
он	Opens hard						
OR	Over-indes						
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder					500.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						Ø
SIC	Stems in chamber					á	
SL	shaves lead						l
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
א דו	SWE
len	SWH
ing	sww
ams v. Remingtor	σт
<u>ب</u>	тυ
	1

SRIC	Specific rings in champer				1
SSOC	Surface scratches on case				
STC	Sterns top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	àn.			
sww	Safety ewitxh work				1
TD	Tips down				
TU	Tips up				1
TWP	Trigger won't pull		1200. 1997 - June -]
TWR	Trigger won't retract				
UNCN-T	Uncoded				1
хн	Extracts hard			5ao.]
HI	High]
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				10
RSTT	Rear sight tipped			ž	1
RSBR	Rear sight base raised				<u>_</u> ~~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
]



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			888. 		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					.
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Þ
DLU	Doesn't lock-up				á	
DS	Dead safe					
хD	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC	N.	FA
FC FC FCB	S FCB		len	FD
ns V. FCB FD	S. FCB Den FD	en FD	ing	
ns v. Reming	V. Reming	eming	ytor	
ns v. Remingtor	 FCB FD FD FF FF FF FF FF 	FD FF F	ب	FOS
s v. Reming	Y. Remington	Remington		

FA	Fires automatically]
	Follower binds				1
FC	Fails to connect				1
FCB	Fore-end cracked or broken				
FD	Follows-down	- A.M.			
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard			Sec.	
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				
HPA	High pressure ammo				
HUR	Hard under rail				
JCS	Jumps cartridge			á	
JM	Jumps magazin e				1 ~
JO	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				




Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1			 	_
	Magazine lõose						
BALH.	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Overandes		áto.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				59		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder					5ao.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline						
SIC	Stems in chamber					à	
SL	shaves lead						1.
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
<u>a</u>	SSOC
iams v. Remington	STC 🛞
<u>ר</u>	SWE
len	SWH
inc	sww
,tor	D
-	ΤU

SRIC	Specific rings in chamber					1
8500	Surface scratches on case					
Contraction Contraction	Stems top chamber					
1 20000	Safety switch works too easily					-
SWH	Safety switch works too hard					
SWW	Safety ewitxh won't work					1
TD	Tips down					
TU	Tips up					1
TWP	Trigger won't pull					1
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard				iin.	1
HI	High		****			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					撑
	Rear sight tipped					
	Rear sight base raised					
	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					4



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failur								
	Total Rejecte	d: 0							
	Overall Reject Rat		ł	1	I	1	1	1	-
	Sno Proof Rejected	ot	0	0	0	0	0	0	
~:	Perce			Ū	~	Ŭ	Ŷ	Ŷ	
		я. []
	Test Rejection Perce		0	0	0	0	0	0	
	Since	8 008			1	1	1	1	1
	Target Rejecte	əd: 🛛 🛛 🎆	<u>x (11))</u> 		0	0	0	0	1
	Perce							-	-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								_
BABS	Bulge at body shoulder								4
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🖉
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			ann. Millionn		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		110			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					P
DLU	Doesn't lock-up				á	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order		
N.	FA	Fires automati
ā	FB	Follower binds
n	FC	Fails to come
ج ٦٦	FCB	Fore-end crack
len	FD	Follows-down
ning	FF	Fails to fire
ams v. Remingtor	FFP	Flat firing pin
د	FOS	Fires on safe
	1	

								_
Fires automatically								
Follower binds								
Fails to connect								
Fore-end cracked or broken								
Follows-down		- 200-						
Fails to fire								
Flat firing pin								
Files un sale								
Firing pin hits bbl								
Firing pin hits inside rim								
Floor plate opens	· ***							
Floor plate opens hard								
Fires when safe is released								
Follower tips		*						
Gas cyl shot off								
Heavy bolt lift								
Heading mismatch-steps on case								
High pressure ammo								
Hard under rail								Ø
Jumps cartridge						a a		
Jumps magazin e								
Jars off								
Light blow								
Magazine assembles hard								
Magazine capacity wrong								
Misfires (ammo)								
Magazine follower out of position								
	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine capacity wrong Misfires (armo)	Follower binds Follower binds Fails to connect Follower broken Follower-end cracked or broken Follower broken Follower-down Follower broken Fails to fire Follower binds Flat firing pin Follower binds Fires on safe Follower binds Firing pin hits bbl Follower binds Floor plate opens Follower binds Floor plate opens hard Follower binds Floor plate opens hard Follower binds Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo High pressure ammo Hard under rail Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo) Hisfires (ammo)	Follower binds Image: Connect of broken. Fails to connect or broken. Image: Connect of broken. Follows-down Image: Connect of broken. Fails to fire Image: Connect of broken. Flat firing pin Image: Connect of broken. Fires on safe Image: Connect of broken. Flat firing pin hits inside rim Image: Connect of broken. Floor plate opens Image: Connect of broken. Floor plate opens hard Image: Connect of broken. Follower tips Image: Connect of broken. Gas cyl shot off Image: Connect of broken. Heavy bolt lift Image: Connect of broken. Heading mismatch-steps on case Image: Connect of broken. Hard under rail Image: Connect of broken. <	Follower binds Image: Connect Connet Connect Connect Connect Connect Connect Connect Con	Follower binds Image: Connect (Connect	Follower binds Image: Contract of Contrel of Contrend of Contrel of Contract of Contract of Contract of	Follower birds Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Follower down Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Follower down Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Fails to fire Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts firing pin Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts of the second case ked or broken Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts of the second case ked or broken Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Heading mismatch-steps on case Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken High pressure anno Image: Construct of the second case ked or broken ke	Follower binds Image: Compact of proken Image: Compact of proken Image: Compact of proken Fails to compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Files when safe is released Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image:




Subject to Protective Order	
	ML
B	MLH
2 n	MRH
	он
fen	OR
ning	РН
ams v. Remingtor	PSI
<u>ب</u>	PSM

ML.	Magazine loose					1		1
ML	******					 		
MRH	Magazine loads hard Magazine removes hard							
ОН	Opens hant							
OR	Over-ndes							
РН								
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· •••						
RIS	Ring in sholder					500.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
вні	Short indent							
SI	Stems incline							ø
SIC	Stems in chamber					8		
SL	shaves lead							1
SLC	Stems left side of chamber							1
SMOC	Stretch marks on case							1
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							1
1	1	8	1	1	ł	1	1	3



Subject to Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
א דו	SWE
len	SWH
ing	sww
ams v. Remingtor	σт
<u>ب</u>	тυ
	1

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~					
хн	Extracts hard				See		
HI	High						
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group			 			4
FSST	Front sight tipped			 			1
RSTT	Rear sight tipped				2		4
RSBR	Rear sight base raised			 			1~
FSTR	Front sight raised						
FSTL	Front sight loose			 			
RSTL	Rear sight loose						
MGPT-G	Missing parts at target			 			_
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			888. 		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				á	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
lan I	FB
S S	FC
т	FCB
len	FD
ning	FF
ams v. Remingtor	FFP
-	FOS

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	àn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				ites.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				and the	Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					r.
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
Ē	BALH
 ອີ	MRH 🛞
.< T	он 👋
len	OR
nin	PH
ams v. Remingtor	PSI
ب	PSM

ML	Magazine loose				
MALH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hant				
OR	Overandes				
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			8ee.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			ž	
SL	shaves lead				l
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC SSOC STC SWE SWH SWW TD TU	Subject to Protective Order	
ams V. Remington	VII	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW ED EU	S SU	STC 🕺
Remington	.S. TI	SWE
nington	len	SWH
at not not	jini	sww
- TU	ytor	тр
	-	ти

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					See.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ~
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
co	Cut-off	Ato.				
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				100.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					╡.
DFU	Doesn't feed up	 				
DLO	Doesn't lock open (after last shell)				- and the	1
DLU	Doesn't lock-up				à	
DS	Dead safe					
XD	Doesn't extract	 				
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
Ĩ.	FB
20 C	FC
ר. דו	FCB
len	FD
ling	FF
ams v. Remingtor	FFP
-	FOS

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	ŝus.				
FF	Fails to fire					
FFP	Flat firing pin		.			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				500.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				ä	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order		
×.	ML	Magazine loos
ā	MLH	Magazine load
Source Succession	MRH	Magazine re m
T	он	Opens hard
Pen	OR	Over-indes
nin	РН	Pulls hard
lams v. Remingtor	PSI	Proof stamp ill
D	PSM	Proof stamp m

22
<u>//</u>



Subject to Protective Order	
	SRIC
a a a a a a a a a a a a a a a a a a a	SSOC
ີ	STC 📎
ר דו	SWE
len	SWH
ing	sww
liams v. Remingtor	σт
<u>ب</u>	TU
	1

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					
STC	Sterns top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard	àn.				
sww	Safety ewitxh work					1
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull]
TWR	Trigger won't retract					
UNCN-T	Uncoded					1
хн	Extracts hard				5ao.]
HI	High		****			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					10
RSTT	Rear sight tipped				ź	
RSBR	Rear sight base raised					<u>_</u> ~~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order		
N.	FA	Fires automati
ā	FB	Follower binds
n	FC	Fails to come
ج ٦٦	FCB	Fore-end crack
len	FD	Follows-down
ning	FF	Fails to fire
ams v. Remingtor	FFP	Flat firing pin
د	FOS	Fires on safe
	1	

								_
Fires automatically								
Follower binds								
Fails to connect								
Fore-end cracked or broken								
Follows-down		- 200-						
Fails to fire								
Flat firing pin								
Files un sale								
Firing pin hits bbl								
Firing pin hits inside rim								
Floor plate opens	· ***							
Floor plate opens hard								
Fires when safe is released								
Follower tips		*						
Gas cyl shot off								
Heavy bolt lift								
Heading mismatch-steps on case								
High pressure ammo								
Hard under rail								Ø
Jumps cartridge						a a		
Jumps magazin e								
Jars off								
Light blow								
Magazine assembles hard								
Magazine capacity wrong								
Misfires (ammo)								
Magazine follower out of position								
	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine capacity wrong Misfires (armo)	Follower binds Follower binds Fails to connect Follower broken Follower-end cracked or broken Follower broken Follower-down Follower broken Fails to fire Follower binds Flat firing pin Follower binds Fires on safe Follower binds Firing pin hits bbl Follower binds Floor plate opens Follower binds Floor plate opens hard Follower binds Floor plate opens hard Follower binds Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo High pressure ammo Hard under rail Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo) Hisfires (ammo)	Follower binds Image: Connect of broken. Fails to connect or broken. Image: Connect of broken. Follows-down Image: Connect of broken. Fails to fire Image: Connect of broken. Flat firing pin Image: Connect of broken. Fires on safe Image: Connect of broken. Flat firing pin hits inside rim Image: Connect of broken. Floor plate opens Image: Connect of broken. Floor plate opens hard Image: Connect of broken. Follower tips Image: Connect of broken. Gas cyl shot off Image: Connect of broken. Heavy bolt lift Image: Connect of broken. Heading mismatch-steps on case Image: Connect of broken. Hard under rail Image: Connect of broken. <	Follower binds Image: Connect Connet Connect Connect Connect Connect Connect Connect Con	Follower binds Image: Connect (Connect	Follower binds Image: Contract of Contrel of Contrend of Contrel of Contract of Contract of Contract of	Follower birds Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Follower down Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Follower down Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Fails to fire Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts firing pin Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts of the second case ked or broken Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts of the second case ked or broken Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Heading mismatch-steps on case Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken High pressure anno Image: Construct of the second case ked or broken	Follower binds Image: Compact of proken Image: Compact of proken Image: Compact of proken Fails to compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Files when safe is released Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image:



Subject to Protective Order		
	ML	Magazine loos
ā l	MILH	Magazine load
n 1998	MRH	Magazine tem
T	он	Opens hard
Pen	OR	Over-indes
nin	PH	Pulls hard
iams v. Remingtor	PSI	Proof stamp ill
J	PSM	Proof stamp m


ML.	Magazine loose					
MALH	Magazine loads hard					
MRH	Magazine ternoves hard					
он	Opens hand					
OR	Over-indes	- 200.				
РН	Pulls hard					
PSI	Proof stamp illegible		.			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			2000. 2010 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 10		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				5au.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					Ŵ
SI	Stems incline					P
SIC	Stems in chamber				ź	Ì
SL	shaves lead					 ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					
			•		•	



Protective Order	
N.	SRIC
ā	SSOC
ר <u>מ</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case						
STC 🐘	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		322.				
sww	Safety ewitxh won't work						
TD	Tips down			.			
ΤU	Tips up						
TWP	Trigger won't pull				1200 1997 - Maria Maria		
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					Sec.	
HI	High			****			
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					2	
RSBR	Rear sight base raised						_ ~~
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

(in the second sec














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			888. 		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					.
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Þ
DLU	Doesn't lock-up				á	
DS	Dead safe					
хD	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC	N.	FA
FC FC FCB	S FCB		len	FD
ns V. FCB FD	S. FCB Den FD	en FD	ing	
ns v. Reming	V. Reming	eming	ytor	
ns v. Remingtor	 FCB FD FD FF FF FF FF FF 	FD FF F	ب	FOS
s v. Reming	Y. Remington	Remington		

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect	 				
FCB	Fore-end cracked or broken	****				
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released	*****				
FT	Follower tips	****				
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					1¢
JCS	Jumps cartridge	*****			a a	12
JM	Jumps magazin e					<u> </u>
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1




Subject to Protective Order	
	ML
ē	MILH
S S	MRH
.< T	ОН
len	OR
ning	РН
ams v. Remingtor	PSI
<u>د</u>	PSM

ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant		****			
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	1995				
RIS	Ring in sholder				5a.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					4
SI	Stems incline					Ĩ
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
a la	SSOC
S NO	STC
.S. TI	SWE
len	SWH
ini	sww
ams v. Remingtor	TD
-	ΤU

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				Sec.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					4
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	Subject to Protective Order	
	WIIIa	FA
	.< T	FCB
S FCB	len	FD
. FCB P FD FD	ing	FF
V. Reming	ytor	FFP
V. Remingtor	<u>ب</u>	FOS
FP FF		соцо

FA 🦾	Fires automatically						
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		44				
FF	Fails to fire	· · · · · · · · · · · · · · · · · · ·					1
FFP	Flat firing pin						1
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		****				
FT	Follower tips]
GCSO	Gas cyl shot off			100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge		****			ž	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order		
×.	ML	Magazine loos
B	MLH	Magazine load
15 2	MRH	Magazine tem
.< T	он	Opens hard
ien	OR	Over-ndes
lams v. Remingtor	PH	Pulis hard
ytor	PSI	Proof stamp ill
Ĺ	PSM	Proof stamp m
	1	


					 _
ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hard				
OR	Overandes	322.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			5au.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				Ø
SIC	Stems in chamber			ź	
SL	shaves lead				r est
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
ē	SSOC
20 20	STC
ams v. Remington	SWE
len	SWH
jini	sww
ytor	TD
د	ΤU

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard	200				
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				8a.	
HI	High					
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped			 		
RSTT	Rear sight tipped				â	
RSBR	Rear sight base raised			 		<u>``</u>
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				à		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order - V	
	FA
T L	FB
20 C	FC
<u>.</u> т	FCB
ien	FD
jnin	FF
liams v. Remingtor	FFP
د	FOS

FA	Fires automatically]
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		220.				
FF	Fails to fire						
FFP	Flat firing pin			.			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· ***					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		*****				
FT	Follower tips		******				
GCSO	Gas cyl shot off		*****				
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case] .
HPA	High pressure ammo						
HUR	Hard under rail						1
JCS	Jumps cartridge		****			;	
JM	Jumps magazin e						l
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position]




Subject to Protective Order		
×.	ML	Magazine loos
ā	MLH	Magazine load
Source Succession	MRH	Magazine re m
T	он	Opens hard
Pen	OR	Over-indes
nin	РН	Pulls hard
lams v. Remingtor	PSI	Proof stamp ill
D	PSM	Proof stamp m

22
<u>//</u>



Subject to Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
א דו	SWE
len	SWH
ing	sww
ams v. Remingtor	σт
<u>ب</u>	тυ
	1

SRIC	Specific rings in champer						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull				ann. Millionn		
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised						4
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




ILE00097324

						-
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				á	瀫
DS	Dead safe					ľ
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
lan I	FB
20 C	FC
ר. דו	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down		- 2000.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	1995				
FPOH	Floor plate opens hard				8eo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				and the	
JCS	Jumps cartridge				á	
JM	Jumps magazin e					1 000
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML 🖉
<u>a</u>	MILH
S No.	MRH
	он
٦en	OR
ning	PH
ams v. Remingtor	PSI
ب	PSM

ML	Magazine lõose]
MILH	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hard				1
OR	Overandes	áto.]
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			XX	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
scx	Shell catches				
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			á	
SL	shaves lead				1.
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
≌ ssoc		
	ns '	STC
STC	<u>ר</u>	SWE
STC SWE	len	SWH
ns v. Rem	ling	sww
ns <. Reming	itor	то
 SWE SWH SWW 	<u> </u>	TU
		I

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		322.				
sww	Safety ewitxh won't work						1
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· **					
хн	Extracts hard					à	
ні	High					-	
LO	Low			110			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped						
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order		
X	FA 🥼	Fires automati
ā	FB	Follower binds
10 1000 S	FC	Fails to come
ج דו	FCB	Fore-end crack
len	FD	Follows-down
ning	FF	Fails to fire 🛛
ams v. Remingtor	FFP	Flat firing pin
د	FOS	Fires on safe
		1

FA Fires automatrically Image: Constraint of the second straight of the seco	
FC Fails to connect Image: Connect of Stacked or Broken FCB Fore-end stacked or Broken Image: Connect of Stacked or Broken FD Follows-down Image: Connect of Stacked or Broken FF Fails to fire Image: Connect of Stacked or Broken FFP Flat firing pin Image: Connect of Stacked or Broken FOS Fires on safe Image: Connect of Stacked or Broken	
FCB Fore-end bracked or broken Image: Constraint of the second seco	
FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe	
FF Fails to fire Image: Constraint of the second s	
FFP Flat firing pin FOS Fires on safe	
FOS Fires on safe	
FPHB Firing pin hits bbl	
FPHI Firing pin hits inside rim	
FPO Floor plate opens	
FPOH Floor plate opens hard	
FSR Fires when safe is released	
FT Follower tips	
HBL Heavy bolt lift	
HMSC Heading mismatch-steps on case	
HPA High pressure ammo	
HUR Hard under rail	
JCS Jumps cartridge	
JM Jumps magazine	
JO Jars off	
LB Light blow	
MAH Magazine assembles hard	
MCW Magazine capacity wrong	
MFA Misfires (ammo)	
MFOP Magazine follower out of position	



Subject to Protective Order	
	ML
ā l	MILH
S	MRH 🛞
	ОН
fen	OR
ams v. Remingtor	PH
ytor	PSI
<u>ر</u>	PSM


ML.	Magazine loose				1
MLH	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hand				1
OR	Overandes	- 444.			1
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		12		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			1990.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
scx	Shell catches] _
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber				
SL	shaves lead				1000
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
N.	SRIC
a la	SSOC
0	STC
.< TI	SWE
ien	SWH
ŋir	sww
lams v. Remington	TD
L	TU
	7140

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					
STC	Sterns top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard	àn.				
sww	Safety ewitxh work					1
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull]
TWR	Trigger won't retract					
UNCN-T	Uncoded					1
хн	Extracts hard				5ao.]
HI	High		*****			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					10
RSTT	Rear sight tipped				ź	
RSBR	Rear sight base raised					<u>_</u> ~~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




					_
BWCFM	Bolt won't close over full magazine				
CD	Case dented]
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off	itte.			
CR	Cuts rim				
cs	Cases swell				
CTOG	Chamber torn or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			ða.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)			 	Þ
DLU	Doesn't lock-up			 8	
DS	Dead safe				ſ
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				




FA.	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC	N.	FA
FC FC FCB	S FCB		len	FD
ns V. FCB FD	 FCB P FD 	en FD	ing	
ns v. Reming	V. Reming	eming	ytor	
ns v. Remingtor	 FCB FD FD FF FF FF FF FF 	FD FF F	ب	FOS
s v. Reming	Y. Remington	Remington		

FA	Fires automatically				1
FB	Follower binds				1
FC	Fails to connect				1
FCB	Fore-end cracked or broken				1
FD	Follows-down	- Arr.			
FF	Fails to fire				1
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard				
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				
HPA	High pressure ammo				
HUR	Hard under rail				
JCS	Jumps cartridge			;	
JM	Jumps magazin e]``
JO	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)]
MFOP	Magazine follower out of position				




Subject to Protective Order		
×.	ML	Magazine loos
B	MLH	Magazine load
15 2	MRH	Magazine tem
.< T	он	Opens hard
ien	OR	Over-ndes
lams v. Remingtor	PH	Pulis hard
ytor	PSI	Proof stamp ill
Ĺ	PSM	Proof stamp m
	1	

	1
ittere.	
	Ø
	- 000j



SRIC SSOC STC SWE SWH SWW TD TU	Subject to Protective Order	
ams V. Remington	VII	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW ED EU	S SU	STC 🕺
Remington	.S. TI	SWE
nington	len	SWH
at not not	in	sww
- TU	ytor	тр
	-	ти

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ~
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order		
X	FA 🥼	Fires automati
ā	FB	Follower binds
10 1000 10 1000	FC	Fails to come
ج דו	FCB	Fore-end crack
len	FD	Follows-down
ning	FF	Fails to fire 🛛
ams v. Remingtor	FFP	Flat firing pin
د	FOS	Fires on safe
		1

								_
Fires automatically								
Follower binds								
Fails to connect								
Fore-end cracked or broken								
Follows-down		- 200-						
Fails to fire								
Flat firing pin								
Files un sale								
Firing pin hits bbl								
Firing pin hits inside rim								
Floor plate opens	· ***							
Floor plate opens hard								
Fires when safe is released								
Follower tips		*						
Gas cyl shot off								
Heavy bolt lift								
Heading mismatch-steps on case								
High pressure ammo								
Hard under rail								Ø
Jumps cartridge						a a		
Jumps magazin e								
Jars off								
Light blow								
Magazine assembles hard								
Magazine capacity wrong								
Misfires (ammo)								
Magazine follower out of position								
	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine capacity wrong Misfires (armo)	Follower binds Follower binds Fails to connect Follower broken Follower-end cracked or broken Follower broken Follower-down Follower broken Fails to fire Follower binds Flat firing pin Follower binds Fires on safe Follower binds Firing pin hits bbl Follower binds Floor plate opens Follower binds Floor plate opens hard Follower binds Floor plate opens hard Follower binds Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo High pressure ammo Hard under rail Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo) Hisfires (ammo)	Follower binds Image: Connect of broken. Fails to connect or broken. Image: Connect of broken. Follows-down Image: Connect of broken. Fails to fire Image: Connect of broken. Flat firing pin Image: Connect of broken. Fires on safe Image: Connect of broken. Flat firing pin hits inside rim Image: Connect of broken. Floor plate opens Image: Connect of broken. Floor plate opens hard Image: Connect of broken. Floor plate opens hard Image: Connect of broken. Follower tips Image: Connect of broken. Gas cyl shot off Image: Connect of broken. Heading mismatch-steps on case Image: Connect of broken. High pressure ammo Image: Connect of broken.	Follower binds Image: Connect Connet Connect Connect Connect Connect Connect Connect Con	Follower binds Image: Connect (Connect	Follower binds Image: Contract of Contrel of Contrend of Contrel of Contract of Contract of Contract of	Follower birds Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Follower down Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Follower down Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Fails to fire Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts firing pin Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts of the second case ked or broken Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Filts of the second case ked or broken Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken Heading mismatch-steps on case Image: Construct of the second case ked or broken Image: Construct of the second case ked or broken High pressure anno Image: Construct of the second case ked or broken ke	Follower binds Image: Compact of proken Image: Compact of proken Image: Compact of proken Fails to compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower down Image: Compact of proken Image: Compact of proken Image: Compact of proken Files when safe is released Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image: Compact of proken Image: Compact of proken Image: Compact of proken Follower dips Image: Compact of proken Image:




Subject to Protective Order	
	ML
ă L	MLH
S S S	MRH
.< T	он
len	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM

ML	Magazine lõose					
MALH	Magazine loads hard					
MRH	Magazine removes hard		****			
он	Opens hard					
OR	Over-rides					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				500.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				á	
SL	shaves lead]***
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
la l	SSOC
n s	STC 📎
ר דד	SWE
len	SWH
ing	sww
liams v. Remingtor	σт
-	TU
	1

SRIC	Specific rings in champer				1
SSOC	Surface scratches on case				
STC	Sterns top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	àn.			
sww	Safety ewitxh work				1
TD	Tips down				
TU	Tips up				1
TWP	Trigger won't pull		1200. 1997 - June -]
TWR	Trigger won't retract				
UNCN-T	Uncoded				1
хн	Extracts hard			5ao.]
HI	High]
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				10
RSTT	Rear sight tipped			ž	1
RSBR	Rear sight base raised				<u>_</u> ~~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
]



AI-P	Assembly incompleye at proof	1					1
368	Barrel bracket gracked or broken at proof						
3C-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· ***					
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стод	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back].
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				200 4	jø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
W	FA
B	FB
าง 	FC
ר. ד	FCB
len	FD
iing	FF
lams v. Remington	FFP
-	FOS

	<i></i>						
FA	Fires automatically				1	1	1
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·					
FPOH	Floor plate opens hard				in.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off		8				
HBL	Heavy bolt lift			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
HMSC	Heading mismatch-steps on case						1
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge				;		
JM	Jumps magazin e						ľ.
oL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
<u>B</u>	MLH
	MRH
ams v. Remingtor	он
Ren	OR
nir	PH
gtor	PSI
<u>د</u>	PSM

ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard	 ****			
он	Opens hant				
OR	Overindes	340.			
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		8999 1999 - Maria Mariana, 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension	*****			
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			ä	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
	N III	SRIC
	S S	STC 🕺
STC	<u>ج</u>	SWE
STC SWE	len	SWH
ns V. Ren	ing	sww
ns v. Reming	ytor	TD
ns v. Remingtor	ت.	тυ
v. Remingtor		

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
	FA
lan I	FB
S S	FC
ті	FCB
len	FD
inc	FF
ams v. Remington	FFP
ت	FOS

FA	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					1
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				io.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
<u>a</u>	MILH
S No.	MRH
	он
٦en	OR
ning	PH
ams v. Remingtor	PSI
ب	PSM

ML	Magazine lõose]
MILH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					1
OR	Overandes		áto.]
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing	···· ////				
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				XX	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					P
SIC	Stems in chamber				á	
SL	shaves lead					1.
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
la l	SSOC
n s	STC 📎
ר דד	SWE
len	SWH
ing	sww
liams v. Remingtor	σт
-	TU
	1

SRIC	Specific rings in champer				1
SSOC	Surface scratches on case				
STC	Sterns top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	àn.			
sww	Safety ewitxh work				1
TD	Tips down				
TU	Tips up				1
TWP	Trigger won't pull		17. m. 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997]
TWR	Trigger won't retract				
UNCN-T	Uncoded				1
хн	Extracts hard			5ao.]
HI	High]
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				10
RSTT	Rear sight tipped			ž	1
RSBR	Rear sight base raised				<u>_</u> ~~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
]



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			ann. Millionn		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		110			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					P
DLU	Doesn't lock-up				á	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
X	FA
an a	FB
ams v. Remington	FC
ר. ת	FCB
len	FD
ling	FF
Itor	FFP
-	FOS

FA Fires automatically Image: Constraint of the second se										
FB Follower binds Image: Contract of proken FC Fails to contract or broken Image: Contract of proken FD Foltows-down Image: Contract of proken FD Foltows-down Image: Contract of proken FF Fails to fire Image: Contract of proken FF Fails to fire Image: Contract of proken FFP Flat firing pin Image: Contract of proken FOS Fires on safe Image: Contract of proken FPH Flat firing pin hits bil Image: Contract of proken FPH Filing pin hits inside rim Image: Contract of proken FPO Floor plate opens Image: Contract of proken FPOH Floor plate opens hard Image: Contract of proken FSR Fires when safe is released Image: Contract of proken FT Follower tips Image: Contract of proken Image: Contract of proken GCSO Gas cyl shot off Image: Contract of proken Image: Contract of proken HBL Heavy bott lift Image: Contract of proken Image: Contract of proken Image: Contract of proken HPA High presure armo Image	····	.	1		1	1		1	1	٦
FC Fails to connect Image: Connect Connec	<u> </u>									4
FCB Rore-end bracked or groken Image: Constraint of the second of t	COM STRUCT									4
FD Fölfswe-down Image: Constraint of the state o	20000									_
FF Fails to fire Image: Constraint of the second seco	2020	hanna han								4
FFP Flat firing pin Image: Second secon										4
FOS Fires on safe Image: Constraint of the second sec										_
FPHB Firing pin hits bbl Image: Second										4
FPHB Filling pin hits bold					<u> </u>	~				_
FPO Floor plate opens Image: Constraint of the second		Fining phirmus obr								4
FPOHFloor plate opens hardImage: seleasedImage: seleasedFSRFires when safe is releasedImage: seleasedImage: seleasedFTFollower tipsImage: seleasedImage: seleasedGCSOGas cyl shot offImage: seleasedImage: seleasedHBLHeavy bolt liftImage: seleasedImage: seleasedHMSCHeading mismatch-steps on caseImage: seleasedImage: seleasedHPAHigh pressure ammoImage: seleasedImage: seleasedHURHard under railImage: seleasedImage: seleasedJCSJumps magazineImage: seleasedImage: seleasedJOJars offImage: seleasedImage: seleased							**			_
FSR Fires when safe is released Image: Constraint of the second sec										_
FT Follower tips Image: Constraint of the	POH I	Floor plate opens hard						500.		
GCSO Gas cyl shot off Image: Constraint of the system	SR I	Fires when safe is released								
HBLHeavy bolt liftImage: Constraint of the second se	-	Follower tips				Million Million				
HMSC Heading mismatch-steps on case Image: Construction of the steps on case Image: Construction of the steps on case HPA High pressure ammo Image: Construction of the steps on case Image: Construction of the steps on case Image: Construction of the steps on case HVR Hard under rail Image: Construction of the steps on case Image: Construction of the steps on case Image: Construction of the steps on case JCS Jumps cartridge Image: Construction of the steps on case Image: Construction of the steps on case Image: Construction of the steps on case JM Jumps magazine Image: Construction of the steps on case Image: Construction of the steps on case Image: Construction of the steps on case JO Jars off Image: Construction of the steps on case Image: Construction of the steps on case Image: Construction of the steps on case	cso	Gas cyl shot off			1100					
HPA High pressure ammo Image: Constraint of the system Image: Constraintow Image: Constraint of the system	3L I	Heavy bolt lift								
HUR Hard under rail Image: Constraint of the second s	VISC	Heading mismatch-steps on case].
Hork Hard under rain JCS Jumps cartridge JM Jumps magazine JO Jars off	PA I	High pressure ammo		****]@
JM Jumps magazine Image: Constraint of the second	JR I	Hard under rail		****]//
JO Jars off	s .	Jumps cartridge						;		1
	1 .	Jumps magazin e								1%
LB Light blow	> .	Jars off		-						1
	3	Light blow								1
MAH Magazine assembles hard	AH I	Magazine assembles hard								1
MCW Magazine capacity wrong	cw I	Magazine capacity wrong								1
MFA Misfires (ammo)	FA I	Misfires (ammo)								1
MFOP Magazine follower out of position	FOP I	Magazine follower out of position		-						1



Subject to Protective Order		
×.	ML	Magazine loos
ā	MLH	Magazine load
Source Succession	MRH	Magazine re m
T	он	Opens hard
Pen	OR	Over-indes
nin	РН	Pulls hard
lams v. Remingtor	PSI	Proof stamp ill
D	PSM	Proof stamp m


22
<u>// *</u>



Protective Order	
V	SRIC
a la	SSOC
ns s	STC
	SWE
ren	SWH
llams v. Remington	sww
gtor	TD
L	τu
	T\A/D

Subject to

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						1
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
то	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard						
н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
SLL SLL	FC
ams v. Remington	FCB
fen	FD
ning	FF
ytor	FFP
ت_	FOS
	FPHB

FA	Fires automatically]
FB	Follower binds					
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	-240.				
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				àine.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ž.	鍮
JM	Jumps magazin e					I.«
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ā	MILH
S I S	MRH
<u>ج</u>	он
ren	OR
nin	PH
ams v. Remingtor	PSI
ب	PSM


ML	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens.hand					
OR	Over-indes	itte.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder				360.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1100			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					Ś
SI	Stems incline					ø
SIC	Stems in chamber				ź	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
a la	SSOC
iams v.	STC 🛞
<u>ج</u>	SWE
len	SWH
nin	sww
Remington	TD
<u>د</u>	ΤU

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case			 		1
STC	Stems top chamber					1
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	325.				
sww	Safety ewitxh work					1
TD	Tips down		·			
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				à	
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					




AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	áto.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
X	FA
B	FB
ມ ເ	FC
<u>ج</u>	FCB
ferr	FD
ing	FF
lams v. Remington	FFP
ب_	FOS

FA 💦	Fires automatically]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			·····		
FPOH	Floor plate opens hard]
FSR	Fires when safe is released					
FT	Follower tips]
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail]#
JCS	Jumps cartridge				ä	
JM	Jumps magazin e]%
O	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1




Subject to Protective Order		
×.	ML	Magazine loos
ā	MLH	Magazine load
Source Succession	MRH	Magazine re m
T	он	Opens hard
Pen	OR	Over-indes
nin	РН	Pulls hard
lams v. Remingtor	PSI	Proof stamp ill
D	PSM	Proof stamp m

22
<u>//</u>



Subject to Protective Order	
	SRIC
la l	SSOC
n s	STC 📎
ר דד	SWE
len	SWH
ing	sww
liams v. Remingtor	σт
-	TU
	1

SRIC	Specific rings in champer				1
SSOC	Surface scratches on case				
STC	Sterns top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	àn.			
sww	Safety ewitxh work				1
TD	Tips down				
TU	Tips up				1
TWP	Trigger won't pull]
TWR	Trigger won't retract				
UNCN-T	Uncoded				1
хн	Extracts hard			5ao.]
HI	High]
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				10
RSTT	Rear sight tipped			ž	1
RSBR	Rear sight base raised				<u> </u>
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
]



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Orde	
r - Williams v. Remingtor	FA FB FC
r. Re	FCB FD
mine	FF
ytor	FFP
ب	FOS

FA.	Fires automatically					1
FB	Follower binds					
FC 💮	Fails to connect					1
FCB	Fore-end cracked or broken					1
FD	Follows-down					1
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl			1200. 1997 - June -		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				ä	
JM	Jumps magazin e					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
N.	SRIC
a la	SSOC
ר <u>מיי</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

(in the second sec














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine			1		1	1
	Case dented						-
CD							-
СН							 -
CLM	Can't laod magazine						-
со	Cut-off						-
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber toni or gouged			<i></i>			4
CTP	creepy nigger puil						4
CWSB	Cams wrong side of action bar				**		4
DBB	Doesn't blow back	•••					
DCS	Double click in safety switch						
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		1168				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					- 10 A	Þ
DLU	Doesn't lock-up						
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						1
ESCR	Empty shell catches receiver						1
ESS	Extractor stems shell						1




Subject to Protective Order	
N.	FA
B	FB
S S	FC
ті	FCB
fen	FD
jing	FF
liams v. Remington	FFP
ب	FOS

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	àn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case].
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				:	
JM	Jumps magazin e					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)			 		
MFOP	Magazine follower out of position					




Subject to Protective Order - V	
	ML
ē	MLH
2 2 2	MRH
ams v. Remingto	он
fen	OR
in	PH
ytor	PSI
L	PSM

ML_	Magazine lögse						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-indes		- 200.				
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder					io.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ä	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough			 	-		
SRC	Stems right side of chamber						



SRIC SSOC STC SWE SWH SWH SWW TD TU	Subject to Protective Order-	
SSOC STC SWE SWH SWH SWW ED TU	N.	SRIC
ns v. Remington	lan series and s	8500
SWE SWH SWH SWW TD TU	רא ה מי	STC
emington TU	ר. דו	SWE
nington 단	len	SWH
	ing	sww
TU	itor	тр
	-	ти


SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					
STC	Sterns top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard	àn.				
sww	Safety ewitxh work					1
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull]
TWR	Trigger won't retract					
UNCN-T	Uncoded					1
хн	Extracts hard				5ao.]
HI	High		*****			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					10
RSTT	Rear sight tipped				ź	
RSBR	Rear sight base raised					<u>_</u> ~~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					




AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




o Protective Order	
<u>X</u>	FA
lliams v. Remington	FB
S S	FC
T	FCB
ien	FD
jnir	FF
gtor	FFP
د	FOS

FA 💦	Fires automatically					
	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	àn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	 L				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				ž	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong	****				
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
B	MLH
n 1998	MRH
TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
-	PSM


ML	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens.hand					
OR	Over-indes		itte.			
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	. ***				
RIS	Ring in sholder				XX	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				à	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order		
W	SRIC	
T I I I I I I I I I I I I I I I I I I I	SSOC	
ns ~	STC	
T	SWE	1
ìen	SWH	
juir	sww	
lams v. Remington	TD	
د	ΤU	
	TIME	

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				100.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					j)
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					l.
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




	<i></i>							
	R. h	1		I		1	1	1
	Bolt won't close over full magazine Case dented							
СР								
	Closes hard	Milion						
CLM CO	Can'i laod magazine Cut-off							
CR	Cute-out							
CS				.				
стоб								
	Chamber form of gouged				×			
CTP	Creepy mgger puil							
CWSB	Carns wrong side of action bar		 			 1		
DBB	Doesn't blow back							
DCS	Double click in safety switch							
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)					- and the		P
DLU	Doesn't lock-up					ž		
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							




FA	FA.	Subject to Protective Order	
	a FB	×.	FA
TS FC		.< T	FCB
FC FC FCB	FCB	fen	FD
FC FC FC FC FC FC FC FC FD	· FCB	ŋir	FF
ns v. Remin	S. FCB FCB FD FD FD FF FF	gtor	FFP
ns v. Remingtor	v. Remingtor	<u>د</u>	FOS
Perming	<. Remington FCB FD FF FF FF FOS		FPHB

FA	Fires automatically				
FB	Follower binds				
FC	Fails to connect				
FCB	Fore-end cracked or broken				
FD	Follows-down				
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard			See.	
FSR	Fires when safe is released	 ****			
FT	Follower tips			•	
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				╡.
HPA	High pressure ammo				
HUR	Hard under rail				P
JCS	Jumps cartridge				
JM	Jumps magazin e				ľ
JO	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				




Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1			 		_
	Magazine lõose							
BALH.	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		áto.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				58			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					5ao.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline							
SIC	Stems in chamber					à		
SL	shaves lead							1.
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough						_	
SRC	Stems right side of chamber							



Subject to Protective Order	
	SRIC
ğ	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
iams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Ø
RSTT	Rear sight tipped				á	瀫
RSBR	Rear sight base raised					ľ×
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes haid							
CLM	Can't laod magazine							
00	Cut-off							
CR	Cuts rim							
CS	Cases swell				ito.			
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull					littere .		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch				. ///			
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round					·**///		
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS 💮	Extractor sterns shell							
FA 📎	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire				80			
FFP	Flat firing pin							
FOS	Fires on safe					an		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shet off					****///		
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case						ž	
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position.							
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				800.			
PH	Pulls hard							
PSI	Proof stamp illegible					in.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				. ///			·
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers					·***///		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port		****					
SR	Shoulder mugh		****					
SRC	Stems nght side of chamber		****					
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
SWW	Safety ewitxh won't work					allen.		
TD	Tips down							
тυ	Tips up							
TWP	Trigger won't pull		****					
TWR	Trigger won't retract		*****					
UNCN-T	Uncoded		****					
хн	Extracts hard				· · · ·			
						****///		
н	High							
LO	Low		****				;	
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		****					
RSTT	Rear sight lipped							
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							



ILE00097484

CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
rstl	Rear sight loose							
MGPT-G 👹	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
			Maria					
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				×			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					illen.		
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof				. ///			
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							





