

C6225404

MODEL 700™ M24

Model **700 M24™**

Action

Barrel Length

Capacity

Order No. **5715**

\*Includes 1 in chamber.

*Remington*

M-24

SCOPE #

1125

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C6225404

| OP.#         | OP. NAME                                                       | READINGS | DATE     | INITIAL |
|--------------|----------------------------------------------------------------|----------|----------|---------|
| 575 &<br>580 | Assemble Action<br>and stock                                   | 8        | 9/88     | FB      |
| 600          | Proof                                                          | 9        | 7/88     | RW      |
| 607          | Check Headspace                                                | 9        | 7/88     | RW      |
| 610          | Dis-assemble gun                                               | 9        | 7/88     | RW      |
| 612          | Magnaflux Barrel<br>Action                                     |          | 9-14-88  | Pfe.    |
|              | Magnaflux Bolt                                                 |          | 9-14-88  | Pfe.    |
| 615          | Rollmark Caliber                                               |          |          |         |
| 617          | Drill & Tap Sight Holes                                        |          |          |         |
| 618          | Polish Barrel                                                  |          |          |         |
| 620          | Apply Coatings<br>(Barrel Action)                              |          | 10-31-88 | TJA     |
|              | Apply Coatings (Bolt)                                          |          | 10-31-88 | TJA     |
| 625          | Final Assembly<br>A) Clean inside of<br>Bolt Assembly          |          | 11/7/88  | RW      |
|              | B) Inspect Rear Firing<br>Pin Hole for Chamfer<br>in Bolt Head |          | 11/7/88  | RW      |
|              | C) Inspect Ejector Hole<br>for Chamfer                         |          | 11/7/88  | RW      |

OVER

| OP.#  |                                                             | READINGS           | DATE       | INITIAL |
|-------|-------------------------------------------------------------|--------------------|------------|---------|
| 625   | D) Oil Firing Pin Ass'y                                     |                    | 11/2/88    | RW      |
| cont. | E) Adjust Trigger Pull to Min. Setting and Stake            |                    | 7 NOV 88   | JU      |
|       | F) Safety on Force                                          | 5   5   5          | 8 NOV 88   | JS      |
|       | G) Safety off Force                                         | 3   3   3          | 8 NOV 88   | JS      |
|       | H) Trigger Pull Test & Retainability                        |                    | 7 NOV 88   | JU      |
|       | I) Firing Pin Indent                                        | .020   .020   .020 | 8 NOV 88   | JS      |
|       | J) Assemble Stock                                           |                    | 11/16/88   | RW      |
|       | K) Attach Front & Rear Sight Assemblies                     |                    | 11/16/88   | RW      |
|       | L) Iron Sight Alignment                                     |                    | 11/16/88   | RW      |
|       | M) Detach Front & Rear Sights & place in numbered container |                    | 11/16/88   | RW      |
|       | N) Attach Scope to Rifle                                    |                    | 11/16/88   | WLB     |
|       | O) Detach & Attach Scope 20 times                           |                    | 11/16/88   | WLB     |
| 640   | Gallery Target & Test                                       | 58 R 90 L          | 11/17/88   | A.C.    |
|       | A) Optical Clarity of Scope                                 |                    | 11/17/88   | JL      |
| 645   | Inspect for Live Ammo                                       |                    | 11/17/88   | JL      |
| 655   | Final Inspection                                            |                    |            |         |
|       | A) Headspace                                                |                    | 1 Dec 88   | JS      |
|       | B) Trigger Pull                                             | 2.49   2.61   2.64 | 268   2.71 | JS      |
|       | C) Function                                                 |                    | 1 Dec 88   | JS      |
|       | D) Assemble Swivel Studs                                    |                    | 1 Dec 88   | JS      |
| 660   | Pack                                                        |                    | 14 Dec 88  | JS      |

0.2  
SWS TRIGGER PULL TEST

AVERAGE PULL FORCE BETWEEN  
INITIAL & CYCLE TESTS  
2.50# ± .50#  
3.00# ± .75#  
4.00# ± 1.00#

SERIAL NO. C6225404

DATE 11-7-88

TESTER JY

|         | 2.50#<br>INITIAL | 2.50# AFTER<br>50 CYCLES | FINAL TEST &<br>TO RESET 2.50# |       | COMMENTS                                                               |
|---------|------------------|--------------------------|--------------------------------|-------|------------------------------------------------------------------------|
| PULL #1 | 2.50             | 2.47                     | 2.69                           | 2.49  | MIN. SETTING,<br>NO AVG. OF 5<br>READINGS ACCEPT-<br>ABLE LESS THAN 2# |
| PULL #2 | 2.57             | 2.44                     | 2.25                           | 2.61  |                                                                        |
| PULL #3 | 2.56             | 2.41                     | 2.45                           | 2.64  |                                                                        |
| PULL #4 | 2.54             | 2.39                     | 2.37                           | 2.68  |                                                                        |
| PULL #5 | 2.51             | 2.39                     | 2.30                           | 2.71  |                                                                        |
| TOTAL   | 12.67            | 12.10                    | 12.06                          | 13.13 |                                                                        |
| AVG.    | 2.534            | 2.420                    | 2.412                          | 2.626 |                                                                        |

|         | 3.00#<br>INITIAL | 3.00# AFTER<br>20 CYCLES |  | COMMENTS |
|---------|------------------|--------------------------|--|----------|
| PULL #1 | 3.20             | 3.28                     |  |          |
| PULL #2 | 3.15             | 3.29                     |  |          |
| PULL #3 | 3.20             | 3.31                     |  |          |
| PULL #4 | 3.19             | 3.31                     |  |          |
| PULL #5 | 3.07             | 3.28                     |  |          |
| TOTAL   | 15.81            | 16.47                    |  |          |
| AVG.    | 3.162            | 3.294                    |  |          |

|         | 4.00#<br>INITIAL | 4.00# AFTER<br>20 CYCLES | MAX SETTING<br>GREATER THAN 4# | RESET TO 4# FOR<br>TARGET & ACCURACY |
|---------|------------------|--------------------------|--------------------------------|--------------------------------------|
| PULL #1 | 4.16             | 4.03                     |                                | 4.17                                 |
| PULL #2 | 4.29             | 4.05                     |                                | 4.21                                 |
| PULL #3 | 4.31             | 4.35                     |                                | 4.26                                 |
| PULL #4 | 4.28             | 4.28                     |                                | 4.29                                 |
| PULL #5 | 4.27             | 4.27                     |                                | 4.28                                 |
| TOTAL   | 21.31            | 20.98                    |                                | 21.21                                |
| AVG.    | 4.262            | 4.198                    |                                | 4.242                                |

CENTROIDAL DISTANCE CALCULATIONS  
FOR RIFLE # C6225404

CENTROIDAL DISTANCES

|      |   |         |
|------|---|---------|
| 0 TO | 1 | 1.14393 |
| 1 TO | 2 | .292961 |
| 1 TO | 3 | .511645 |
| 1 TO | 4 | .308955 |
| 1 TO | 5 | .258606 |

$\bar{x}_2$

+ <----POB


THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.0964  
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: 1.1022  
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: 1.10641  
THE AMR FOR THIS RIFLE IS: .9628

28 Nov 1988

FILE:/PATTERNING/CENTERFIRE\_PATT/C8225484

# CENTERFIRE PATTERNS

# 1



# OF SHOTS = 10

# IN CIR

1 in = 2

2 in = 6

3 in = 7

HS = 2.306

VS = 3.821

GS = 3.864


CENTROID #

| PATTERN #                     | 1      | 2      | 3      |
|-------------------------------|--------|--------|--------|
| SHOTS (BEST OF)               | 10     | 9      | 8      |
| MAXIMUM X                     | 1.484  | 1.448  | 1.475  |
| MINIMUM X                     | -0.821 | -0.858 | -0.831 |
| MAXIMUM Y                     | 2.149  | 1.904  | 1.725  |
| MINIMUM Y                     | -1.672 | -1.433 | -1.743 |
| CENTROID X                    | -0.331 | -0.294 | -0.321 |
| CENTROID Y                    | 1.095  | 0.856  | 1.035  |
| POA TO CENTROID in.           | 1.144  | 0.986  | 1.084  |
| MIN RADIUS                    | 0.262  | 0.293  | 0.249  |
| MEAN RADIUS                   | 1.048  | 0.935  | 0.832  |
| MAX RADIUS                    | 2.173  | 1.554  | 1.662  |
| HORIZONTAL SPREAD             | 2.306  | 2.306  | 2.306  |
| VERTICAL SPREAD               | 3.821  | 2.337  | 1.468  |
| EXTREME SPREAD                | 3.864  | 2.392  | 2.371  |
| NUMBER IN ONE INCH CIRCLE =   | 2      |        |        |
| NUMBER IN TWO INCH CIRCLE =   | 6      |        |        |
| NUMBER IN THREE INCH CIRCLE = | 7      |        |        |

28 Nov 1988

FILE:/PATTERNING/CENTERFIRE\_PATT/08225404

# CENTERFIRE PATTERNS # 2



# OF SHOTS - 10

# IN CIR

1 in = 3

2 in = 4

3 in = 7

HS = 3.369

VS = 2.566

GS = 3.369


CENTROID #

| PATTERN #                   | : | 2      |        |        |
|-----------------------------|---|--------|--------|--------|
| SHOTS (BEST OF)             | : | 10     | 9      | 8      |
| MAXIMUM X                   | : | 1.595  | 1.398  | 1.240  |
| MINIMUM X                   | : | -1.774 | -1.200 | -1.621 |
| MAXIMUM Y                   | : | 1.185  | 1.243  | 1.078  |
| MINIMUM Y                   | : | -1.375 | -1.317 | -1.403 |
| CENTROID X                  | : | -.132  | .065   | .215   |
| CENTROID Y                  | : | .980   | .822   | .997   |
| POR TO CENTROID in.         | : | .890   | .925   | 1.010  |
| MIN RADIUS                  | : | .192   | .241   | .253   |
| MEAN RADIUS                 | : | 1.061  | .973   | .878   |
| MAX RADIUS                  | : | 1.848  | 1.782  | 1.408  |
| HORIZONTAL SPREAD           | : | 3.369  | 2.598  | 1.869  |
| VERTICAL SPREAD             | : | 2.566  | 2.560  | 2.481  |
| EXTREME SPREAD              | : | 3.369  | 3.225  | 2.456  |
| NUMBER IN ONE INCH CIRCLE   | = |        | 3      |        |
| NUMBER IN TWO INCH CIRCLE   | = |        | 4      |        |
| NUMBER IN THREE INCH CIRCLE | = |        | 7      |        |

28 Nov 1988

FILE:/PATTERNING/CENTERFIRE\_PATT/082254B4

# CENTERFIRE PATTERNS # 3



# OF SHOTS = 10

# IN CIR

1 in = 5

2 in = 8

3 in = 10

HSI = 1.260

VS = 1.794


GS = 1.890

| PATTERN #                     | 3     | 9     | 8     |
|-------------------------------|-------|-------|-------|
| SHOTS (BEST OF)               | 10    | 9     | 8     |
| MAXIMUM X                     | .573  | .496  | .297  |
| MINIMUM X                     | -.687 | -.321 | -.259 |
| MAXIMUM Y                     | 1.045 | .963  | .589  |
| MINIMUM Y                     | -.749 | -.832 | -.512 |
| CENTROID X                    | .179  | .256  | .194  |
| CENTROID Y                    | 1.054 | .937  | .817  |
| POA TO CENTROID in.           | 1.069 | .972  | .840  |
| MIN RADIUS                    | .184  | .147  | .176  |
| MEAN RADIUS                   | .602  | .521  | .446  |
| MAX RADIUS                    | 1.251 | 1.083 | .591  |
| HORIZONTAL SPREAD             | 1.260 | .817  | .555  |
| VERTICAL SPREAD               | 1.794 | 1.595 | 1.101 |
| EXTREME SPREAD                | 1.990 | 1.790 | 1.125 |
| NUMBER IN ONE INCH CIRCLE =   |       | 5     |       |
| NUMBER IN TWO INCH CIRCLE =   |       | 8     |       |
| NUMBER IN THREE INCH CIRCLE = |       | 10    |       |

28 Nov 1988

FILE:/PATTERNING/CENTERFIRE\_PATT/062954B4

# CENTERFIRE PATTERNS # 4



# OF SHOTS- 10

# IN CIR

1 in = 2

2 in = 5

3 in = 9

HE= 1.842

VS= 2.381

GS= 2.726


CENTROID \*

| PATTERN #                     | : | 4      |       |       |
|-------------------------------|---|--------|-------|-------|
| SHOTS (BEST OF)               | : | 10     | 9     | 8     |
| MAXIMUM X                     | : | .954   | .844  | .766  |
| MINIMUM X                     | : | -.989  | -.628 | -.638 |
| MAXIMUM Y                     | : | 1.327  | 1.199 | .871  |
| MINIMUM Y                     | : | -1.054 | -.906 | -.757 |
| CENTROID X                    | : | -.038  | .072  | .150  |
| CENTROID Y                    | : | 1.193  | 1.045 | .896  |
| POA TO CENTROID in.           | : | 1.194  | 1.048 | .988  |
| MIN RADIUS                    | : | .110   | .152  | .311  |
| MEAN RADIUS                   | : | .860   | .760  | .687  |
| MAX RADIUS                    | : | 1.655  | 1.353 | .878  |
| HORIZONTAL SPREAD             | : | 1.943  | 1.472 | 1.404 |
| VERTICAL SPREAD               | : | 2.381  | 2.105 | 1.628 |
| EXTREME SPREAD                | : | 2.726  | 2.241 | 1.658 |
| NUMBER IN ONE INCH CIRCLE =   |   |        | 2     |       |
| NUMBER IN TWO INCH CIRCLE =   |   |        | 6     |       |
| NUMBER IN THREE INCH CIRCLE = |   |        | 9     |       |

25 May 1988

FILE:/PATTERNING/CENTERFIRE\_PATT/06225404

# CENTERFIRE PATTERNS # 5



# OF SHOTS = 10

# IN CIR

1in = 1

2in = 5

3in = 4

HM = 2.855

VM = 3.585

GM = 4.073

CENTROID \*

| PATTERN #                     | 5      |
|-------------------------------|--------|
| SHOTS (BEST OF)               | 10     |
| MAXIMUM X                     | 1.324  |
| MINIMUM X                     | -1.531 |
| MAXIMUM Y                     | 1.850  |
| MINIMUM Y                     | -1.735 |
| CENTROID X                    | -1.160 |
| CENTROID Y                    | 1.289  |
| POA TO CENTROID in.           | 1.298  |
| MIN RADIUS                    | .487   |
| MEAN RADIUS                   | 1.243  |
| MAX RADIUS                    | 2.182  |
| HORIZONTAL SPREAD             | 2.855  |
| VERTICAL SPREAD               | 3.585  |
| EXTREME SPREAD                | 4.073  |
| NUMBER IN ONE INCH CIRCLE =   | 1      |
| NUMBER IN TWO INCH CIRCLE =   | 5      |
| NUMBER IN THREE INCH CIRCLE = | 4      |

# RECEIVING AND ESTIMATING REPORT

COMMENTS

Scope # 88-1125

ORDER R 95-12060

INITIAL CUSTOMER ORDER NO.

M24 W/ULTRA 10X-M3A SCOPE, REDFIELD PEEP SIGHT, BI-POD, ADJUSTABLE RECOIL PAD, & DEPLOYMENT KIT.

|                           |                         |                      |                           |                   |                             |      |
|---------------------------|-------------------------|----------------------|---------------------------|-------------------|-----------------------------|------|
| DATE RECEIVED<br>04/06/95 | DATE OPENED<br>04/10/95 | DATE CODE<br>DI 9-88 | SERIAL NUMBER<br>C6225404 | NEW SERIAL NUMBER | MODEL AND GRADE<br>700 7.62 | NATO |
| ACCESSORIES<br>HARD CASE  |                         | W/STUDS              |                           | SCOPE BASE        |                             |      |

FROM:

TRAFFIC MANAGEMENT OFFICER  
437TH AERIAL PORT SQ/TRT  
200 WEST HILL BLVD.  
CHARLESTON AFB SC 29404

SHIP TO:

COMMANDER (W52H094138H226)  
DEFENSE DIST DEPOT ANNISTON  
ATTN DDAA-UR BLDG. 112  
ANNISTON AL 36201

CUST NO: 118593 C.D.D.L

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
- ☐ LIGHTLY WORN
- ☐ WORN
- ☐ VERY WORN
- ☐ UNREPAIRABLE
- ☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

| CUSTOMER CONCERN | AMMO | FUNCTION | FINISH | ACCURACY | FIT | INSPECT |
|------------------|------|----------|--------|----------|-----|---------|
|------------------|------|----------|--------|----------|-----|---------|

|               |            |    |    |    |    |    |
|---------------|------------|----|----|----|----|----|
| CYCLE         | A1         | B1 |    |    |    |    |
| TRIGGER GROUP |            | B2 |    |    | E1 | F1 |
| BOLT ASSY.    | New Bolt   |    |    |    | E2 | F2 |
| BARREL ASSY.  | New Barrel |    |    | D1 | E3 | F3 |
| REC. ASSY.    |            | B5 |    | D2 | F4 | F4 |
| WOOD          |            |    | C1 | D3 | E5 | F5 |
| METAL         |            |    | C2 |    |    |    |

MAIN FAULT

Barrel Shot out, Customer Returned Wrong Bolt  
Scope Returned to Factory for Repair

PARTS

COMMENTS

96003 - Barrel  
96005 - Bolt Assy  
96040 - Scope Repair

Repowder Coat - Trigger  
Guard Assy, Front & Rear  
Sight Base  
ReZinc. Scope Base &  
Swivel Studs

No Scope Rings Returned With  
Scope

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE



DA FORM 2404  
1 APR 79

Replaces edition of 1 Jan 64, which will be used



|                                                                                                                                                                                                                                                                                                           |                                                                                                                                 |                                            |                                                                   |                                                          |                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------------|--------------------|
| ITEM NOMENCLATURE<br><b>24</b>                                                                                                                                                                                                                                                                            |                                                                                                                                 | NET QUANTITY PER PACKAGE                   |                                                                   | TRANSPORTATION CONTROL NO.<br><b>W81C10-5046-0325XXX</b> |                    |
|                                                                                                                                                                                                                                                                                                           |                                                                                                                                 | CONSIGNMENT GROSS WEIGHT<br><b>129 LBS</b> |                                                                   | DESTINATION<br><b>ILION, NY (CMAN2W)</b>                 |                    |
| SUPPLEMENTAL INFORMATION<br><b>SIGNATURE &amp; TALLY RECORD AF 127.</b>                                                                                                                                                                                                                                   |                                                                                                                                 |                                            |                                                                   |                                                          | LOAD STORAGE/GROUP |
|                                                                                                                                                                                                                                                                                                           |                                                                                                                                 |                                            |                                                                   |                                                          | FLASH POINT        |
| This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Dept of Transportation. THIS IS A MILITARY SHIPMENT! (Complete applicable blocks below) |                                                                                                                                 |                                            |                                                                   |                                                          |                    |
| <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                       | This shipment is within the limitations prescribed for PASSENGER AIRCRAFT / CARGO AIRCRAFT ONLY (Delete nonapplicable aircraft) |                                            | ATA/IATA/IMCO REGULATIONS                                         |                                                          |                    |
|                                                                                                                                                                                                                                                                                                           | AFR 71-4, TM 38-250, NAVSUPPUB 505, MCO P4030.19, DLAM 4145.3, Paragraph                                                        |                                            |                                                                   | PARAGRAPH                                                | EXEMPTION          |
|                                                                                                                                                                                                                                                                                                           | DOD 4500.32R (MILSTAMP) <b>CHAP 2, SECT B, PARA 4.</b>                                                                          |                                            | <b>49 cfr</b>                                                     | 173.7 (a)                                                | DOT-E 7573         |
| ADDRESS OF SHIPPER<br><b>W81C10, CONS PROP ACCT, COROZAL, PR.<br/>285-4744</b>                                                                                                                                                                                                                            |                                                                                                                                 |                                            | TYPED NAME, SIGNATURE AND DATE<br><b>17 FEB 95</b>                |                                                          |                    |
| DD Form 1387-2, JUN 86                                                                                                                                                                                                                                                                                    |                                                                                                                                 |                                            | Previous editions are obsolete. Form Approved / OMB No. 0704-0188 |                                                          |                    |
| <b>SPECIAL HANDLING DATA / CERTIFICATION</b>                                                                                                                                                                                                                                                              |                                                                                                                                 |                                            |                                                                   |                                                          |                    |

PAGE NO.

REPLACES EDITION OF 1 APR 63, WHICH MAY BE USED.

**M240060212**

93D TAAMMC

FROM: \_\_\_\_\_

FOR: DOCUMENT CONTROL

## CHECKER'S TALLY SHEET

DATE: \_\_\_\_\_

PAGE: 1 OF 1

CONSIGNOR: W81C10

CONSIGNEE: ELTON NY

DODAAC: CMAH2W

24

CONTAINER: \_\_\_\_\_ TCN NO.: W81C10-5046-0325XXX

[illegible]

SOCO-MCS FORM 1141

AUG 93

## U.S. GOVERNMENT BILL OF LADING

ORIGINAL

B/L NO. ► G-6114666

|                                                                                                                                                                     |  |                                     |                                                                                                                                                                                                                              |                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 1. TRANSPORTATION COMPANY TENDERED TO<br>TRI-STATE MOTOR TRANSIT CO.                                                                                                |  | 2. SCAC<br>TSMT                     | 3. DATE B/L PREPARED<br>95.03.29                                                                                                                                                                                             | 4. ROUTE ORDER/RELEASE NUMBER<br>7YBAAD2RHA |
| 5. DESTINATION (Name, address and ZIP code)<br>TRANSPORTATION OFFICER<br>NEW CUMBERLAND ARMY DEPOT<br>ATTN: SDSNC-TT<br>NEW CUMBERLAND, PA 17070-5001               |  | 6. SPLC (Dest.)<br>209405250        | 8. ORIGIN (Name, address and ZIP code)<br>TRAFFIC MANAGEMENT OFFICER<br>BUILDING 611<br>CHARLESTON AFB, SC 29404-5270                                                                                                        |                                             |
|                                                                                                                                                                     |  | 7. SPLC (Orig.)<br>447840240        |                                                                                                                                                                                                                              |                                             |
| 9. CONSIGNEE (Name, address and ZIP code of installation)<br>TRANSPORTATION OFFICER<br>NEW CUMBERLAND ARMY DEPOT<br>ATTN: SDSNC-TT<br>NEW CUMBERLAND, PA 17070-5001 |  | 10. GBLOC (Cons.)<br>DNAQ<br>W25GIU | 11. SHIPPER (Name, address and ZIP code)<br>TRAFFIC MANAGEMENT OFFICER<br>437TH AERIAL PORT SQ/TRT<br>200 WEST HILL BLVD<br>CHARLESTON AFB, SC 29404-4718<br>FB4418                                                          |                                             |
| 12. APPROPRIATION CHARGEABLE<br>SEE DESCRIPTION OF ARTICLES                                                                                                         |  |                                     | 13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code)<br>DEFENSE ACCOUNTING OFFICE-CL<br>TRANSPORTATION PAYMENT CTR (ISBBD)<br>P.O. BOX 8480<br>NORFOLK, VA 23503-0489<br>AGENCY LOC CODE<br>N63408 |                                             |
| 14. VIA (Route shipment when advantageous to the Government)                                                                                                        |  |                                     |                                                                                                                                                                                                                              |                                             |

15. MARKS AND ANNOTATIONS (if extra services are ordered, see Administrative Directions No. 2 on reverse) TP:3 DDD:95.03.24 CAFL-01-5079006-01

EQUIPMENT 1  
DN: DUAL DRIVER PROTECTIVE SERVICE WIT  
DS: DROMEDARY SERVICE  
... 1) INITIATING EXPL: N  
SM: DTTS SATELLITE MOTOR SURVEILLANCE  
SO: STOP-OFF IN TRANSIT  
(108) DUAL DRIVER PROTECTIVE SERVICE

WITH NATIONAL AGENCY CHECK REQUESTED.  
SIGNATURE AND TALLY RECORD (DD FORM  
1907) FURNISHED TO CARRIER.

(111) SHIPPER TO LOAD AND CONSIGNEE TO  
UNLOAD.  
SEE DESCRIPTION OF ARTICLES

| 16. PACKAGES |      | 17. 18. DESCRIPTION OF ARTICLES                                                                                                                                                                                                                                   | 19. WEIGHT*   | FOR USE OF BILLING CARRIER ONLY |      |         |
|--------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------|------|---------|
| NO.          | KIND | (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)                                                                                                                                                  | (Pounds only) | Services                        | Rate | Charges |
|              |      | CLASSIFICATION ITEM NO.<br>999913                                                                                                                                                                                                                                 |               |                                 |      |         |
|              |      | THIS BL CONSISTS OF 5 PAGES                                                                                                                                                                                                                                       |               |                                 |      |         |
|              |      | FAK, RVNE \$2.50 PER LB                                                                                                                                                                                                                                           |               |                                 |      |         |
|              |      | THIS IS TO CERTIFY THAT THE HEREIN-<br>NAMED MATERIALS ARE PROPERLY<br>CLASSIFIED, DESCRIBED, PACKAGED,<br>MARKED & LABELED, AND ARE IN PROPER<br>CONDITION FOR TRANSPORTATION ACCORDING<br>TO THE APPLICABLE REGULATIONS OF THE<br>DEPARTMENT OF TRANSPORTATION. |               |                                 |      |         |
|              |      | SIGNED...<br>DATE....<br>TOT QTY: 1223 P CU: 34.5 SHIP AS-><br>SEE CONTINUATION SHEET FOR DETAILS                                                                                                                                                                 | 5000          |                                 |      |         |
| 4            | CR   |                                                                                                                                                                                                                                                                   |               | TOTAL CHARGES                   |      |         |

|                                                     |                                                                                                                         |                           |                                                         |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------------------------------|
| 20. TARIFF/SPECIAL RATE AUTHORITY<br>TSMT 001600-00 | 21. PICKUP SERV. FURNISHED <input checked="" type="checkbox"/> YES<br>VEHICLE FULLY LOADED <input type="checkbox"/> YES | SHIPPER'S INITIALS<br>SDR | 22. CARRIER WAY/FREIGHT BILL NO. AND DATE<br>200#658982 |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------------------------------|

|                                                             |                                                              |  |                                      |  |             |           |                 |                 |                |
|-------------------------------------------------------------|--------------------------------------------------------------|--|--------------------------------------|--|-------------|-----------|-----------------|-----------------|----------------|
| 23. STOP THIS SHIPMENT AT<br>SEE CONTINUATION SHEET<br>FOR: | 24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS |  |                                      |  |             |           |                 |                 |                |
|                                                             | INITIALS & NO.                                               |  | SEAL NUMBERS                         |  | LENGTH/CUBE |           | MARKED CAPACITY |                 | DATE FURNISHED |
|                                                             | TSMT: 1<br>DRom 774                                          |  | 0704012<br>0704013<br>APPLIED BY: SH |  | ORDERED     | FURNISHED | ORDERED<br>AD   | FURNISHED<br>AD | 95.03.30       |

|                                                   |                                          |                     |                         |
|---------------------------------------------------|------------------------------------------|---------------------|-------------------------|
| 25. CARRIER'S PICKUP DATE<br>(Year, month, & day) | 26a. SIGNATURE OF AGENT<br>Judy J. Burns | 26b. PER<br>J.S.M.T | B/L NUMBER<br>G-6114666 |
|---------------------------------------------------|------------------------------------------|---------------------|-------------------------|

|               |                      |                         |                    |                  |                                                                                                                                                                                                                                                                                                                                                                                |
|---------------|----------------------|-------------------------|--------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 27. MODE<br>B | 28. ESTIMATE<br>1752 | 29. NO. OF CLS/CLS<br>1 | 30. TYPE RATE<br>1 | 31. FSC<br>DN:SM | 32. REASON<br>Received by the transportation company named above, subject to conditions named on the reverse hereof, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee. |
|---------------|----------------------|-------------------------|--------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                  |  |  |                                                                                                                                                                 |  |                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FOR USE OF ISSUING OFFICE                                                                                                                                        |  |  | CERTIFICATE OF CARRIER BILLING- CONSIGNEE MUST NOT PAY ANY CHARGES                                                                                              |  |                                                                                                                                                                                                  |
| 33a. ISSUING OFFICE (Name and complete address)<br>TRAFFIC MANAGEMENT OFFICER<br>437TH AERIAL PORT SQ/TRT<br>200 WEST HILL BLVD<br>CHARLESTON AFB, SC 29404-4718 |  |  | 34a. DELIVERED ON<br>(Year, month & day)                                                                                                                        |  | 34b. AT (actual delivery point)                                                                                                                                                                  |
| 33b. GBLOC<br>CAFL                                                                                                                                               |  |  | 34c. BY (Name of delivering carrier)                                                                                                                            |  |                                                                                                                                                                                                  |
| 33c. ISSUING OFFICER<br>IRVING L MIESLER, TRANSPORTATION OFFICER                                                                                                 |  |  | 34d. DELIVERED THIS CONSIGNMENT COMPLETE & IN APPARENT GOOD ORDER EXCEPT AS MAY BE INDICATED <input type="checkbox"/> SHORTAGE <input type="checkbox"/> DAMAGED |  |                                                                                                                                                                                                  |
| 33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY                                                                                                              |  |  | 33e. DATED                                                                                                                                                      |  | 34e. <input type="checkbox"/> CARRIER OS&D REPORT ATTACHED<br><input type="checkbox"/> DELIVERY AT DESTINATION FURNISHED<br><input type="checkbox"/> ACCESSORIAL SERVICES CERTIFICATION ATTACHED |
| 33f. FOB POINT NAMED IN CONTRACT                                                                                                                                 |  |  | 34f. NAME OF BILLING CARRIER                                                                                                                                    |  |                                                                                                                                                                                                  |
|                                                                                                                                                                  |  |  | 34g. SIGNATURE OF CARRIER'S AGENT                                                                                                                               |  |                                                                                                                                                                                                  |

\*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

DOD EXCEPTION TO SF 1103 APPROVED BY GSA/IRMS-8/88

1103-121-01

WHITE

STANDARD FORM 1103 (REV. 4-85)  
PRESCRIBED BY GSA, FPMR (41 CFR) 101-11.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER  
KINZER V. REMINGTON

M2400060214

# U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

ORIGINAL

B/L  
NO.

G-6114666

SHEET NO.

3 OF 5

(This form is to be used as a continuation sheet for SF 1103, U.S. Government Bill of Lading- Original, or SF 1203, U.S. Government Bill of Lading - Privately Owned Personal Property- Original.)

ISSUING OFFICE (Name and complete address)

TRAFFIC MANAGEMENT OFFICER  
437TH AERIAL PORT SQ/TRT  
200 WEST HILL BLVD  
CHARLESTON AFB, SC 29404-4718

TRANSPORTATION COMPANY TENDERED TO

TRI-STATE MOTOR TRANSIT

FROM(Shipping Point)

FB4418  
447840240

WAYBILL DATE

WAYBILL NUMBER

| PACKAGES |      | HM | DESCRIPTION OF ARTICLES<br>(Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.) | WEIGHT*<br>(Pounds only) | FOR USE OF BILLING CARRIER ONLY |      |         |
|----------|------|----|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------|------|---------|
| NO.      | KIND |    |                                                                                                                                              |                          | SERVICES                        | RATE | CHARGES |
|          |      |    | STOP-OFF: 02 (UNLOADING)                                                                                                                     |                          |                                 |      |         |
|          |      |    | REMINGTON ARMS CO, INC<br>14 HOEFER AVE<br>ILION, NY 13357<br>SPLC: 172556000                                                                |                          |                                 |      |         |
| 1        | CR   |    | TCN: W81C1050460325XXX CU:6.5 AMMO<br>DIM: 0033L0020W0017H<br>APPRO: 2152020 65-8251 P424941.F1 (TMAM)<br>2217 S11173                        | 4/7/95<br>129            |                                 |      |         |
| 1        | CR   |    | STOP-OFF 02 TOTALS (UNLOADING)CU:6.5                                                                                                         | 129                      |                                 |      |         |
|          |      |    | RECEIVED BY: _____<br>DATE.....: _____                                                                                                       |                          |                                 |      |         |

\*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1109-114-01  
DOD EXCEPTION TO SF 1109 APPROVED BY GSA/IRMS - 7/78.  
WHITE

STANDARD FORM 1109, (REV. 4-85)  
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER  
KINZER V. REMINGTON

M2400060215

## SIGNATURE AND TALLY RECORD

FORM APPROVED  
OMB No. 0702-0027  
Expires Oct 31, 1988

## DISTRIBUTION INSTRUCTIONS

- \* The SHIPPER will prepare copies 1 through 4, retain copy 4 and deliver copies 1 through 3 to the Origin Carrier.
- \* The CARRIER will deliver copies 1 through 3 to the Destination Carrier.
- \* The DESTINATION CARRIER will attach copy 1 (reflecting all signatures) and Standard Form 1113 (Public Voucher for Transportation Charges) to the original Government Bill of Lading, and forward for payment. Copy 2 will be delivered to the Consignee. Copy 3 will be retained.
- \* The CONSIGNEE will ensure Destination Carrier surrenders copy 2.

## SECTION A - To be completed by the SHIPPER

|                                                                                              |                                                                                                                                                            |                                                                                             |                             |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------|
| 1. SHIPPER                                                                                   |                                                                                                                                                            | 2. PROTECTIVE SERVICE REQUESTED                                                             |                             |
| a. NAME<br>CHARLESTON AFB SC FB4418                                                          |                                                                                                                                                            | DN DUAL DRIVER PROTECTIVE SERVICE WITH NAC<br>SM DTTTS SATELLITE MOTOR SURVEILLANCE SERVICE |                             |
| b. ORIGIN<br>TRAFFIC MANAGEMENT OFFICER<br>BUILDING 611<br><br>CHARLESTON AFB, SC 29404-5270 |                                                                                                                                                            | 3. GBL OR CBL NUMBER<br>G-6114666                                                           |                             |
| 4. CONSIGNEE                                                                                 |                                                                                                                                                            | 5. PERMIT NUMBER (if any)                                                                   |                             |
| a. NAME<br>REMINGTON ARMS CO, INC EEEEEZ                                                     |                                                                                                                                                            |                                                                                             |                             |
| b. DESTINATION<br>REMINGTON ARMS CO, INC<br>14 HOEFLE AVE<br><br>ILION, NY 13357             |                                                                                                                                                            | 6. TRANSPORTATION CONTROL NUMBER (CAFL-01-5079006 -01)<br>W81C1050460325XXX                 |                             |
| 7. ROUTING<br>TRI-STATE MOTOR TRANSIT CO.                                                    |                                                                                                                                                            | 8. WEIGHT<br>129 POUNDS                                                                     | 9. CUBE<br>6.5              |
| 10. SPECIAL INSTRUCTIONS                                                                     |                                                                                                                                                            | 11. DATE SHIPMENT<br>TENDERED TO CARRIER<br>..                                              | 12. NAME OF CARRIER<br>TSMT |
| 13. NUMBER<br>OF PIECES<br><br>1                                                             | 14. TYPE OF PACKAGE(S) (For unsealed loads only)<br>OR CONVEYANCE IDENTIFICATION & SEAL<br>NUMBERS (for sealed loads only)<br>TSMT-1<br>0704012<br>0704013 | 15. FREIGHT CLASSIFICATION DESCRIPTION<br>999913<br>FAK, RVNE \$2.50 PER LB                 |                             |

## SECTION B - To be completed by each person accepting custody of classified or protected material requiring the use of transportation protective service during transit.

| 16. CUSTODY RECORD                                 |                                             |                                             |                     |                     |
|----------------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------|---------------------|
| a. PRINT NAME OF PERSON AND<br>COMPANY REPRESENTED | b. STATION INTERCHANGE POINT<br>DESTINATION | c. SIGNATURE OF PERSON<br>ACCEPTING CUSTODY | d. TIME<br>ACCEPTED | e. DATE<br>ACCEPTED |
| Billy R. Burros                                    | Charleston AFB, SC                          | Billy R. Burros                             | 1130                | 3-30-95             |
| Judy I. Burros                                     | "                                           | Judy I. Burros                              | 1130                | 3-30-95             |
| GENE CLONTS                                        | TSMT 402                                    | Gene Clonts                                 | 21200               | 3-31-95             |
| Bob Strickland                                     | TSMT 402                                    | Bob Strickland                              | 211700              | 3-31-95             |
| Billy R. Burros                                    | "                                           | Billy R. Burros                             | 11:45               | 3-31-95             |
| Judy I. Burros                                     | "                                           | Judy I. Burros                              | 11:45               | 3-31-95             |
| CARL W. BIGGERS                                    | Dyfl... no threat                           | Carl Biggers                                | 21200               | 4-1-95              |
| C. Whitworth                                       | "                                           | C. Whitworth                                | 2300                | 4-1-95              |
| J. Thomasberry                                     | "                                           | J. Thomasberry                              | 0600                | 4-2-95              |
| C. Thomasberry                                     | "                                           | C. Thomasberry                              | 0600                | 4-2-95              |

[illegible]

|                                                                                         |  |                                                                            |                                            |
|-----------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------|--------------------------------------------|
| FSN, PART NO. AND ITEM DESCRIPTION<br>1005 01-290-2136<br>SNIPER RIFLE<br>762 MM<br>M24 |  | UNSERVICEABLE (REPARABLE)<br>TAG - MATERIEL (E)                            |                                            |
|                                                                                         |  | INSPECTION ACTIVITY<br>VOL WEAPON                                          | CONDITION CODE                             |
| SERIAL NO./LOT NO.<br>C6225444                                                          |  | REASON FOR REPARABLE CONDITION<br>T.T FOR TURN-IN<br>SCOPE IS PROPERLY ADJ |                                            |
| CONTRACT OR PURCHASE ORDER NO.<br>16442                                                 |  | UNIT OF ISSUE<br>EA                                                        | REMOVED FROM<br>STATION                    |
| REMARKS<br>D. CO. 144 ND<br>COND CODE (R) (E)                                           |  | QUANTITY<br>1                                                              | INSPECTOR'S NAME OR STAMP AND DATE<br>4250 |

U.S. GPO: 1992-331-789

|                                                                                          |  |                                                        |                     |
|------------------------------------------------------------------------------------------|--|--------------------------------------------------------|---------------------|
| FSN, PART NO. AND ITEM DESCRIPTION<br>1005-01-240-2136<br>SNIPER RIFLE<br>7.62 MM<br>M24 |  | UNSERVICEABLE (REPAIRABLE)<br>TAG - MATERIEL           |                     |
|                                                                                          |  | INSPECTION ACTIVITY<br>DOL WEAPON                      | CONDITION CODE<br>F |
| SERIAL NO./LOT NO.<br>CC225404                                                           |  | REASON FOR REPAIRABLE CONDITION<br>TT FOR TURN IN      |                     |
| UNIT OF ISSUE<br>EA                                                                      |  | SCOPE IS INOPERATIVE                                   |                     |
| CONTRACT OR PURCHASE ORDER NO.<br>16042                                                  |  | NO REPAIRABLE AT BAS                                   |                     |
| QUANTITY<br>1                                                                            |  | REMOVED FROM<br>STATION                                |                     |
| REMARKS<br>D.C.O. 142 ND-<br>Cord of cord P.H.E.D.C.I.                                   |  | INSPECTOR'S NAME OR STAMP AND DATE<br>[Signature] 9250 |                     |

WARNING: This tag may be removed from the property of the U.S. Government only by the authorized personnel of the U.S. Government.

DD FORM 1577-2, 1 OCT 65

\* U.S. GPO: 1992-331-799

CONTRACT # DAAA21-87-C-0086

New Barrel

GUN SERIAL # C6205404

8  
Bolt

| OP. #        | OP. NAME                                                       | READINGS | DATE    | INITIAL |
|--------------|----------------------------------------------------------------|----------|---------|---------|
| 575 &<br>580 | Assemble Action<br>and Stock                                   |          | 4/28/95 | RW      |
| 600          | Proof                                                          |          | 4/28/95 | RW      |
| 607          | Check Headspace                                                |          | 4/28/95 | RW      |
| 610          | Dis-assemble Gun                                               |          | 4/28/95 | RW      |
| 612          | Magnaflux Barrel<br>Action                                     |          |         |         |
|              | Magnaflux Bolt                                                 |          |         |         |
| 615          | Rollmark Caliber                                               |          |         |         |
| 617          | Drill and Tap Sight Holes                                      |          |         |         |
| 618          | Polish Barrel                                                  |          |         |         |
| 620          | Apply Coatings<br>(Barrel Action)                              |          |         |         |
|              | Apply Coating (Bolt)                                           |          |         |         |
| 625          | Final Assembly<br>A) Clean inside of<br>Bolt Assembly          |          | 5/9/95  | RW      |
|              | B) Inspect Rear Firing<br>Pin Hole for Chamfer<br>in Bolt Head |          | 5/9/95  | RW      |
|              | C) Inspect Ejector Hole<br>for Chamfer                         |          | 5/9/95  | RW      |
|              | D) Oil Firing Pin Ass'y                                        |          | 5/9/95  | RW      |
|              | E) Adjust Trigger Pull to<br>Min Setting and Stake             |          | 5/9/95  | RW      |

| op. #        | OP. NAME                                                    | READINGS |      |      | DATE    | INIT |
|--------------|-------------------------------------------------------------|----------|------|------|---------|------|
| 625<br>cont. | F) Safety On Force                                          |          |      |      |         |      |
|              | G) Safety Off Force                                         |          |      |      |         |      |
|              | H) Trigger Pull Test & Retainability                        |          |      |      |         |      |
|              | I) Firing Pin Indent                                        | .021     | .022 | .021 | 5/9/95  | RW   |
|              | J) Assemble Stock                                           |          |      |      |         |      |
|              | K) Assemble Swivel Studs                                    |          |      |      |         |      |
|              | L) Attach Front and Rear Sight Assemblies                   |          |      |      |         |      |
|              | M) Iron Sight Alignment                                     |          |      |      |         |      |
|              | N) Detach Front & Rear Sights & place in numbered container |          |      |      |         |      |
|              | O) Attach Scope to Rifle                                    |          |      |      |         |      |
|              | P) Detach & Attach Scope 20 Times                           |          |      |      |         |      |
| 640          | Gallery Target & Test                                       |          |      |      | 5/11/95 | RW   |
|              | A) Time                                                     |          |      |      |         |      |
|              | B) Malfunctions                                             |          |      |      |         |      |
|              | C) Pierced Primers                                          |          |      |      |         |      |
|              | D) Optical Clarity of Scope                                 |          |      |      |         |      |
| 645          | Inspect for Live Ammo                                       |          |      |      | 5/11/95 | RW   |
| 655          | Final Inspection                                            |          |      |      |         |      |
|              | A) Headspace                                                |          |      |      | 5/12/95 | RW   |
|              | B) Trigger Pull                                             |          |      |      |         |      |
|              | C) Function                                                 |          |      |      | 5/12/95 | RW   |
| 660          | Pack                                                        |          |      |      |         |      |

## Final Inspection

Sni. C6225404

DATE REC'D: 4/6/95

DATE RET'D:

Auditor: RW

Item:

Barrel Assy.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

Scope Assy.

☒ Scope☐ Scope Rings☐ Mounting Screws☒ Mounting Base☐ Screws☒ FINISH☒ Looseness☒ CLARITY

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ Stock☒ Sling Swivel Studs☒ ADJUSTABLE Butt PLATE☒ Lock Nuts☒ BARREL CLEARANCE☒ COLOR/FINISH

Systems Case

☒ Scope Case☐ Iron SIGHTS☐ Deployment Kit

Trigger

☒ SAFETY OPERATION☒ SET☒Comments: Scope Returned  
to Factory for Repair

CENTROIDAL DISTANCE CALCULATIONS  
FOR RIFLE # C6225404  
22 May 1995

CENTROIDAL DISTANCES

|      |   |          |
|------|---|----------|
| 0 TO | 1 | .429104  |
| 1 TO | 2 | .7227853 |
| 1 TO | 3 | .702627  |
| 1 TO | 4 | .443299  |
| 1 TO | 5 | .566622  |


$\frac{5}{21}$  <----POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .0516  
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .015  
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .053736  
THE AMR FOR THIS RIFLE IS: 1.041

22 May 1985

FILE:/PATTERNING/CENTERFIRE\_PATT/C6225404

# CENTERFIRE PATTERNS # 1



# OF SHOTS= 10

# IN CIR

1in = 1

2in = 3

3in = 8

HS= 2.511

VS= 3.281


GS= 3.494

| PATTERN #                     | : | 10     | 9      | 8      |
|-------------------------------|---|--------|--------|--------|
| SHOTS (BEST OF)               | : | 10     | 9      | 8      |
| MAXIMUM X                     | : | 1.145  | 1.235  | 1.196  |
| MINIMUM X                     | : | -1.365 | -1.276 | -1.315 |
| MAXIMUM Y                     | : | 1.691  | 1.514  | 1.059  |
| MINIMUM Y                     | : | -1.590 | -.871  | -.682  |
| CENTROID X                    | : | .421   | .332   | .371   |
| CENTROID Y                    | : | -.083  | .094   | -.095  |
| POA TO CENTROID in.           | : | .430   | .346   | .383   |
| MIN RADIUS                    | : | .109   | .105   | .128   |
| MEAN RADIUS                   | : | 1.099  | 1.024  | .938   |
| MAX RADIUS                    | : | 1.781  | 1.545  | 1.403  |
| HORIZONTAL SPREAD             | : | 2.511  | 2.511  | 2.511  |
| VERTICAL SPREAD               | : | 3.281  | 2.385  | 1.741  |
| EXTREME SPREAD                | : | 3.494  | 2.595  | 2.561  |
| NUMBER IN ONE INCH CIRCLE =   | : | 1      |        |        |
| NUMBER IN TWO INCH CIRCLE =   | : | 3      |        |        |
| NUMBER IN THREE INCH CIRCLE = | : | 8      |        |        |

22 May 1995

FILE:/PATTERNING/CENTERFIRE\_PATT/06225404

# CENTERFIRE PATTERNS # 2



# OF SHOTS= 10

# IN CIR

1in = 1

2in = 5

3in = 9

HS= 3.145

VS= 1.904


GS= 3.168

|                             |   |        |        |        |
|-----------------------------|---|--------|--------|--------|
| PATTERN #                   | : | 2      |        |        |
| SHOTS (BEST OF)             | : | 10     | 9      | 8      |
| MAXIMUM X                   | : | 1.837  | .831   | .693   |
| MINIMUM X                   | : | -1.308 | -1.104 | -1.224 |
| MAXIMUM Y                   | : | .997   | 1.022  | 1.100  |
| MINIMUM Y                   | : | -.907  | -.882  | -.804  |
| CENTROID X                  | : | .195   | -.009  | .129   |
| CENTROID Y                  | : | -.112  | -.137  | -.215  |
| FOR TO CENTROID in.         | : | .225   | .137   | .251   |
| MIN RADIUS                  | : | .339   | .502   | .448   |
| MEAN RADIUS                 | : | 1.021  | .942   | .870   |
| MAX RADIUS                  | : | 1.850  | 1.271  | 1.266  |
| HORIZONTAL SPREAD           | : | 3.145  | 1.935  | 1.917  |
| VERTICAL SPREAD             | : | 1.904  | 1.904  | 1.904  |
| EXTREME SPREAD              | : | 3.168  | 2.312  | 2.312  |
| NUMBER IN ONE INCH CIRCLE   | = |        | 1      |        |
| NUMBER IN TWO INCH CIRCLE   | = |        | 5      |        |
| NUMBER IN THREE INCH CIRCLE | = |        | 9      |        |

22 May 1995

FILE:/PATTERNING/CENTERFIRE\_PATT/C6225404

CENTERFIRE PATTERNS # 3



# OF SHOTS= 10

# IN CIR

1in = 1

2in = 6

3in = 8

HS= 2.609

VS= 1.693

GS= 2.783

|                             |   |        |        |       |
|-----------------------------|---|--------|--------|-------|
| PATTERN #                   | : | 3      |        |       |
| SHOTS (BEST OF)             | : | 10     | 9      | 8     |
| MAXIMUM X                   | : | .881   | .689   | .487  |
| MINIMUM X                   | : | -1.728 | -1.614 | -.737 |
| MAXIMUM Y                   | : | .745   | .699   | .778  |
| MINIMUM Y                   | : | -.948  | -.994  | -.915 |
| CENTROID X                  | : | -.261  | -.069  | .133  |
| CENTROID Y                  | : | .086   | .132   | .053  |
| POA TO CENTROID in.         | : | .275   | .149   | .143  |
| MIN RADIUS                  | : | .484   | .436   | .352  |
| MEAN RADIUS                 | : | .968   | .832   | .696  |
| MAX RADIUS                  | : | 1.777  | 1.732  | .998  |
| HORIZONTAL SPREAD           | : | 2.609  | 2.303  | 1.224 |
| VERTICAL SPREAD             | : | 1.693  | 1.693  | 1.693 |
| EXTREME SPREAD              | : | 2.783  | 2.783  | 1.844 |
| NUMBER IN ONE INCH CIRCLE   | = |        | 1      |       |
| NUMBER IN TWO INCH CIRCLE   | = |        | 6      |       |
| NUMBER IN THREE INCH CIRCLE | = |        | 8      |       |


22 May 1995

FILE: \PATTERNING\CENTER\

N.T\08225484

CENTERFIRE PRT # 4

POR



# OF SHOTS - 10

# IN CIR

1 in = 8

2 in = 6

3 in = 6

ME = 2.3008

MS = 2.543


GS = 2.0855

| PATTERN #                     | 1     | 2      | 3     |
|-------------------------------|-------|--------|-------|
| SHOTS (BEST OF)               | 10    | 9      | 8     |
| MAXIMUM X                     | -.39  | .790   | .640  |
| MINIMUM X                     | -1.10 | -1.199 | -.777 |
| MAXIMUM Y                     | 1.151 | 1.164  | 1.219 |
| MINIMUM Y                     | -.981 | -.967  | -.812 |
| CENTROID X                    | -.012 | -.123  | .027  |
| CENTROID Y                    | -.012 | -.153  | -.208 |
| POR TO CENTROID in.           | .017  | .196   | .210  |
| MIN RADIUS                    | .576  | .483   | .418  |
| MEAN RADIUS                   | .848  | .820   | .739  |
| MAX RADIUS                    | 1.787 | 1.276  | 1.259 |
| HORIZONTAL SPREAD             | 2.309 | 1.989  | 1.417 |
| VERTICAL SPREAD               | 1.513 | 2.031  | 2.031 |
| EXTREME SPREAD                | 2.355 | 2.306  | 2.306 |
| NUMBER IN ONE INCH CIRCLE =   |       | 8      |       |
| NUMBER IN TWO INCH CIRCLE =   |       | 6      |       |
| NUMBER IN THREE INCH CIRCLE = |       | 9      |       |

22 May 1995

FILE:/PATTERNING/CENTERFIRE\_PATT/C6225404

# CENTERFIRE PATTERNS # 5



# OF SHOTS- 10

# IN CIR

1 in = 0

2 in = 3

3 in = 9

HS= 2.680

VS= 3.115

GS= 3.421

CENTROID \*

| PATTERN #                     | : | 5      |        |        |
|-------------------------------|---|--------|--------|--------|
| SHOTS (BEST OF)               | : | 10     | 9      | 8      |
| MAXIMUM X                     | : | 1.217  | 1.055  | 1.028  |
| MINIMUM X                     | : | -1.463 | -1.264 | -1.291 |
| MAXIMUM Y                     | : | 1.736  | 1.113  | .965   |
| MINIMUM Y                     | : | -1.379 | -1.186 | -.813  |
| CENTROID X                    | : | -.085  | .077   | .104   |
| CENTROID Y                    | : | .172   | -.021  | .127   |
| POA TO CENTROID in.:          | : | .192   | .080   | .164   |
| MIN RADIUS                    | : | .577   | .624   | .701   |
| MEAN RADIUS                   | : | 1.170  | 1.013  | .989   |
| MAX RADIUS                    | : | 2.270  | 1.358  | 1.291  |
| HORIZONTAL SPREAD             | : | 2.680  | 2.319  | 2.319  |
| VERTICAL SPREAD               | : | 3.115  | 2.299  | 1.778  |
| EXTREME SPREAD                | : | 3.421  | 2.368  | 2.321  |
| NUMBER IN ONE INCH CIRCLE =   | : |        | 0      |        |
| NUMBER IN TWO INCH CIRCLE =   | : |        | 3      |        |
| NUMBER IN THREE INCH CIRCLE = | : |        | 9      |        |

## RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER  
R 99-08868

INITIAL CUSTOMER ORDER NO.

SWS 166

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

04/05/99

04/05/99

C6225404

700 7.62

M/24

ACCESSORIES

FROM:

US ARMY  
C CO 3RD BN 7TH SFG (A)  
FT CLAYTON PAN AM

34004

SHIP TO:

US ARMY  
C CO 3RD BN 7TH SFG (A)  
ATTN: ROBERT HOBART  
FT CLAYTON PAN AM

34004

CUST NO: 132573 C.O.D.L

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

DOOR

GUN CONDITION

- ☐ NEW  
☐ LIGHTLY WORN  
☐ WORN  
☐ VERY WORN  
☐ UNREPAIRABLE  
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

A1

B1

TRIGGER GROUP

B2

BOLT ASSY.

B3

BARREL ASSY.

B4

REC. ASSY.

B5

WOOD

C1

METAL

C2

MAIN FAULT

ARTS

COMMENTS

Barrel

96003

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD5925 REV. 7/97

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER  
KINZER V. REMINGTON

M2400060229

Receipt Of Firearm(s) Delivered to the Plant for Repair  
Firearm Checked For Live Ammunition [ ]

File # 00166

Delivery Date 04/05/99

Customer Name (Print) U.S. ARMY Robert Adhart  
Address Cco. 3rd BD 7th SFG State Danema Zip 34004  
Phone Number (011) - 507 284-4287

Firearm Description Model m124 Cal./Ga. 7.62  
Serial Number C6225404  
Stock/ Fore-end Condition circle the description  
(Excellent; Good; Fair; Poor; Fancy; Plain, Synthetic, Wood)  
Comments on Stock/ Fore-end condition \_\_\_\_\_  
Metal Condition circle the description  
(Excellent; Good; Fair; Poor; Fancy; Plain Stainless Steel)  
Comments on Metal condition \_\_\_\_\_  
Barrel Type (VT. Rib; Plain; Deer; Stainless Steel ) Barrel length \_\_\_\_\_  
List additional accessories IE Scope, Sling, Gun case and description; \_\_\_\_\_

Customer request: Recondition as per (swg)

Return Process Return to Clark St. Ent. [ ] Return via UPS [ ]

By signing this receipt the person delivering the firearm understands to be the only person to receive the firearm upon completion of repairs.

Signature [Signature] Date 04/05/99  
person delivering firearm.

Signature [Signature] Date 4/5/99  
security officer

Signature [Signature] Date 4/5/99  
arms service / CSR

Customer Pick Up Verification

I certify, I am the same person whom delivered the above described firearm to the Remington Ilion plant for repair and may lawfully possess a firearm in New York State

Signature \_\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_  
person receiving firearm must be the same whom delivered

Signature \_\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_  
security officer or other witness returning the firearm

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # c6225404  
26 May 1999

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .2124  
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0358  
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .215396

THE AMR FOR THIS RIFLE IS: 1.212

# CENTROIDAL DISTANCES

|        |         |
|--------|---------|
| 0 TO 1 | .403071 |
| 1 TO 2 | .535516 |
| 1 TO 3 | .579966 |
| 1 TO 4 | .199123 |
| 1 TO 5 | .220484 |


3  
+ <----POA  
4 1

PATTERN #: 5  
 POA TO CENTROID: .252  
 MIN RADIUS : .383  
 MEAN RADIUS : 1.095  
 MAX RADIUS : 1.582  
 CENTROID X : .147  
 CENTROID Y : -.204

26 May 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire\_Patt/c6225404

# CENTERFIRE PATTERN # 5



# OF SHOTS= 10

# IN CIRCLE

HS= 2.79  
 VS= 2.50  
 GS= 2.79


1  
 3  
 6

PATTERN #: 4  
 POA TO CENTROID: .233  
 MIN RADIUS : .645  
 MEAN RADIUS : 1.606  
 MAX RADIUS : 3.036  
 CENTROID X : .166  
 CENTROID Y : -.164

26 May 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire\_Patt/c6225484

# CENTERFIRE PATTERN # 4



# OF SHOTS= 10

# IN CIRCLE

HS= 2.81

0

VS= 5.36

2

GS= 5.39


6

PATTERN #: 3  
 POA TO CENTROID: .434  
 MIN RADIUS : .152  
 MEAN RADIUS : 1.125  
 MAX RADIUS : 2.719  
 CENTROID X : .200  
 CENTROID Y : .385

26 May 1999

FILE:/Hqbasic/Accuracy/Patterning/Centerfire\_Patt/c6225484

# CENTERFIRE PATTERN # 3



# OF SHOTS= 10

# IN CIRCLE

HS= 2.32

2

VS= 4.15

5

GS= 4.27


7

PATTERN #: 2  
 POA TO CENTROID: .380  
 MIN RADIUS : .120  
 MEAN RADIUS : .999  
 MAX RADIUS : 2.213  
 CENTROID X : .184  
 CENTROID Y : .333

26 May 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire\_Patt/c6225404

# CENTERFIRE PATTERN # 2



# OF SHOTS= 10

# IN CIRCLE

HS= 2.31

2

VS= 3.32

5

GS= 3.71


8

PATTERN #: 010  
 POA TO CENTROID: .403  
 MIN RADIUS : .178  
 MEAN RADIUS : 1.234  
 MAX RADIUS : 2.740  
 CENTROID X : .365  
 CENTROID Y : -.171

26 May 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire\_Patt/c6225404

# CENTERFIRE PATTERN # 1



# OF SHOTS= 10

# IN CIRCLE

HS= 3.56

1

VS= 3.19

4

GS= 4.22

7