

G-6300 604
Replace
C-622 5465

For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG

APD PE v1.10

M2400162975

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: G6300604.___0
FILE DATE AND TIME: 03/30/2007 06:03

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	-0.034
The Average Y Centroid of the Five Target Set:	-0.046
The Average Point of Impact of the Five Target Set:	0.058
The Average Mean Radius of the Five Target Set:	0.693
The Distance from POA to Centroid Target #1:	0.066
The Distance from Centroid Target #2 to Centroid Target #1:	0.072
The Distance from Centroid Target #3 to Centroid Target #1:	0.155
The Distance from Centroid Target #4 to Centroid Target #1:	0.240
The Distance from Centroid Target #5 to Centroid Target #1:	0.177

SERIAL NUMBER: G6300604. __0

TARGET NUMBER: 1

FILE DATE: 03/30/2007

FILE TIME: 06:03

X CENTROID: 0.047

Y CENTROID: 0.046

POA TO CENTROID: 0.066

HORZ SPREAD: 1.940

VERT SPREAD: 2.492

GROUP SPREAD: 3.018

MIN RADIUS: 0.437

MAX RADIUS: 1.702


MEAN RADIUS: 0.954

IN 1 IN DIAMETER: 1

IN 2 IN DIAMETER: 6

in 3 IN DIAMETER: 9

POINT#	X	Y
1:	0.814	1.117
2:	0.861	0.945
3:	1.051	0.559
4:	0.468	0.455
5:	0.445	-0.487
6:	-0.308	-0.209
7:	-0.555	0.157
8:	-0.870	0.012
9:	-0.543	-0.717
10:	-0.889	-1.375




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. __0
TARGET NUMBER: 2
FILE DATE: 03/30/2007
FILE TIME: 06:03

X CENTROID: -0.020
Y CENTROID: 0.022
POA TO CENTROID: 0.030
HORZ SPREAD: 2.122
VERT SPREAD: 2.077
GROUP SPREAD: 2.193
MIN RADIUS: 0.129
MAX RADIUS: 1.403
MEAN RADIUS: 0.783
IN 1 IN DIAMETER: 2
IN 2 IN DIAMETER: 6
in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.626	-0.653
2:	0.362	-0.383
3:	0.690	-0.134
4:	0.985	0.415
5:	0.095	0.183
6:	-0.110	-0.070
7:	-0.557	-0.163
8:	-1.137	-0.067
9:	-1.077	-0.332
10:	-0.078	1.424



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. __ 0

TARGET NUMBER: 3

FILE DATE: 03/30/2007

FILE TIME: 06:03

X CENTROID: 0.009

Y CENTROID: -0.105

POA TO CENTROID: 0.105

HORZ SPREAD: 1.497

VERT SPREAD: 1.642

GROUP SPREAD: 2.084

MIN RADIUS: 0.274

MAX RADIUS: 1.083


MEAN RADIUS: 0.691

IN 1 IN DIAMETER: 4

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.662	-0.842
2:	-0.635	-0.976
3:	-0.465	-0.532
4:	0.264	-0.401
5:	0.433	0.043
6:	0.649	0.666
7:	0.048	0.633
8:	-0.309	0.229
9:	-0.835	0.166
10:	0.273	-0.032



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. 0

TARGET NUMBER: 4

FILE DATE: 03/30/2007

FILE TIME: 06:03

X CENTROID: -0.136

Y CENTROID: -0.108

POA TO CENTROID: 0.174

HORZ SPREAD: 1.240

VERT SPREAD: 1.882

GROUP SPREAD: 1.883

MIN RADIUS: 0.048

MAX RADIUS: 1.104


MEAN RADIUS: 0.547

IN 1 IN DIAMETER: 5

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.589	-1.116
2:	-0.782	-0.500
3:	-0.126	-0.536
4:	-0.545	0.766
5:	0.061	0.451
6:	0.458	-0.201
7:	0.226	0.157
8:	-0.064	0.170
9:	-0.094	-0.087
10:	0.091	-0.189



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. __0

TARGET NUMBER: 5

FILE DATE: 03/30/2007

FILE TIME: 06:03

POINT#	X	Y
1:	0.040	-0.850
2:	0.423	-0.433
3:	0.270	-0.389
4:	0.011	-0.370
5:	-0.216	-0.324
6:	-0.139	-0.067
7:	-0.313	0.009
8:	-0.544	0.276
9:	-0.390	0.636
10:	0.139	0.657

X CENTROID: -0.072

Y CENTROID: -0.085

POA TO CENTROID: 0.112

HORZ SPREAD: 0.967

VERT SPREAD: 1.507

GROUP SPREAD: 1.547

MIN RADIUS: 0.070


MAX RADIUS: 0.789

MEAN RADIUS: 0.489

IN 1 IN DIAMETER: 5

IN 2 IN DIAMETER: 10

in 3 IN DIAMETER: 10




TARGET APPROX 1/2 SCALE

Trigger Profile [lbs,inch]

Profile SWS
GunType: Rifle
Make: Remington
Note: R. Putch 2/27/07

Model: M/24
Serial No: Form #F005
Trigger: 2.5 lbs. ini. +/- .50 lbs.




#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	2.527	0.059	0.039	0.037	0.046		Set Trigger
2	2.555	0.058	0.038	0.037	0.046		Set Trigger
3	2.515	0.059	0.039	0.037	0.046		Set Trigger
4	2.483	0.057	0.038	0.038	0.045		Set Trigger
5	2.515	0.057	0.037	0.038	0.045		Set Trigger

AVG 2.51

Trigger Profile [lbs,inch]

Profile SWS
GunType: Rifle
Make: Remington
Note: R. Putch 2/27/07

Model: M/24
Serial No: Form #F005
Trigger: 2.5 lbs. after 50 cycles




#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	2.431	0.059	0.038	0.037	0.047		Set Trigger
2	2.477	0.058	0.037	0.037	0.047		Set Trigger
3	2.499	0.057	0.037	0.037	0.046		Set Trigger
4	2.413	0.057	0.037	0.037	0.045		Set Trigger
5	2.555	0.056	0.037	0.037	0.046		Set Trigger

Avg 2.47

Trigger Profile [lbs,inch]

Profile SWS
GunType: Rifle
Make: Remington
Note: R. Putch 2/27/07

Model: M/24
Serial No: Form #F005
Trigger: 3.0 lbs. ini. +/- .75 lbs.




#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	3.036	0.061	0.040	0.036	0.060		Set Trigger
2	3.044	0.060	0.040	0.036	0.059		Set Trigger
3	3.043	0.060	0.040	0.036	0.058		Set Trigger
4	3.055	0.061	0.039	0.035	0.060		Set Trigger
5	2.971	0.060	0.040	0.036	0.058		Set Trigger

Avg 3.03

Trigger Profile [lbs,inch]

Profile SWS
GunType: Rifle
Make: Remington
Note: R. Putch 2/27/07

Model: M/24
Serial No: Form #F005
Trigger: 3.0 lbs. after 20 cycles




#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	3.020	0.058	0.037	0.036	0.058		Set Trigger
2	2.982	0.058	0.038	0.036	0.057		Set Trigger
3	2.996	0.058	0.037	0.036	0.058		Set Trigger
4	2.934	0.058	0.038	0.036	0.056		Set Trigger
5	3.025	0.058	0.038	0.036	0.058		Set Trigger

Avg 2.99

Trigger Profile [lbs,inch]

Profile SWS
GunType: Rifle
Make: Remington
Note: R. Putch 2/27/07

Model: M/24
Serial No: Form #F005
Trigger: 4.0 lbs. ini. +/- 1.0 lbs.




#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	4.082	0.056	0.034	0.033	0.081		Set Trigger
2	4.089	0.056	0.034	0.033	0.082		Set Trigger
3	4.093	0.055	0.034	0.033	0.080		Set Trigger
4	4.099	0.055	0.034	0.033	0.080		Set Trigger
5	4.112	0.056	0.034	0.033	0.083		Set Trigger

Avg 4.09

Trigger Profile [lbs,inch]

Profile SWS
 GunType: Rifle
 Make: Remington
 Note: R. Putsch 2/27/07

Model: M/24
 Serial No: Form #F005
 Trigger: 4.0 lbs. after 20 cycles




#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	4.039	0.060	0.039	0.034	0.081		Set Trigger
2	4.061	0.061	0.039	0.033	0.082		Set Trigger
3	4.077	0.061	0.039	0.034	0.082		Set Trigger
4	4.008	0.061	0.039	0.034	0.081		Set Trigger
5	4.027	0.061	0.039	0.034	0.082		Set Trigger

AVG 4.04

Trigger Profile [lbs,inch]

Profile SWS
GunType: Rifle
Make: Remington
Note: R. Putch 2/27/07

Model: M/24
Serial No: Form #F005
Trigger: reset to 2.5 lbs. +/- .50 lbs. for final test




#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	2.585	0.055	0.035	0.036	0.047		Set Trigger
2	2.563	0.055	0.035	0.036	0.047		Set Trigger
3	2.549	0.055	0.035	0.036	0.046		Set Trigger
4	2.571	0.057	0.036	0.036	0.049		Set Trigger
5	2.523	0.056	0.035	0.036	0.047		Set Trigger

AVG 2.55

Trigger Profile [lbs,inch]

Profile SWS
GunType: Rifle
Make: Remington
Note: R. Putch 2/27/07

Model: M/24
Serial No: Form #F005
Trigger: set to 4.0 lbs. +/- 1.0 lbs. for target & accuracy



#	Peak Force	Travel To Actuate	Initial Take-up	Overtravel	Energy To Actuate	Lock Time	Action Type
1	4.118	0.056	0.034	0.033	0.081		Set Trigger
2	4.115	0.056	0.034	0.034	0.080		Set Trigger
3	4.100	0.055	0.034	0.034	0.078		Set Trigger
4	4.126	0.056	0.034	0.034	0.080		Set Trigger
5	4.091	0.054	0.034	0.034	0.077		Set Trigger

AVG 4.11

M-24 INSPECTION CHECKLIST
CONTRACT #: DAAE-20-02-C-0149

R & E NUMBER		126502	
SERIAL NUMBER		G6300604	
LOG-IN DATE		3-12-07	
OPERATION #	OPERATION NAME	DATE	INITIAL
500	DIS-ASSEMBLE GUN	3-13-07	RTZ
505	RE-BARREL	3-15-07	RTZ
560	ASSEMBLE	3-15-07	RR
600	PROOF	3-15-07	Fm
605	CHECK HEADSPACE	INSPECTED 3-15-07	Fm
610	DIS-ASSEMBLE GUN	MAR 20 2007 3-19-07	RTZ
612	MAGNAFLUX	OPERATOR <i>unint</i> 3/20/07	<i>unint</i>
510	DRILL AND TAP	3-20-07	TRW
615	ROLLMARK CALIBER	3-20-07	C.W
618	ROTO-BLAST	3-21-07	LB
620	APPLY COATINGS	3/23/07	RB
625	FINAL ASSEMBLY	3-27-07	RTZ
640	FUNCTION TEST AND	(PASS) FAIL 3-29-07	TRW
650	TARGET	(PASS) FAIL 3-29-07	TRW
	MALFUNCTION	CORRECTION	
	MALFUNCTION	CORRECTION	
	MALFUNCTION	CORRECTION	
	MALFUNCTION	CORRECTION	
670	FINAL INSPECTION	3/29/07	WIK
	A) HEADSPACE	(PASS) FAIL 4/4/07	non
	B) TRIGGER PULL	+/- .5 LBS MIN 2.50 LBS MAX 4.0 LBS	
		2.26 2.25 2.26 2.28 2.25 4.507	DA
680	F) SAFETY ON FORCE	2 LBS MIN 10 LBS MAX	
		6.0 5.5 6.0 4.5-07	DA
	G) SAFETY OFF FORCE	2 LBS MAX	
		2.5 2.5 2.5 4.5-07	DA
	I) FIRING PIN INDENT	.020	
690	PACK	.021 .021 .021 4.5-07	DA

Arms Services Repair & Estimate System

File Add Repair Estimate Repair Expedite Repair Inquiry Repair Tools CSR Tools Reports Table Maintenance System Maintenance Help

Repair Inquiry

Repair Number: **RE00083073** Serial: C6225465 Model: M24 SWS Center Fire Caliber: 7.62 NATO Produced: 05/21/1999 Repairman: Status: Closed 7/23/2004 8:11:37 AM

Verify Repair

Address Information

Customer: ☒ Received From ☐ Return To ☐ Received From

Name: **TRANSPORTATION OFFICE** **TRANSPORTATION OFFICE**

Address 1: **BLDG 5210 DOOR 30** **BLDG 5210 DOOR 30**

Address 2: **FORT CAMPBELL** **FORT CAMPBELL** PO Box: **PO Box**

City: **FORT CAMPBELL** **FORT CAMPBELL**

State: **KY** Zip Code: **42223** Country: **US** State: **KY** Zip Code: **42223** Country: **US**

FFL: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

Contact / Condition Problems Estimate History / Status Shipping / Billing

Contact Information: Phone: Fax: Email: Comments:

Received Condition: Fair Condition Notes: CSR Notes:

Accessories Received:

Code	Desc	Qty
A007	With Stud	3
A010	Hard Case	1
A017	Scope Base	3
A042	Adjustable Butt Pad	1
A045	Bi Pod	1

Repair Search Refresh Close

neglet 7/27/2004 8:05 AM CAPS NUM INS SCBL

start Arms Services R

G6300604 New

Serial Number: **C6225465**

Model: **M24 SWS**



RE00083073

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: G6300604.___0
FILE DATE AND TIME: 08/23/2004 06:39


THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	0.017
The Average Y Centroid of the Five Target Set:	-0.117
The Average Point of Impact of the Five Target Set:	0.118
The Average Mean Radius of the Five Target Set:	0.692
The Distance from POA to Centroid Target #1:	0.102
The Distance from Centroid Target #2 to Centroid Target #1:	0.223
The Distance from Centroid Target #3 to Centroid Target #1:	0.190
The Distance from Centroid Target #4 to Centroid Target #1:	0.286
The Distance from Centroid Target #5 to Centroid Target #1:	0.403

SERIAL NUMBER: G6300604. __ 0
TARGET NUMBER: 1
FILE DATE: 08/23/2004
FILE TIME: 06:39

X CENTROID: -0.076
Y CENTROID: 0.067
POA TO CENTROID: 0.102
HORZ SPREAD: 0.982
VERT SPREAD: 1.943
GROUP SPREAD: 1.956
MIN RADIUS: 0.082
MAX RADIUS: 1.333
MEAN RADIUS: 0.546
IN 1 IN DIAMETER: 5
IN 2 IN DIAMETER: 9
in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.470	0.815
2:	-0.066	1.400
3:	0.512	0.010
4:	0.243	-0.146
5:	0.160	-0.543
6:	-0.363	-0.415
7:	-0.399	-0.223
8:	-0.324	0.038
9:	-0.047	-0.009
10:	-0.007	-0.253




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. __0
TARGET NUMBER: 2
FILE DATE: 08/23/2004
FILE TIME: 06:39

X CENTROID: 0.059
Y CENTROID: -0.110
POA TO CENTROID: 0.125
HORZ SPREAD: 1.276
VERT SPREAD: 3.144
GROUP SPREAD: 3.146
MIN RADIUS: 0.222
MAX RADIUS: 1.607
MEAN RADIUS: 0.847
IN 1 IN DIAMETER: 2
IN 2 IN DIAMETER: 6
in 3 IN DIAMETER: 8

POINT#	X	Y
1:	0.269	-1.681
2:	-0.196	-1.194
3:	0.637	-0.333
4:	0.488	0.155
5:	0.134	0.099
6:	-0.217	-0.375
7:	-0.587	-0.256
8:	-0.639	0.123
9:	0.314	0.899
10:	0.389	1.463




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. 0
TARGET NUMBER: 3
FILE DATE: 08/23/2004
FILE TIME: 06:39

X CENTROID: 0.100
Y CENTROID: -0.004
POA TO CENTROID: 0.100
HORZ SPREAD: 1.455
VERT SPREAD: 2.218
GROUP SPREAD: 2.508
MIN RADIUS: 0.280
MAX RADIUS: 1.308
MEAN RADIUS: 0.700
IN 1 IN DIAMETER: 4
IN 2 IN DIAMETER: 8
in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.804	-1.106
2:	0.649	-0.674
3:	0.473	0.676
4:	0.306	0.186
5:	0.125	0.300
6:	-0.227	-0.034
7:	0.141	-0.389
8:	-0.251	-0.565
9:	-0.651	0.457
10:	-0.366	1.112



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. __0

TARGET NUMBER: 4

FILE DATE: 08/23/2004

FILE TIME: 06:39

POINT#	X	Y
1:	0.699	-0.782
2:	0.349	-1.317
3:	0.187	-0.220
4:	-0.338	-0.301
5:	-0.672	-0.213
6:	-1.473	-0.100
7:	0.636	0.195
8:	0.445	0.365
9:	0.089	0.283
10:	-0.122	-0.041

X CENTROID: -0.020

Y CENTROID: -0.213

POA TO CENTROID: 0.214

HORZ SPREAD: 2.172

VERT SPREAD: 1.682

GROUP SPREAD: 2.277

MIN RADIUS: 0.200


MAX RADIUS: 1.457

MEAN RADIUS: 0.695

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6300604. __0

TARGET NUMBER: 5

FILE DATE: 08/23/2004

FILE TIME: 06:39

X CENTROID: 0.024

Y CENTROID: -0.323

POA TO CENTROID: 0.324

HORZ SPREAD: 1.395

VERT SPREAD: 2.227

GROUP SPREAD: 2.264

MIN RADIUS: 0.352

MAX RADIUS: 1.314


MEAN RADIUS: 0.672

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.471	-1.559
2:	0.436	-0.927
3:	0.743	-0.119
4:	-0.376	-0.668
5:	-0.308	-0.441
6:	-0.652	-0.347
7:	-0.127	0.160
8:	-0.287	-0.102
9:	0.273	0.103
10:	0.062	0.668



TARGET APPROX 1/2 SCALE

M-24 INSPECTION CHECKLIST
CONTRACT #: DAAE-20-02-D-0127

R & E NUMBER	83073		
SERIAL NUMBER	C6223465		C6300604 New
LOG-IN DATE	7-23-04		
INSPECT AND VERIFY:			
OPERATION #	OPERATION NAME	DATE	INITIAL
550	DIS-ASSEMBLE GUN	8-9-04	RTL
560 A	RE-BARREL	8-9-04	RTL
B	DRILL AND TAP		
575	ASSEMBLE	8-10-04	RTL
600	PROOF	8-10-04	RTL
605	CHECK HEADSPACE	8-10-04	RTL
610	DIS-ASSEMBLE GUN	8-10-04	RTL
612	MAGNAFLUX		
615	ROLLMARK CALIBER	8/11/04	AB
618	ROTO-BLAST	8/12/04	DG
620	APPLY COATINGS	8/12	HP
625 A	FINAL ASSEMBLY	8-16-04	RTL
B	TRIGGER PULL TEST		
C	SAFETY "ON" FORCE		
D	SAFETY "OFF" FORCE		
E	FIRING PIN INDENT		
640	TARGET	8-23-04	TRW
655	FINAL INSPECT	8/23/04	R.L.
660	PACK	8/23/04	DA
		SHIP DATE	
QAR INSPECTION DATE			

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # C6225465
11 Apr 2001

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.0582
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0062
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .0585293

THE AMR FOR THIS RIFLE IS: 1.155

CENTROIDAL DISTANCES

0 TO 1	.147503
1 TO 2	.162188
1 TO 3	.165024
1 TO 4	.446161
1 TO 5	.225471


4
5
2
3 1 <----POA

PATTERN #: 1
 POA TO CENTROID: .148
 MIN RADIUS : .230
 MEAN RADIUS : 1.156
 MAX RADIUS : 2.598
 CENTROID X : .021
 CENTROID Y : -.146

11 Apr 2001

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C5225465

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 3.61
 VS= 2.26
 GS= 4.00

2
 4
 8


PATTERN #: ☐ 2 ☐

POA TO CENTROID: .017
 MIN RADIUS : .226
 MEAN RADIUS : 1.115
 MAX RADIUS : 2.495
 CENTROID X : -.011
 CENTROID Y : .013

11 Apr 2001

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 4.73
 VS= 2.13
 GS= 4.77

2
 5
 7


PATTERN #: 3

POA TO CENTROID: .265
 MIN RADIUS : .114
 MEAN RADIUS : .898
 MAX RADIUS : 1.982
 CENTROID X : -.116
 CENTROID Y : -.238

11 Apr 2001

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 3.46
 VS= 2.57
 GS= 3.62

4
 6
 7


PATTERN #: ☐ 4 ☐

POA TO CENTROID: .304
 MIN RADIUS : .192
 MEAN RADIUS : 1.024
 MAX RADIUS : 1.742
 CENTROID X : -.135
 CENTROID Y : .272

11 Apr 2001

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.61
 VS= 3.18
 GS= 3.35

2
 5
 7


PATTERN #: ☐ 5 ☐

POA TO CENTROID: .084
 MIN RADIUS : .941
 MEAN RADIUS : 1.583
 MAX RADIUS : 2.608
 CENTROID X : -.050
 CENTROID Y : .068

11 Apr 2001

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 4.31
 VS= 3.27
 GS= 4.36

0
 2
 5

Remington®

MODEL 700™ H24

VERY IMPORTANT:
Instruction Book
enclosed to assure
safe use of this
firearm.

DUPONT
REG. U.S. PAT. & TM. OFF.

SERIAL NO.
C6225465

ORDER NO.
5716

Ø1

MADE IN ILION, N.Y. U.S.A. Reg. U.S. Pat. & Tm. Off. Marca Registrada Marque Deposee.



5716 C6225465

UPC



0 47700 25716 7

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C6225465

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock	4 21	89	RW
600	Proof	4 21	89	RW
607	Check Headspace	4 21		RW
610	Dis-assemble Gun	4 21		RW
612	Magnaflux Barrel Action		4/26	KCR
	Magnaflux Bolt		4/27	KCR
615	Rollmark Caliber		4/27	LS
617	Drill and Tap Sight Holes	4 27	89	JB
618	Polish Barrel RB	4 27	89	BT
620	Apply Coatings (Barrel Action)		5/2/89	TH
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		5/17/89	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		5/17/89	RW
	C) Inspect Ejector Hole for Chamfer		5/17/89	RW
	D) Oil Firing Pin Ass'y		5/17/89	RW
	E) Adjust Trigger Pull to Min Setting and Stake		5/24/89	WB

op. #	OP. NAME	READINGS					DATE	INIT
625 cont.	F) Safety On Force	4 1/4	4	4			5/25/89	W.B.
	G) Safety Off Force	3	3	3			5/25/89	W.B.
	H) Trigger Pull Test & Retainability						5/24/89	W.B.
	I) Firing Pin Indent	.0213	.0215	.0218			5/25/89	W.B.
	J) Assemble Stock						5/25/89	RW
	K) Assemble Swivel Studs						30 May 89	JS
	L) Attach Front and Rear Sight Assemblies						5/25/89	RW
	M) Iron Sight Alignment						5/25/89	RW
	N) Detach Front & Rear Sights & place in numbered container						5/25/89	RW
	O) Attach Scope to Rifle						5/26/89	W.B.
	P) Detach & Attach Scope 20 Times						5/26/89	W.B.
640	Gallery Target & Test	44R	106L				5/26/89	D/H
	A) Time						5/26/89	D/H
	B) Malfunctions						5/26/89	D/H
	C) Pierced Primers						5/26/89	D/H
	D) Optical Clarity of Scope						5/26/89	D/H
645	Inspect for Live Ammo						5/26/89	D/H
655	Final Inspection							
	A) Headspace						30 May 89	JS
	B) Trigger Pull	2.40	2.50	2.43	2.40	2.43	30 May 89	JS
	C) Function						30 May 89	JS
660	Pack						26 June 89	JS

SWS TRIGGER PULL TEST

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50# ± .50#

3.00# ± .75#

4.00# ± 1.00#

SERIAL NO. 6225465

DATE 3/28/90

TESTER DH

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#	COMMENTS
PULL #1	2.48	2.39	2.43	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.49	2.36	2.49	
PULL #3	2.48	2.39	2.46	
PULL #4	2.44	2.33	2.55	
PULL #5	2.31	2.33	2.42	
TOTAL	12.20	11.80	12.35	
AVG.	2.44	2.36	2.47	

	3.00# INITIAL	3.00# AFTER 20 CYCLES	COMMENTS
PULL #1	3.12	3.21	
PULL #2	3.23	3.21	
PULL #3	3.18	3.22	
PULL #4	3.11	3.24	
PULL #5	3.16	3.18	
TOTAL	15.80	16.06	
AVG.	3.16	3.21	

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.30	4.32		
PULL #2	4.30	4.22		
PULL #3	4.27	4.38		
PULL #4	4.33	4.27		
PULL #5	4.21	4.21		
TOTAL	21.41	21.40		
AVG.	4.28	4.28		

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6225465
1 Jun 1989

CENTROIDAL DISTANCES

Ø TO	1	.692044
1 TO	2	1.01088
1 TO	3	.428696
1 TO	4	.21667
1 TO	5	.616003

$\begin{matrix} 4^1 \\ 5^3 \\ 2 \end{matrix}$ <----POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .2476
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .1322
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .280682

THE AMR FOR THIS RIFLE IS: .8506

30 May 1989

FILE:/PATTERNING/CENTERFIRE_PATT/08223465

CENTERFIRE PATTERNS

1

POA

1 in circle

2 in circle

3 in circle

OF SHOTS = 10

IN CIR

1 in = 2

2 in = 6

3 in = 9

HS = 1.988

VS = 2.984

ES = 3.061

CENTROID *

PATTERN #

1


SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.658	.628	.676
MINIMUM X	:	-1.240	-1.270	-1.222
MAXIMUM Y	:	1.416	1.242	.857
MINIMUM Y	:	-1.568	-.927	-.771
CENTROID X	:	.445	.475	.427
CENTROID Y	:	.530	.704	.548
POA TO CENTROID in.	:	.692	.849	.695
MIN RADIUS	:	.244	.354	.232
MEAN RADIUS	:	.899	.829	.739
MAX RADIUS	:	1.591	1.300	1.294
HORIZONTAL SPREAD	:	1.896	1.898	1.898
VERTICAL SPREAD	:	2.984	2.169	1.629
EXTREME SPREAD	:	3.061	2.243	2.243
NUMBER IN ONE INCH CIRCLE =			2	
NUMBER IN TWO INCH CIRCLE =			6	
NUMBER IN THREE INCH CIRCLE =			9	

30 May 1989

FILE:/PATTERNING/CENTERFIRE_PAT1/C62254B5

CENTERFIRE PATTERNS # 2

POB



OF SHOTS= 10

IN CIR

1in = 2

2in = 7

3in = 10

HE= 2.283

VE= 1.336

GS= 2.188

CENTROID #

PATTERN #


2

SHOTS (BEST OF)	10	9	8
MAXIMUM X	.940	.819	.661
MINIMUM X	-1.144	-1.264	-1.082
MAXIMUM Y	.334	.274	.298
MINIMUM Y	-1.002	-1.062	-1.038
CENTROID X	.035	.156	.314
CENTROID Y	-.394	-.334	-.358
POB TO CENTROID in.	.395	.369	.476
MIN RADIUS	.294	.234	.175
MEAN RADIUS	.806	.728	.620
MAX RADIUS	1.213	1.279	1.124
HORIZONTAL SPREAD	2.083	2.083	1.743
VERTICAL SPREAD	1.336	1.336	1.336
EXTREME SPREAD	2.188	2.091	1.755
NUMBER IN ONE INCH CIRCLE =		2	
NUMBER IN TWO INCH CIRCLE =		7	
NUMBER IN THREE INCH CIRCLE =		10	

30 May 1989

FILE:/PATTERNING/CENTERFIRE_PATT/06225465

CENTERFIRE PATTERNS # 3



OF SHOTS- 10

IN CIR

1in = 2

2in = 7

3in = 9

HS= 2.750

VS= 1.875

GS= 2.759

CENTROID #


PATTERN #	:	3		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.467	1.039	.820
MINIMUM X	:	-1.283	-1.120	-.990
MAXIMUM Y	:	.797	.848	.719
MINIMUM Y	:	-1.078	-1.027	-.603
CENTROID X	:	.397	.234	.104
CENTROID Y	:	.104	.053	.182
POA TO CENTROID in.	:	.410	.240	.210
MIN RADIUS	:	.262	.235	.149
MEAN RADIUS	:	.831	.728	.623
MAX RADIUS	:	1.537	1.461	1.003
HORIZONTAL SPREAD	:	2.750	2.159	1.810
VERTICAL SPREAD	:	1.875	1.875	1.322
EXTREME SPREAD	:	2.759	2.528	1.930
NUMBER IN ONE INCH CIRCLE	=		2	
NUMBER IN TWO INCH CIRCLE	=		7	
NUMBER IN THREE INCH CIRCLE	=		9	

30 May 1989

FILE:/PATTERNING/CENTERFIRE_PATT/06225465

CENTERFIRE PATTERNS

4



OF SHOTS- 10

IN CIR

1 in = 2

2 in = 7

3 in = 9

HS= 2.024

VS= 2.571

GS= 2.574

PATTERN #	:	4	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.274	1.243	1.007
MINIMUM X	:	-.750	-.781	-.625
MAXIMUM Y	:	1.090	.925	.934
MINIMUM Y	:	-1.481	-.992	-.983
CENTROID X	:	.284	.315	.159
CENTROID Y	:	.385	.550	.541
POA TO CENTROID in.	:	.478	.634	.564
MIN RADIUS	:	.409	.291	.234
MEAN RADIUS	:	.903	.820	.745
MAX RADIUS	:	1.508	1.245	1.017
HORIZONTAL SPREAD	:	2.024	2.024	1.632
VERTICAL SPREAD	:	2.571	1.917	1.917
EXTREME SPREAD	:	2.574	2.147	1.968
NUMBER IN ONE INCH CIRCLE =	:	2		
NUMBER IN TWO INCH CIRCLE =	:	7		
NUMBER IN THREE INCH CIRCLE =	:	9		

30 May 1989

FILE:/PATTERNING/CENTERFIRE_PATT/C6225465

CENTERFIRE PATTERNS


5

POA

1 in circle

2 in circle

3 in circle



OF SHOTS- 10

IN CIR

1 in - 2

2 in - 8

3 in - 10

HS- 1.706

VS- 2.157

GS- 2.444

CENTROID #

PATTERN #	:	5	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.831	.779	.858
MINIMUM X	:	-.875	-.927	-.848
MAXIMUM Y	:	.912	.774	.833
MINIMUM Y	:	-1.245	-.994	-.897
CENTROID X	:	.077	.129	.050
CENTROID Y	:	.036	.174	.077
POA TO CENTROID in.	:	.085	.216	.092
MIN RADIUS	:	.130	.019	.106
MEAN RADIUS	:	.814	.730	.702
MAX RADIUS	:	1.329	.998	.907
HORIZONTAL SPREAD	:	1.706	1.706	1.706
VERTICAL SPREAD	:	2.157	1.768	1.730
EXTREME SPREAD	:	2.444	1.901	1.780
NUMBER IN ONE INCH CIRCLE	=		2	
NUMBER IN TWO INCH CIRCLE	=		8	
NUMBER IN THREE INCH CIRCLE	=		10	

TESTING AND ESTIMATING REPORT

COMMENTS

ORDER
R 97-11617

CUSTOMER ORDER NO.

RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

8/97

06/18/97

0J 7-89

C6225465

700 7.62

NATO

ACCESSORIES

W/STUDS

SCOPE BASE

HARD CASE

FROM:

SHIP TO:

TRANSPORTATION OFFICER
ATTN AFZB-DL-TO-BLDG 873
FT CAMPBELL KY 42223

TRANSPORTATION OFFICER
ATTN AFZB-DL-TO-BLDG 873
FT CAMPBELL KY 42223

CUST NO: 087942 C.O.D.

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
- ☐ LIGHTLY WORN
- ☐ WORN
- ☐ VERY WORN
- ☐ UNREPAIRABLE
- ☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

A1

B1

TRIGGER GROUP

B2

E1

F1

BOLT ASSY.

B3

E2

F2

BARREL ASSY.

B4

D1

E3

F3

REC. ASSY.

B5

D2

E4

F4

WOOD

C1

D3

E5

F5

METAL

C2

MAIN FAULT

PARTS

COMMENTS

Barrel
stock

96003
96018

Re powder Coat Trigger Guard
Assy, Front & Rear Sight Bases.

Re zinc Scope Base & Swivel
Studs

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

AD6925 REV. 6/96

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400163016

U.S. GOVERNMENT FREIGHT WAYBILL						ORIGINAL	B/L NO. ▶ G-6579612										
1. TRANSPORTATION COMPANY TENDERED TO BAGGETT TRANSPORTATION CO			2. SCAC BAGT		3. DATE B/L PREPARED 97.06.12		4. ROUTE ORDER/RELEASE NUMBER 7YBCAHFNRA										
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357			6. SPLC (Dest.) 172856000		8. ORIGIN STATION STATE TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294												
			7. SPLC (Orig.) 297980251														
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357			10. GBLOC (Cons.) IOOI CMAH2W		11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294 W34GNA												
12. APPROPRIATION CHARGEABLE 21 7202000000760202042000002217015056 FAAD00GBL					13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611												
14. VIA (Route shipment when advantageous to the Government)					AGENCY LOC CODE W53QRD												
15. MARKS AND ANNOTATIONS EQUIPMENT 1 DH: DROMEDARY WITH MECHANICAL RESTRAIN ... 1) INITIATING EXPL: N DN: DUAL DRIVER PROTECTIVE SERVICE WIT SM: DTTs SATELLITE MOTOR SURVEILLANCE (108) DUAL DRIVER PROTECTIVE SERVICE WITH NATIONAL AGENCY CHECK REQUESTED.						TP:3 DDD:97.06.16 FAAT-01-7161002-01 SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER. (111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. SEE DESCRIPTION OF ARTICLES											
16. PACKAGES		17. HM		18. DESCRIPTION OF ARTICLES AND EXCEPTIONS		COMMODITY CODE NO.		19. WEIGHT* (Pounds only)		FOR USE OF BILLING CARRIER ONLY							
NO. KIND										Services Rate Charges							
1 BX				CLASSIFICATION ITEM NO. 069300 THIS BL CONSISTS OF 2 PAGES FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302 TCN: W34QTK71333700XXX CU:7.0 FAAD RIFLE, SNIPER M24 SWS, SN: C6225465 NSN: 1005-01-240-2136				75									
1 BX				MARKS & ANNOTATIONS: (112) FLAME OR HEAT PRODUCING TOOLS WILL NOT BE USED TO REMOVE SECURITY DEVICES. TOT QTY:75 P CU:7.0 SHIP AS-> SEE CONTINUATION SHEET FOR DETAILS				5000		TOTAL CHARGES							
20. TARIFF/SPECIAL RATE AUTHORITY BAGT 000635-00				21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS		22. CARRIER WAY/FREIGHT BILL NO. AND DATE									
23. STOP THIS SHIPMENT AT				24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS													
				INITIALS & NO.		SEAL NUMBERS		LENGTH/CUBE		MARKED CAPACITY		DATE FURNISHED					
				BAGT:2402		0790361		ORDERED FURNISHED		ORDERED FURNISHED		97.06.12					
FOR:				APPLIED BY: SH													
25. CARRIER'S PICKUP DATE (Year, month, & day) 97.06.12				26a. SIGNATURE OF AGENT <i>Lorraine Burt</i>				26b. PER BAGT		B/L NUMBER G-6579612							
27. MODE B		28. ESTIMATE 1917		29. NO. OF CLS/TLS 1		30. TYPE RATE 1		31. PSC DN:SM		32. REASON							
WEIGHED AT																	
GROSS TARE ALLOWANCE NET																	
FOR USE OF ISSUING OFFICE										OUTBOUND JUNCTION AGENT — Show junction stamps in space and order provided. Additional junction stamps and all yard stamps to be placed on back hereof.							
33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294										33b. GBLOC FAAT							
33c. ISSUING OFFICER MICHAEL F. BOWERS, CHIEF, ITO																	
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY										33e. DATED		FOURTH JUNCTION		FIFTH JUNCTION		DESTINATION AGENT (Stamp herein station name and date reported)	
33f. FOB POINT NAMED IN CONTRACT																	

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1105-121-01

WHITE

STANDARD FORM 1105-1 (EFF. 6/95)
PRESCRIBED BY GSA, FPMR (41 CFR) 101-41.3

**CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON**

M2400163017

U.S. GOVERNMENT FREIGHT WAYBILL CONTINUATION SHEET

ORIGINAL

B/L NO. **G-6579612**
SHEET NO. **2 OF 2**

(This form is to be used as a continuation sheet for SF 1105, U.S. Government Freight Waybill-Original, or SF 1205, U.S. Government Freight Waybill- Privately Owned Personal Property-Original.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM(Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			(114) CARRIER TO NOTIFY CONSIGNEE REMINGTON ARMS (DUTY PHONE (315) 894-9961 AV- - , NON-DUTY PHONE (757) 878-5006) AND CONSIGNOR TRANSPORTATION OFFICER, FT CAMPBELL KY (DUTY PHONE (502) 798-7154 AV-635-7154, NON-DUTY PHONE (502) 798-9793) IMMEDIATELY IF SHIPMENT IS DELAYED EN ROUTE BECAUSE OF AN ACCIDENT OR INCIDENT. IF NEITHER CAN BE REACHED, CONTACT EASTERN AREA AT HOTLINE (800) 524-0331. USE HOTLINE NUMBER TO OBTAIN SAFE HAVEN OR REFUGE INSTRUCTIONS IN THE EVENT OF A CIVIL DISORDER, NATURAL DISASTER, CARRIER STRIKE OR OTHER EMERGENCY. (337) SATELLITE MOTOR SURVEILLANCE SERVICE (SM) REQUESTED. IN EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-(800)-826-0794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION/STATUS REPORT EVERY FOUR (4) HOURS, WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION. (339) DROMEDARY SERVICE REQUESTED. (367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT. THIS IS A DTTS SHIPMENT!				
=====			BLOCK 24 EQUIPMENT DESCRIPTION CONT.:				
			TRACTOR: 235L				

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1111-114

WHITE

STANDARD FORM 1111, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400163018

SIGNATURE AND TALLY RECORD

FORM APPROVED
OMB No. 0702-0027
Expires Oct 31, 1988

DISTRIBUTION INSTRUCTIONS

- * The SHIPPER will prepare copies 1 through 4, retain copy 4 and deliver copies 1 through 3 to the Origin Carrier.
- * The CARRIER will deliver copies 1 through 3 to the Destination Carrier.
- * The DESTINATION CARRIER will attach copy 1 (reflecting all signatures) and Standard Form 1113 (Public Voucher for Transportation Charges) to the original Government Bill of Lading, and forward for payment. Copy 2 will be delivered to the Consignee. Copy 3 will be retained.
- * The CONSIGNEE will ensure Destination Carrier surrenders copy 2.

SECTION A - To be completed by the SHIPPER

1. SHIPPER		2. PROTECTIVE SERVICE REQUESTED	
a. NAME FORT CAMPBELL KY W34GNA		DN DUAL DRIVER PROTECTIVE SERVICE WITH NAC SM DTTS SATELLITE MOTOR SURVEILLANCE SERVICE	
b. ORIGIN TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294		3. GBL OR CBL NUMBER G-6579612	
4. CONSIGNEE		5. PERMIT NUMBER (if any)	
a. NAME REMINGTON ARMS CO CMAH2W			
b. DESTINATION REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357		6. TRANSPORTATION CONTROL NUMBER (FAAT-01-7161002 -01) W34QTK71333700XXX	
7. ROUTING BAGGETT TRANSPORTATION CO		8. WEIGHT 75 POUNDS	9. CUBE 7.0
10. SPECIAL INSTRUCTIONS		11. DATE SHIPMENT TENDERED TO CARRIER 97.06.12	12. NAME OF CARRIER BAGT
13. NUMBER OF PIECES 1	14. TYPE OF PACKAGE(S) (For unsealed loads only) OR CONVEYANCE IDENTIFICATION & SEAL NUMBERS (for sealed loads only) BAGT-2402 0790361	15. FREIGHT CLASSIFICATION DESCRIPTION 069300 FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302	

SECTION B - To be completed by each person accepting custody of classified or protected material requiring the use of transportation protective service during transit.

16. CUSTODY RECORD

a. PRINT NAME OF PERSON AND COMPANY REPRESENTED	b. STATION INTERCHANGE POINT DESTINATION	c. SIGNATURE OF PERSON ACCEPTING CUSTODY	d. TIME ACCEPTED	e. DATE ACCEPTED
Charles Burks ^{BAGT}	FORT CAMPBELL KY	Charles Burks	1130	6-12-97
Horraine Burks ^{BAGT}	FORT CAMPBELL KY	Horraine Burks	1130	6-12-97
Raymond Scott ^{BAGT}	BLOOMFIELD, IN.	Raymond Scott	1745	6-12-97
Charles Burks ^{BAGT}	Bloom Field IN	Charles Burks	1330	6-15-97
Lorie Burks ^{BAGT}	Bloom Field IN	Lorie Burks	1330	6-15-97
Thomas F. Bentley	ILION, N.Y.	Thomas F. Bentley	1730	6-17-97

**PACKING
LIST
ENCLOSED**

1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80	
DOC IDENT.		RI FROM		M		FSC		STOCK NUMBER		NIN		ADD		UNIT		QUANTITY		DOCUMENT NUMBER		REQUISITIONER		DATE		SERIAL		SUPPLEMENTARY ADDRESS		S I G N A		F U N D		D I S T R I B U T I O N		P R O J E C T		P R I O R I T Y		R E Q ' D D E L D A T E		A D V I C E		R I		UNIT PRICE		DOLLARS		CTS.																																																																																																															
A5AAW3								1005-01-240-2136						PA00001		W34QTK-7133-3700		CMAH2W		MGA														08												5145.00																																																																																																																	
SHIPPED FROM										SHIP TO										MARK FOR										PROJECT										TOTAL PRICE																																																																																																																							
CONSOL PROPERTY ACCOUNT										REMINGTON ARMS CO, INC.																														DOLLARS										CTS.																																																																																																													
FT CAMPBELL, KY 42223-5000										14 HOEFLER AVENUE																																																																																																																																																					
A										BILTON, N.Y. 13357-1826										C										D										E																																																																																																																							
WAREHOUSE LOCATION										TYPE OF CARGO		UNIT PACK		UNIT WEIGHT		UNIT CUBE		UFC		NMFC		FREIGHT RATE		DOCUMENT DATE		MAT COND		QUANTITY																																																																																																																																			
F										G		H		I		J		K		L		M		N		O		P		Q		R		S																																																																																																																													
SUBSTITUTE DATA (ITEM ORIGINALLY REQUESTED)										FREIGHT CLASSIFICATION NOMENCLATURE																																																																																																																																																					
T										U										V																																																																																																																																											
W										ITEM NOMENCLATURE										SER NR: C6225465										Y																																																																																																																																	
SELECTED BY AND DATE										TYPE OF CONTAINER(S)										TOTAL WEIGHT										RECEIVED BY AND DATE										INSPECTED BY AND DATE																																																																																																																							
1										2										3										7										8																																																																																																																							
PACKED BY AND DATE										NO. OF CONTAINER(S)										TOTAL CUBE										WAREHOUSED BY AND DATE										WAREHOUSE LOCATION																																																																																																																							
4										5										6										9										10																																																																																																																							
REMARKS:																																																																																																																																																															
RETURNED FOR REPAIR																																																																																																																																																															
PLEASE RETURN WEAPON TO TRANS OFFICER, CRP, BLDG 5207, FT CAMPBELL, KY 42223-5565																																																																																																																																																															
FIRST DESTINATION ADDRESS										DATE SHIPPED																																																																																																																																																					
11										12										FF										GG																																																																																																																																	
13 TRANSPORTATION CHARGEABLE TO										14 B/LADING, AWS, OR RECEIVER'S SIGNATURE (AND DATE)										15 RECEIVER'S DOCUMENT NUMBER																																																																																																																																											

DD Form 1348-1, JUL 91

PREVIOUS EDITION MAY BE USED


DOD SINGLE LINE ITEM RELEASE/RECEIPT DOCUMENT

WEAPON RECORD DATA

For use of this form, see TM 38-750; the proponent agency is DCSLOG.

REQUIREMENT CONTROL SYMBOL
CSGLD-1051

1. SERIAL NO. 25465	2. CANNON TYPE, MODEL OR SERIES M24 SWS	3. ORGANIZATION (UIC) AHC 1/502	4. SPECIAL LIFE DATA
5. ITEM IDENTIFICATION M24 SWS		6. RDS/EFC COMPUTATION	
7. N SERIAL NO.		8. RETUBINGS	9. REBUSHINGS

Projectile Type b	Zone or Charge c	Rounds Fired d	EFC RDS Fired e	Cumulative RDS Fired f	Cumulative EFC RDS g			Remaining Life (EFC RDS) h	Remarks: Recoil Exercise (RE), Gage or Velocity Reading, Safety Inspection (SI) i	Signature j
(Previous DA Form 2408-4 final entries)										
7.62 (m118)		280								
7.62 (m118)		300								
7.62 (m118)		200								
7.62 (m118)		400								
7.62 (m118)		300								
7.62 (m118)		250								
7.62 (m118)		300								
7.62 (m118)		130								
7.62 (m118)		120								
7.62 (m118)		150								
7.62 (m118)		200								
7.62 (m118)		180								
7.62 (m118)		200								
7.62 (m118)		220								
7.62 (m118)		200								
7.62 (m118)		200								
7.62 (m118)		200								

CONTINUE ON REVERSE

FORM 2408-4

EDITION OF 1 DEC 77 WILL BE USED.

	Projectile Type b	Zone or Charge c	Rounds Fired d	EFC RDS Fired e	Cumulative RDS Fired f	Cumulative EFC RDS g		Remaining Life (EFC RDS) h	Remarks: Recoil Exercise (RE), Gage or Velocity Read- ing, Safety Inspection (SI) i	Signature j
96	7.62 (2118)		250							
96	7.62 (2118)		250							
96	" "		260							
96	" "		250							
96	" "		270							
96	" "		260							
96	" "		250							
96	" "		300							
96	" "		280							
96	" "		280							
96	" "		300							
96	" "		100							
96	" "		306							
96	" "		300							
96	" "		300							
96	" "		306							
96	" "		300							
96	" "		250							
96	" "		300							
97	" "		250							
97	" "		Ø							
97	7.62 "									

CPT [Signature]
 24 APR 97
 Sgt [Signature]
 24 Apr 97

NOTE: START A NEW FORM BEFORE MAILING THIS ONE

Government Printing Office: 1979-280-862/8300

1646

DATE: 21-APR-97

MAINTENANCE REQUEST

DA FORM 5998-E

CUSTOMER DATA

UIC: WACPA
UTIL CODE: 0

1/562ND INF

PHONE: (562)798-5681

ACTIVITY DATA

SUP WON:
SUP UIC: WPU3B8

E CO. 526TH FSB

PHONE: 798-2470
SHOP 1389: *A*

EQUIPMENT DATA

TYPE MNT REQ: 1

ID: A

NSN: 1805012402136

MODEL: M-24

NOUN: SNIPER RIFLE

SER NUM: C6225465

QTY: 00001

ORG WON: ACPAA1793455 PRIORITY: 02

FAILURE DETECTED: H

MI/KM: -----

HOURS: -----

ROUNDS: *1200*

IN WARRANTY:

LEVEL OF WORK: F

ADMIN NUM:

DEFICIENCY: TI FOR TURN IN (HOARMS)

PD AUTHENTICATING SIGNATURE:

Wesley Smith

SIGNATURE DATA

SUBMITTED BY:

[Signature]

ORD DATE:

MIL TIME:

ACCEPTED BY:

[Signature]

STATUS: *A*

ORD DATE: *97/13*

MIL TIME:

ACTION DATA

WORK STARTED BY:

[Signature]

STATUS: *B*

ORD DATE: *97/14*

MIL TIME:

INSPECTED BY:

[Signature]

STATUS: *C*

ORD DATE: *97/14*

MIL TIME:

PICKED UP BY:

[Signature]

STATUS: *4*

ORD DATE:

MIL TIME:

COMPLETION DATA

QTY RPR:

QTY CONDEMNED:

NRTS:

EVAC WON:

EVAC UNIT NAME:

NRTS CODE 1
CONDITION CODE F
IAW AR 750-1 725-5

"Excess Rounds" fired

[Signature]
L. Eastwood
ARMT SECTION
25 April 97

~~1/10~~ ~~11/10~~

EQUIPMENT INSPECTION AND MAINTENANCE WORKSHEET					
For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG.					
1. ORGANIZATION HHC VSO2		2. NOMENCLATURE AND MODEL M-24 SNIPER Rifle			
3. REGISTRATION/SERIAL/NSN C622J180		4a. MILES	b. HOURS	c. ROUNDS FIRED	d. HOT STARTS
				e. DATE	6. TYPE INSPECTION PMCS
7. APPLICABLE REFERENCE C6225465					
TM NUMBER 9-1005-306-10		TM DATE FEB 85		TM NUMBER	
				TM DATE	
COLUMN a - Enter TM item number. COLUMN b - Enter the applicable condition status symbol. COLUMN c - Enter deficiencies and shortcomings.			COLUMN d - Show corrective action for deficiency or shortcoming listed in Column c. COLUMN e - Individual ascertaining completed corrective action initial in this column.		
STATUS SYMBOLS "X"-Indicates a deficiency in the equipment that places it in an inoperable status. CIRCLED "X"-Indicates a deficiency, however, the equipment may be operated under specific limitations as directed by higher authority or as prescribed locally, until corrective action can be accomplished. HORIZONTAL DASH ("-")-Indicates that a required inspection, component replacement, maintenance operation check, or test flight is due but has not been accomplished, or an overdue MWO has not been accomplished. DIAGONAL ("/)-Indicates a materiel defect other than a deficiency which must be corrected to increase efficiency or to make the item completely serviceable. LAST NAME INITIAL IN BLACK, BLUE-BLACK INK, OR PENCIL-Indicates that a completely satisfactory condition exists. FOR AIRCRAFT-Status symbols will be recorded in red.					
ALL INSPECTIONS AND EQUIPMENT CONDITIONS RECORDED ON THIS FORM HAVE BEEN DETERMINED IN ACCORDANCE WITH DIAGNOSTIC PROCEDURES AND STANDARDS IN THE TM CITED HEREON.					
8a. SIGNATURE (Person(s) performing inspection)		8b. TIME		8c. SIGNATURE (Maintenance Supervisor)	
				8d. TIME	
				9. MANHOURS REQUIRED	
TM ITEM NO. a	STATUS b	DEFICIENCIES AND SHORTCOMINGS c		CORRECTIVE ACTION d	INITIAL WHEN CORRECTED e
X		TI FOR turn IN			RSC
		1005-01-240-2136			
		C6225465			

Replaces edition of 1 Jan 64, which will be used

21 DAY TURN - AROUND

New
Barrel
&
Stock

M-24

CONTRACT # DAAA09-92-C-0834

R&E NO.

SERIAL NO. C6225465

LOG IN DATE: / /		DATE	INIT.
INSPECT & VERIFY:			
OP. #	OP. NAME		
550	DIS-ASSEMBLE GUN		
560 A	RE-BARREL AT CUSTOM SHOP		
B	DRILL & TAP		
C	POLISH		
575	ASSEMBLE		
600	PROOF	6-20-97	AP
605	CHECK HEADSPACE	6-20-97	AP
610	DIS-ASSEMBLE		
612	MAGNAFLUX		
615	ROLLMARK CALIBER		
618	ROTO-BLAST		
620	APPLY COATINGS		
625 A	FINAL ASSEMBLY	8-13-97	RW
B	TRIGGER PULL TEST		
C	SAFETY ON FORCE		
D	SAFETY OFF FORCE		
E	FIRING PIN INDENT		
640	TARGET	8-22-97	JW
655	FINAL INSPECT		
660	PACK		

QAR INSPECTION

SHIP DATE

Final Inspection

S.N: C6225465

DATE REC'D: 6-18-97

DATE RET'D:

AUDITOR: EW

Item:

Barrel Assy.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

Scope Assy.

☐ Scope☐ Scope Rings☐ Mounting Screws☒ Mounting Base☒ Screws☐ Finish☐ Looseness☐ CLARITY

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ STOCK☒ SLING SWIVEL STUDS☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

Systems Case

☐ Scope Case☐ IRON SIGHTS☐ Deployment Kit

Trigger

☒ SAFETY OPERATION☒ SET

Comments: _____

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # C6225465
22 Aug 1997

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .0804
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0796
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .113139

THE AMR FOR THIS RIFLE IS: 1.238

CENTROIDAL DISTANCES

0	TO	1	.0460977
1	TO	2	.283641
1	TO	3	.0722496
1	TO	4	.272619
1	TO	5	.154117


5³ 4 <----POA

PATTERN #: 1
 POA TO CENTROID: .046
 MIN RADIUS : .343
 MEAN RADIUS : 1.283
 MAX RADIUS : 3.270
 CENTROID X : .045
 CENTROID Y : -.010

22 Aug 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 3.42
 VS= 4.57
 GS= 5.38


4
 4
 6

PATTERN #: 02
 POA TO CENTROID: .315
 MIN RADIUS : .152
 MEAN RADIUS : 1.393
 MAX RADIUS : 2.496
 CENTROID X : .269
 CENTROID Y : .164

22 Aug 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 4.07
 VS= 3.72
 GS= 4.67


1
 3
 6

PATTERN #: 3
 POA TO CENTROID: .039
 MIN RADIUS : .245
 MEAN RADIUS : 1.174
 MAX RADIUS : 3.051
 CENTROID X : -.009
 CENTROID Y : .038

22 Aug 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 3.17
 VS= 4.62
 GS= 4.72


3
 5
 7

PATTERN #: 040
 POA TO CENTROID: .294
 MIN RADIUS : .343
 MEAN RADIUS : 1.225
 MAX RADIUS : 1.894
 CENTROID X : .206
 CENTROID Y : .210

22 Aug 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.75

2

VS= 2.71

3

GS= 3.74


6

PATTERN #: 5
 POA TO CENTROID: .109
 MIN RADIUS : .377
 MEAN RADIUS : 1.114
 MAX RADIUS : 2.258
 CENTROID X : -.109
 CENTROID Y : -.004

22 Aug 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6225465

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 3.15

1

VS= 2.91

5

GS= 4.28

8

U.S. GOVERNMENT BILL OF LADING				MEMORANDUM COPY		B/L NO. ▶ G-6579612	
1. TRANSPORTATION COMPANY TENDERED TO BAGGETT TRANSPORTATION CO				2. SCAC BAGT		3. DATE B/L PREPARED 97.06.12	
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357				6. SPLC (Dest.) 172856000		8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294	
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357				10. GBLOC (Cons.) IOOI CMAH2W		11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294 W34GNA	
12. APPROPRIATION CHARGEABLE 21 72020000007602020420000002217015056 FAAD00GBL				13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611			
14. VIA (Route shipment when advantageous to the Government)				AGENCY LOC CODE W53QRD			
15. MARKS AND ANNOTATIONS EQUIPMENT 1 DH: DROMEDARY WITH MECHANICAL RESTRAIN ... 1) INITIATING EXPL: N DN: DUAL DRIVER PROTECTIVE SERVICE WIT SM: DTTs SATELLITE MOTOR SURVEILLANCE (108) DUAL DRIVER PROTECTIVE SERVICE WITH NATIONAL AGENCY CHECK REQUESTED. TP:3 DDD:97.06.16 FAAT-01-7161002-01 SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER. (111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. SEE DESCRIPTION OF ARTICLES							
16. PACKAGES		17. HM		18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)		19. WEIGHT* (Pounds only)	
NO. KIND						FOR USE OF BILLING CARRIER ONLY	
						Services Rate Charges	
1 BX				CLASSIFICATION ITEM NO. 069300 THIS BL CONSISTS OF 2 PAGES FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302 TCN: W34QTK71333700XXX CU:7.0 FAAD RIFLE, SNIPER M24 SWS, SN: C6225465 NSN: 1005-01-240-2136		75	
1 BX				MARKS & ANNOTATIONS: (112) FLAME OR HEAT PRODUCING TOOLS WILL NOT BE USED TO REMOVE SECURITY DEVICES. TOT QTY:75 P CU:7.0 SHIP AS-> SEE CONTINUATION SHEET FOR DETAILS		5000	
						TOTAL CHARGES	
20. TARIFF/SPECIAL RATE AUTHORITY BAGT 000635-00				21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES		22. CARRIER WAY/FREIGHT BILL NO. AND DATE	
23. STOP THIS SHIPMENT AT				24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS			
				INITIALS & NO.		SEAL NUMBERS	
				BAGT:2402		0790361	
FOR:				APPLIED BY: SH		97.06.12	
25. CARRIER'S PICKUP DATE (Year, month, & day) 97.06.12				26a. SIGNATURE OF AGENT <i>Romano Burt</i>		26b. PER BAGT	
						B/L NUMBER G-6579612	
27. MODE B		28. ESTIMATE 1917		29. NO. OF CLS/TLS 1		30. TYPE RATE 1	
				31. PSC DN:SM		32. REASON	
Received by the transportation company named above, subject to the regulations published in Title 41, Part 101-41 Of the federal regulations, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.							
FOR USE OF ISSUING OFFICE							
33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294							
33b. GBLOC FAAT							
33c. ISSUING OFFICER MICHAEL F. BOWERS, CHIEF, ITO							
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY							
33e. DATED							
33f. FOB POINT NAMED IN CONTRACT							

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1103-321-01

BLUE

STANDARD FORM 1103-B-LP (EFF. 6/79)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-11.3

**CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON**

M2400163035

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

MEMORANDUM
COPY-CONSIGNEE

B/L
NO. **G-6579612**
SHEET NO. **2 OF 2**

(This form is to be used as a continuation sheet for SF 1103-B, U.S. Government Bill of Lading- Memorandum Copy --Consignee, or SF 1203-B, U.S. Government Bill of Lading - Privately Owned Personal Property- Property-Memorandum Copy-Consignee.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM (Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			(114) CARRIER TO NOTIFY CONSIGNEE REMINGTON ARMS (DUTY PHONE (315) 894-9961 AV- - , NON-DUTY PHONE (757) 878-5006) AND CONSIGNOR TRANSPORTATION OFFICER, FT CAMPBELL KY (DUTY PHONE (502) 798-7154 AV-635-7154, NON-DUTY PHONE (502) 798-9793) IMMEDIATELY IF SHIPMENT IS DELAYED EN ROUTE BECAUSE OF AN ACCIDENT OR INCIDENT. IF NEITHER CAN BE REACHED, CONTACT EASTERN AREA AT HOTLINE (800) 524-0331. USE HOTLINE NUMBER TO OBTAIN SAFE HAVEN OR REFUGE INSTRUCTIONS IN THE EVENT OF A CIVIL DISORDER, NATURAL DISASTER, CARRIER STRIKE OR OTHER EMERGENCY. (337) SATELLITE MOTOR SURVEILLANCE SERVICE (SM) REQUESTED. IN EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-(800)-826-0794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION/STATUS REPORT EVERY FOUR (4) HOURS, WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION. (339) DROMEDARY SERVICE REQUESTED. (367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT. THIS IS A DTTS SHIPMENT!				
=====			BLOCK 24 EQUIPMENT DESCRIPTION CONT.:				
			TRACTOR: 235L				

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1109-314

BLUE

STANDARD FORM 1109-B, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3


CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400163036

DEPARTMENT OF THE ARMY

INSTALLATION TRANSPORTATION OFFICE
DIRECTORATE OF LOGISTICS
BLDG 871 OHIO AVE
FORT CAMPBELL KY 42223-5129

OFFICIAL BUSINESS



CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON


M2400163037



Delivered 520pm
6/17/97.

Placed in 52-1
Warehouse

JC
Security

U.S. GOVERNMENT BILL OF LADING						SHIPPING ORDER		B/L NO. ▶ G-6579612	
1. TRANSPORTATION COMPANY TENDERED TO BAGGETT TRANSPORTATION CO			2. SCAC BAGT		3. DATE B/L PREPARED 97.06.12		4. ROUTE ORDER/RELEASE NUMBER 7YBCAHFNRA		
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357			6. SPLC (Dest.) 172856000		8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294				
			7. SPLC (Orig.) 297980251						
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357			10. GBLOC (Cons.) IOOI CMAH2W		11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294 W34GNA				
12. APPROPRIATION CHARGEABLE 21 72020000007602020420000002217015056 FAAD00GBL					13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611				
14. VIA (Route shipment when advantageous to the Government)					AGENCY LOC CODE W53QRD				
15. MARKS AND ANNOTATIONS EQUIPMENT 1 DH: DROMEDARY WITH MECHANICAL RESTRAIN ... 1) INITIATING EXPL: N DN: DUAL DRIVER PROTECTIVE SERVICE WIT SM: DTT'S SATELLITE MOTOR SURVEILLANCE (108) DUAL DRIVER PROTECTIVE SERVICE WITH NATIONAL AGENCY CHECK REQUESTED.						TP:3 DDD:97.06.16 FAAT-01-7161002-01 SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER. (111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. SEE DESCRIPTION OF ARTICLES			
16. PACKAGES		17. HM		18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)		19. WEIGHT* (Pounds only)		FOR USE OF BILLING CARRIER ONLY	
NO.	KIND							Services	Rate
				CLASSIFICATION ITEM NO. 069300 THIS BL CONSISTS OF 2 PAGES					
				FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302					
				TCN: W34QTK71333700XXX CU:7.0 FAAD RIFLE, SNIPER M24 SWS, SN: C6225465 NSN: 1005-01-240-2136		75			
=====									
				MARKS & ANNOTATIONS: (112) FLAME OR HEAT PRODUCING TOOLS WILL NOT BE USED TO REMOVE SECURITY DEVICES.					
				TOT QTY:75 P CU:7.0 SHIP AS-> SEE CONTINUATION SHEET FOR DETAILS		5000		TOTAL CHARGES	
20. TARIFF/SPECIAL RATE AUTHORITY BAGT 000635-00				21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS		22. CARRIER WAY/FREIGHT BILL NO. AND DATE	
23. STOP THIS SHIPMENT AT				24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS					
				INITIALS & NO.		SEAL NUMBERS		LENGTH/CUBE	
				BAGT:2402		0790361		ORDERED FURNISHED	
FOR:				APPLIED BY: SH				ORDERED FURNISHED	
								AD6 AV3	
								97.06.12	
25. CARRIER'S PICKUP DATE (Year, month, & day) 97.06.12				26a. SIGNATURE OF AGENT 		26b. PER BAGT		B/L NUMBER G-6579612	
27. MODE B		28. ESTIMATE 1917		29. NO. OF CLS/TLS 1		30. TYPE RATE 1		31. PSC DN:SM	
								32. REASON	
								Received by the transportation company named above, subject to the regulations published in Title 41, Part 101-41 Of the federal regulations, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.	
FOR USE OF ISSUING OFFICE						IMPORTANT			
33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294						33b. GBLOC FAAT			
33c. ISSUING OFFICER MICHAEL F. BOWERS, CHIEF, ITO									
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY						33e. DATED			
33f. FOB POINT NAMED IN CONTRACT									
						◦ THE ORIGIN CARRIER OR ITS AGENT IS TO RECEIVE: U.S. Government Bill of Lading-Original, SF 1103 This Shipping Order, SF 1104 U.S. Government Freight Waybill-Original, SF 1105 U.S. Government Freight Waybill-Carrier's Copy, SF 1106 ◦ THE ORIGIN CARRIER OR ITS AGENT IS NOT TO RECEIVE THE CONSIGNEE'S MEMORANDUM COPY, SF 1103-B.			

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1104-121-01

PINK

STANDARD FORM 1104-LP (EFF. 6/96)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

**CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON**

M2400163039

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

SHIPPING
ORDER

B/L
NO. **G-6579612**
SHEET NO. **2 OF 2**

(This form is to be used as a continuation sheet for SF 1104, U.S. Government Bill of Lading- Shipping Order, or SF 1204, U.S. Government Bill of Lading - Privately Owned Personal Property- Shipping Order.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BAGGETT TRANSPORTATION CO

FROM(Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			(114) CARRIER TO NOTIFY CONSIGNEE REMINGTON ARMS (DUTY PHONE (315) 894-9961 AV- - , NON-DUTY PHONE (757) 878-5006) AND CONSIGNOR TRANSPORTATION OFFICER, FT CAMPBELL KY (DUTY PHONE (502) 798-7154 AV-635-7154, NON-DUTY PHONE (502) 798-9793) IMMEDIATELY IF SHIPMENT IS DELAYED EN ROUTE BECAUSE OF AN ACCIDENT OR INCIDENT. IF NEITHER CAN BE REACHED, CONTACT EASTERN AREA AT HOTLINE (800) 524-0331. USE HOTLINE NUMBER TO OBTAIN SAFE HAVEN OR REFUGE INSTRUCTIONS IN THE EVENT OF A CIVIL DISORDER, NATURAL DISASTER, CARRIER STRIKE OR OTHER EMERGENCY. (337) SATELLITE MOTOR SURVEILLANCE SERVICE (SM) REQUESTED. IN EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-(800)-826-0794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION/STATUS REPORT EVERY FOUR (4) HOURS, WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION. (339) DROMEDARY SERVICE REQUESTED. (367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT. THIS IS A DTTS SHIPMENT!				
=====			BLOCK 24 EQUIPMENT DESCRIPTION CONT.:				
			TRACTOR: 235L				

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1110-114

PINK

STANDARD FORM 1110, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400163040

502 798 6264

FROM : ITC FRT SECT FT CAMPBELL KY

PHONE NO. : 502 798 6264

Jun. 12 1997 12:06PM P1

U.S. GOVERNMENT BILL OF LADING				MEMORANDUM COPY	B/L NO. ► G-6579612
1. TRANSPORTATION COMPANY TENDERED TO BAGGETT TRANSPORTATION CO		2. SCAC BAGT	3. DATE B/L PREPARED 97.06.12	4. ROUTE ORDER/RELEASE NUMBER 7YBCAHPNRA	
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO., INC. 14 HOFELER AVENUE ILION, NY 13357		6. SPLC (Dest.) 172856XXU	8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294		
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. 14 HOFELER AVENUE ILION, NY 13357		7. SPLC (Orig.) 297980251	10. GBLOC (Cons.) 1001 CMAH2W	11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294 W34GNA	
12. APPROPRIATION CHARGEABLE 21 22020000007601020420000002217015036 FAAD00GBL			13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS: 420AS-I-THA INDIANAPOLIS, IN 46249-0611		
14. VIA (Route shipment when advantageous to the Government)			AGENCY LOC CODE W53QRD		
15. MARKS AND ANNOTATIONS EQUIPMENT 1 DN: DROMEDARY WITH MECHANICAL RESTRAIN DN: INITIATING EXPL N DN: DUAL DRIVER PROTECTIVE SERVICE WIT DN: DTTIS SATELLITE MOTOR SURVEILLANCE DN: DUAL DRIVER PROTECTIVE SERVICE WITH NATIONAL AGENCY CHECK REQUESTED.			TP:3 DDD:97.06.16 FAAT-01-7161002-01 SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER. (111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. SEE DESCRIPTION OF ARTICLES		
16. PACKAGES NO. KIND	17. NM	18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)		19. WEIGHT* (Pounds only)	
		CLASSIFICATION ITEM NO. 069300 THIS BL CONSISTS OF 2 PAGES FIREARMS OR PARTS, NOI, IN BOXES. SEE NOTE. ITEM 69302			
	BX	TCN: W34QTK71333700XXY CU:7.0 FAAD RIFLE, SNIPER M24 SWS, SN: C6225443 NSN: 1605-01-340-2136		75	
=====		=====		=====	
		MARKS & ANNOTATIONS: (112) FLAME OR HEAT PRODUCING TOOLS WILL NOT BE USED TO REMOVE SECURITY DEVICES.			
1	BX	TOT QTY:75 P CU 7.0 SHIP AS-> SEE CONTINUATION SHEET FOR DETAILS		5000	
20. TARIFF/SPECIAL RATE AUTHORITY BAGT 000635-00		21. PICKUP SERV. FURNISHED ☐ YES ☒ NO VEHICLE FULLY LOADED ☐ YES ☒ NO		22. CARRIER WAY/FREIGHT BILL NO. AND DATE	
23. STOP THIS SHIPMENT AT		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS			
		INITIALS & NO.	SEAL NUMBERS	LENGTH/CUBE	MARKED CAPACITY
		BAGT:2402	0790361	ORDERED	FURNISHED
FOR:		APPLIED BY: SH		AD6	AV3
25. CARRIER'S PICKUP DATE (Year, month, & day) 97.06.12		26a. SIGNATURE OF AGENT BAGT		26b. PER G-6579612	
27. MODE B	28. ESTIMATE 1917	29. NO OF TLS TLS	30. TYPE RATE 1	31. PSC DN:SM	32. REASON
33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294					
33b. ISSUING OFFICER MICHAEL F. BOWERS, CHIEF, ITO			33c. DATED		
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY			33e. DATED		
33f. FOB POINT NAMED IN CONTRACT					

Received by the transportation company named above, subject to the regulations published in Title 41, Part 101-41 of the federal regulations, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to the consignee.

REPSHIP

34a. DELIVERED THIS CONSIGNMENT COMPLETE & IN APPARENT GOOD ORDER EXCEPT AS MAY BE INDICATED ☐ SHORTAGE ☐ DAMAGED

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400163041

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

MEMORANDUM
COPY

B/L
NO. **G-6579612**
SHEET NO
2 OF 2

(This form is to be used as a continuation sheet for SF 1103-A, U.S. Government Bill of Lading- Memorandum Copy or SF 1203-A, U.S. Government Bill of Lading- Privately Owned Personal Property- Property-Memorandum Copy.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 372
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERS TO

BAGGETT TRANSPORTATION CO

FROM (Shipping Point)

W34GNA
297930251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		#/M	DESCRIPTION OF ARTICLES Use carrier's classification or tariff description if possible; otherwise use a clear, nontechnical description.	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO	KIND				SERVICES	RATE	CHARGES
			(114) CARRIER TO NOTIFY CONSIGNEE REMINGTON ARMS (DUTY PHONE (502) 594-9961) AV., NON-DUTY PHONE 757) 878-5006) AND CONSIGNOR TRANSPORTATION OFFICER, FT CAMPBELL KY (DUTY PHONE (502) 798-7154 AV-635-7154, NON-DUTY PHONE (502) 798-9793) IMMEDIATELY IF SHIPMENT IS DELAYED EN ROUTE BECAUSE OF AN ACCIDENT OR INCIDENT. IF NEITHER CAN BE REACHED, CONTACT EASTERN AREA AT HOTLINE (800, 524-033). USE HOTLINE NUMBER TO OBTAIN SAFE HAVEN OR REFUGE INSTRUCTIONS IN THE EVENT OF A CIVIL DISORDER, NATURAL DISASTER, CARRIER STRIKE OR OTHER EMERGENCY				
			(337) SATELLITE MOTOR SURVEILLANCE SERVICE (SM) REQUESTED. IN EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-800-826-9794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION STATUS REPORT EVERY FOUR (4) HOURS, WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION				
			(339) DROMEDARY SERVICE REQUESTED.				
			(367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT.				
			THIS IS A DTTS SHIPMENT				
			BLOCK 24 EQUIPMENT DESCRIPTION CONT.				
			TRAYTOR 255L				

JUN-02-97 MON 03:20 PM

TASK FORCE 1-501 FRA

FAX NO. 907 384 1338

P.02

1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100	
STOCK NUMBER		FSC		NUN		ZDR		UNCL		ISSUE		QUANTITY		DOCUMENT NUMBER		SUPPLEMENTARY		ADDRESS		MARK FOR PROJECT		TOTAL PRICE DOLLARS																																																																																																																																																																																	
1005.01-240-2136		EA		00001W90AY6		7136500		W81A3P																																																																																																																																																																																															
COMMANDER HHC, 1-501st PIR, WH9RT0 600 RICHARDSON DRIVE FORT RICHARDSON, AK. 99505-9100										REMINGTON ARMS CO INC. ATTN: FABRICATED PROD. DEPT. 14 HOEFLER AVENUE ILLION, NY. 13357-1816										CMANZW																																																																																																																																																																																			
WAREHOUSE LOCATION		TYPE OF CARD		UNIT		UNIT WEIGHT		UNIT CUBE		UFC		NNFC		FREIGHT RATE		DOCUMENT DATE		MAX. COND.		QUANTITY																																																																																																																																																																																			
F		G		H		I		J		K		L		M		N		O		P		Q																																																																																																																																																																																	
SUBSTITUTE DATA (ITEM ORIGINALLY REQUESTED)										FREIGHT CLASSIFICATION NOMENCLATURE																																																																																																																																																																																													
T										U																																																																																																																																																																																													
										ITEM NOMENCLATURE																																																																																																																																																																																													
W										Y																																																																																																																																																																																													
SELECTED BY AND DATE										TYPE OF CONTAINER										TOTAL WEIGHT										RECEIVED BY AND DATE										INSPECTED BY AND DATE																																																																																																																																																															
1										2										3										7										8																																																																																																																																																															
PACKED BY AND DATE										NO. OF CONTAINERS										TOTAL CUBE										WAREHOUSED BY AND DATE										WAREHOUSE LOCATION																																																																																																																																																															
4										5										6										9										10																																																																																																																																																															
REMARKS:																																																																																																																																																																																																							
*TURN-IN FOR CONTRACTOR REPAIR.																																																																																																																																																																																																							
UNIT POC: IS SGT KELLY AT DSN: 384-2103 OR COMM: (907) 384-2103																																																																																																																																																																																																							
FIRST DESTINATION ADDRESS										DATE SHIPPED																				EE																																																																																																																																																																									
11										12										FF										GG																																																																																																																																																																									
13 TRANSPORTATION CHARGEABLE TO										14 LADING, AMP. OR RECEIVER'S SIGNATURE (AND DATE)										15 RECEIVER'S DOCUMENT NUMBER																																																																																																																																																																																			

DD FORM 1348-

1 MAR 74

EDITION OF 1 JAN 84 MAY BE USED
UNTIL EXHAUSTED

DOD SINGLE LINE ITEM RELEASE/RECEIPT DOCUMENT

WEAPON IS IN ROUTE
AS OF JUNE 3, 1997

MAINTENANCE REQUEST For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG				PAGE NO /	NO OF PAGES /	REQUIREMENT CONTROL SYMBOL CSGLD-1047(R1)
SECTION I - CUSTOMER DATA				SECTION II - MAINTENANCE ACTIVITY DATA		
1a. UIC CUSTOMER <i>WHARTO</i>	1b. CUSTOMER UNIT NAME <i>HHK 1501</i>	1c. PHONE NO <i>384-3557</i>	3a. WORK ORDER NUMBER (WON)	3b. SHOP	3c. PHONE NO	
2a. SAMS-2 UIC/SAMS-I/TDA	2b. UTILIZATION CODE <i>0</i>	2c. MCSR	4a. UIC SUPPORT UNIT	4b. SUPPORT UNIT NAME		
SECTION III - EQUIPMENT DATA						
5. TYPE MNT REQ CODE <i>1</i>	6. ID <i>A</i>	7. NSN <i>105-01-240-2136</i>	15a. FAILURE DETECTED DURING/WHEN DISCOVERED CODE (Enter code) See DA Pamphlets 738-750 and 738-751			
8. MODEL <i>M24</i>	MODEL <i>200</i>		15b. FIRST INDICATION OF TROUBLE/HOW RECOGNIZED CODE (Enter Code) See DA Pamphlets 738-750 and 738-751		16. MILES/KILOMETERS/HOURS/ROUNDS M K	
9. NOUN <i>RIFLE 7.62 (.308)</i>					H R	
10a. ORG WON/DOC NO	10b. EIC					
11. SERIAL NUMBER <i>66348986</i>	12. QTY <i>1</i>	13. PD	17. PROJECT CODE (if assigned)	18. ACCOUNT PROCESSING CODE	19. IN WARRANTY (enter Y or N)	20. ADMIN NO
14. MALFUNCTION DESCRIPTION (for DSU, GSU/AVIM, DEPOT use)			21. REIMBURSABLE CUSTOMER (if Intransit customer, enter Y or N)			
			22. LEVEL OF WORK		23. SIGNATURE	
24. DESCRIBE DEFICIENCIES OR SYMPTOMS ON THE BASIS OF COMPLETE CHECKOUT AND DIAGNOSTIC PROCEDURES IN EQUIPMENT TM (Do not prescribe repairs) <i>REPAIR AS NEEDED / INCONSISTANT SHOT GROUP, Damaged Stock</i>						
25. REMARKS <i>POC CPL YOUNG / SGT KELLY 384-3557 384-2103</i>						

PREPARATION INSTRUCTIONS FOR THIS PAGE

SECTION I

Block 1a. Enter UIC of submitting organization.
 Block 1b. Enter name of submitting organization.
 Block 1c. Enter number to be called when maint. is completed.
 Block 2a. Enter UIC of supporting SAMS-2/SAMS-I/TDA if work is requested while intransit and away from your support maintenance unit.
 Block 2b. Enter utilization code. See DA Pamphlets 738-750 and 738-751.
 Block 2c. Enter "Y" if reportable under AR 700-138. If not, leave blank.

SECTION II

Leave blank. To be completed by the support maintenance DSU/GSU/AVIM/DEPOT.

SECTION III

Block 5. Enter the Type Maintenance Request Code. See DA Pamphlets 738-750 and 738-751.
 Block 6. Enter ID associated with block 7. See DA Pamphlets 738-750 and 738-751.
 Block 7. Enter the NSN or stock number of the item being submitted.
 Block 8. Enter model of item being submitted.
 Block 9. Enter noun/nomenclature of item being submitted.
 Block 10a. Enter Work Order Number (WON)/DOC NO assigned when item is submitted. Otherwise, leave blank.
 Block 10b. Enter End Item Code. See AMDF.
 Block 11. Enter serial number of item being submitted.

SECTION III (Cont'd)

Block 12. Enter the quantity of items being submitted.
 Block 13. Enter the maintenance priority designator determined from DA PAM 710-2-1.
 Block 14. For DSU, GSU/AVIM, DEPOT use.
 Block 15a. Enter the code that most accurately describes when the fault or deficiency was detected. See DA Pamphlets 738-750 and 738-751.
 Block 15b. Select one. Enter the code. See DA Pamphlets 738-750 and 738-751.
 Block 16. Enter the accumulated usage data in blocks, when equipment is subject to usage reporting.
 Block 17. Enter the project code if one has been assigned. If not, leave blank.
 Block 18. See DA Pamphlets 738-750 and 738-751.
 Block 19. Enter "Y" or "N" to indicate whether equipment is still under manufacturer's warranty.
 Block 20. Enter the admin number assigned for property control purposes for the equipment being submitted.
 Block 21. For DSU/GSU/AVIM/Depot use.
 Block 22. Enter level of work performed "O" for UNIT LEVEL/AVUM, "F" for DSU/AVIM, "H" for GSU, "D" for DEPOT, "K" for contractor or "L" for Spc Rpr Act.
 Block 23. Enter the signature of the CO or the CO's designated representative when the priority designator is 01-10. For priority designators 11-15, leave blank.
 Block 24. Enter a brief description of the deficiencies or symptoms that you feel require attention at this level of maint.
 Block 25. Self-explanatory.

REPLY TO
ATTENTION OF.

DEPARTMENT OF THE ARMY
HEADQUARTERS, 1st BRIGADE
8th INFANTRY DIVISION (LIGHT)
FORT RICHARDSON, ALASKA 99505-6100



HHC 1/501 ABN PIR
BLD. 632 ARMS ROOM
FT. RICHARDSON, AK. 99505
907-384-3557 TEL
907-384-1338 FAX

ATT. FRED MARTIN
FABRICATED PROD DEPT.
14 HOEFLER AVE.
ILION, NY. 13357-1816
315-895-3413 TEL.
315-895-3670 FAX.

Steve
F Y I
7M