




Model 1100™ Competition

WIN ★ 2006

Optimized for the Demands of Today's Shooters



- 12 Gauge 30" ProBore™ Barrel
- 12 Gauge 30" ProBore™ Barrel with Adjustable Comb

Model 1100™ Competition


WIN ★ 2006

Barrel

- 12 Gauge .735" Bore Diameter
 - Improved Patterns and Further Reduces Felt Recoil
- New ProBore™ Choke Tubes
- Gas System Optimized for Target and Light Field Loads
- Wide 10mm Target Style Rib with Twin Beads

Model 1100™ Competition

WIN ★ 2006




ProBore™ Choke Tubes

- New Tube Required for Proper Constriction
- Forward Thread Design-Not Interchangeable with RemChoke
- Extended Tubes-Skeet(.004"), IC(.009"), Light Mod(.012"), Mod(.018"), Full (.036")

Model 1100™ Competition

WIN ★ 2006



Electroless Nickel/Teflon® Plated Parts

- All Moving Parts Mechanically Honed and Plated for Reduced Friction

Plated Parts

- Receiver, Mag Tube, Action Bars, Inertia Sleeve, Action Spring, Action Tube and Plunger, Hammer, Sear, Trigger and Carrier Release

Model 1100™ Competition

WIN ★ 2006

Electroless Nickel/Teflon®

- Co-Deposit of Nickel and Teflon®
- Nickel-Adds Hardness and Provides Corrosion Resistance
- Teflon®-Reduces Frictional Coefficient

End Result

The Most Reliable Autoloading Target Shotgun Available

Model 1100™ Competition

WIN ★ 2006

The Softest Shooting Autoloader

- **Overbore Barrel Further Reduces Felt Recoil**
- **Remington's R3 Pad with Patented Limbsaver® Technology**



Model 1100™ Competition

WIN ★ 2006

Specifications

- Weight-8 ¼ Pounds
- Length of Pull-14 ¼"
- Drop at Comb-1 ½"
- Drop at Heel-2 ¼"
- Overall Length-50 ¼"
- Stock-Hi-Gloss Semi-Fancy American Walnut
- Receiver-Polished Side Panels with Non-Glare Top and Matching Bottom Radius

Model 1100™ Competition

WIN ★ 2006

Gauge	Action Type	Barrel Length	Barrel Type	Overall Length	Average Weight	Order #	MSP
12	Auto	30"	VR ProBore	50 1/4"	8 1/4	26919	\$949
12	Auto	30"	VR ProBore	50 1/4"	8 1/4	26923*	\$1089

*26923 Adjustable Comb Stock

Model 1100™ Classic Field WIN ★ 2006

A Complete Family of Legendary Shotguns



12 Gauge 26" & 28" RemChoke™ Barrels
28 Gauge 25" RemChoke™ Barrel
.410 Bore 25" RemChoke™ Barrel

Model 1100™ Classic Field WIN ★ 2006



- Nearly 4,000,000 Model 1100's Sold
The Most Popular Autoloader Ever Designed
- All Five Offerings-The First Time in 25 Years
- Superior Field Reliability
- Proven Design
- Soft Recoiling Gas Operation

Model 1100™ Classic Field WIN ★ 2006

Features

- High Polish Blued Receiver and Barrel
- Semi-Gloss American Walnut Stock Set
- Twin Beads-Front Ivory and Steel Mid
- Classic White Line Spacers and Diamond Grip Cap

Model 1100™ Classic Field WIN ★ 2006

Gauge	Action Type	Barrel Length	Barrel Type	Overall Length	Average Weight	Order #	MSP
12	Auto	26"	VR-RC	46"	7 7/8 lbs	24481	\$614
12	Auto	28"	VR-RC	48"	8 lbs	24479	\$614
28	Auto	25"	VR-RC	45 1/2"	6 1/2 lbs	24487	\$639
.410 Bore	Auto	25"	VR-RC	45 1/2"	6 1/2 lbs	24491	\$639

Remington® Tactical Shotguns WIN ★ 2006
Model 870™



- New Line of Tactical Shotguns for Personal Protection or Competition
- All 12 Gauge with OD Green Receiver and Barrel
- 18" IC Barrel with 2 Shot Extension and 20" IC Barrel with 3 Shot Extension
- Speedfeed™ IV Stock
- R3 Recoil Pad with Patented Limbsaver® Technology

Remington® Tactical Shotguns WIN ★ 2006
Model 870™



- 12 Gauge 18" IC Barrel
- Features Knoxx Industries SpecOps™ Stock
- Adjustable Length of Pull from 12" to 16"
- Spring Loaded Cam Provides Significant Recoil Reduction
- R3 Recoil Pad with Patented Limbsaver® Technology

Remington® Tactical Shotguns WIN ★ 2006
Model 1100™



- 12 Gauge 18" Cylinder Bore Barrel-2 Shot Extension
 - Features SpeedFeed® IV Stock
- 12 Gauge 22" Rem Choke™ Barrel-4 Shot Extension
 - Features Black Synthetic Stock and Fore End
- R3 Recoil Pad with Patented Limbsaver® Technology

Remington® Tactical Shotguns WIN * 2006

Gauge	Model	Barrel Length	Shot	Barrel Type	Overall Length	Average Weight	Order #	MSP
12	870	18"*	SF IV (Full Pistol)	BS-IC	38 1/2"	7 3/4	26431	\$449
12	870	18"	SpecOps	BS-IC	38 1/2"	7 1/4	26433	\$469
12	870	20"***	SF IV	BS-IC	40 1/4"	7 1/4	26471	\$449
12	1100	18"	SF IV	BS-IC	38 1/2"	7 3/8	26435	\$569
12	1100	22"****	Black Synthetic	VT-HVls	42 1/2"	7 3/4	26437	\$599

*2 Shot Extension, 7 Shot Total Capacity

**3 Shot Extension, 8 Shot Total Capacity

***4 Shot Extension, 9 Shot Total Capacity

Model 11-87™ & Model 870™
Special Purpose Thumbhole-Deer

WIN ★ 2006




Precision & Recoil Reduction

- Superior Control for Rifle Like Shot Placement
- Laminated Stock Design Manages Heavy Recoil
- R3 Recoil Pad Further Reduces Recoil
- 21" 11-87 & 23" 870 Fully Rifled Cantilever Barrel
- 2 ¾" or 3" Sabot Slugs

Model 870™ and 11-87™
Special Purpose Turkey Guns


WIN ★ 2006



- Receivers Drilled and Tapped for Weaver® Rail
- Provides Easy Scope Mounting on Turkey Guns
- Weaver Part Number 470

Model 870™ and 11-87™
Special Purpose Guns

WIN ★ 2006



- All SPS Camo Shotguns in Mossy Oak® Obsession™
- One of the Most Popular Patterns on the Market
- Provides All Season-All Terrain Concealment

Model 11-87™ Super Magnum
Special Purpose Thumbhole-Turkey

WIN * 2006



Precision & Recoil Reduction

- Superior Control for Rifle Like Shot Placement
- Receiver Drilled and Tapped for Weaver® Rail
- R3 Recoil Pad Further Reduces Recoil
- 2 ¾", 3" or 3 ½" Shotshells
- 23" TruGlo® Rifle Sighted Barrel
- Turkey Super Full (0.665"/.062") Rem™ Choke
- Full Coverage Mossy Oak® Obsession®

Model 11-87™ and Model 870™ WIN ★ 2006
Special Purpose Thumbhole

Gauge	Action Type	Barrel Length	Barrel Type	Overall Length	Average Weight	Order #	MSP
12	Auto 11-87	23"	RC TG-RS	44 ½"	8 1/4	29517	\$809
12	Auto 11-87	21"	FRCL	42 ½"	8 1/4	29919	\$739
12	Pump 870	23"	FRCL	44 ½"	8 1/8	25005	\$517

Model 11-87™ Sportsman®
20 Gauge Slug Gun


WIN ★ 2006

Accurate, Rugged Reliability, Value Priced



Fully Rifled Slug Gun

- 20 Gauge 21" Fully Rifled Cantilever 2 3/4" or 3" Barrel
- Swivel Studs and Magazine Cap
- One of the Softest Shooting Slug Guns with Managed Recoil® BuckHammer™



**NRA[®] Edition
Model 870[™] Wingmaster[®]**

WIN ★ 2006




- NRA Heritage Logo Roll Marked in Receiver
- High Polish Blued Receiver and Barrel
- Light Contour 28" Vent Rib Barrel
- Rem[™] Choke-IC, Mod, and Full
- Portion of Proceeds Donated to the NRA

NRA® Edition
Model 11-87™ Sportsman® WIN ★ 2006



- NRA Heritage Logo Roll Marked in Receiver
- 2 ¾" and 3" Versatility
- Mossy Oak® New Break-Up™ Stock and Fore-End
- Swivel Studs and Swivel Magazine Cap
- 28" Standard Contour Barrel-Modified Rem™ Choke
- Portion of Proceeds Donated to the NRA

NRA® Edition WIN ★ 2006
Model 552™ BDL™ Deluxe Speedmaster®



- Laser Etched NRA Embellishment .22 Short, .22 Long, and .22 Long Rifle
- 21" Rifle Sighted Barrel
- High Gloss Walnut and Polished Blued Metal
- Portion of Proceeds Donated to the NRA


NRA® Edition Firearms

WIN ★ 2006

Gauge Caliber	Action Type	Barrel Length	Barrel Type	Overall Length	Average Weight	Order #	MSP
12	Auto 11-87	28"	VR-RC	48	8 ¼	29915	\$499
12	Pump 870	28"	LC VR- RC	48	7	24985	\$514
.22 LR .22 L .22 S	Auto 552	21"	Rifle Sighted	40	5 ¾	25972	\$389

Remington® Model 870™ Wingmaster® WIN ★ 2006
Dale Earnhardt Tribute Limited Edition 20 Gauge

- Fourth Limited Edition in the 4-Year Series
- 26" Vent Rib, Rem™ Choke Barrel
- Finely Detailed Image of Dale Earnhardt with Scrollwork and Signature on Left Receiver Panel
- Tributary Banner with "7 Time Winston Cup Champion" on Right
- Both Signature and Tributary Message in 24kt Gold
- Special Serial Number Series of "DE3####"




Remington® Model 870™ Wingmaster®
Dale Earnhardt Tribute Limited Edition 20 Gauge

WIN ★ 2006

Gauge	Action Type	Barrel Length	Barrel Type	Overall Length	Average Weight	Order #	MSRP
20 (3")	Pump	26"	VT RC	46 1/2"	6 3/4 LBS	26213	\$615


LOP= 14 1/4"; Drop @ Comb = 1 1/2"; Drop @ Heel = 2 1/2"

870™ Express® WIN ★ 2006



The World's Most Popular Shotgun

- Stock & Fore End Upgraded to Brown Laminate
- Offers Enhanced Look with Greater Durability and Strength



New Part Order Barrels

WIN ★ 2006

Field Barrels


- 870 Express 12 Ga. 26" & 28" Vent Rib Rem Choke™

Deer Barrels

- 870 Express 20 Ga. 18 ½" FRCL
- 870 Express 12 Ga. 23" FRCL
- 870 SP 20 Ga. 18 ½" FRCL Clam-pack
- 870 SP 12 Ga. 23" FRCL Clam-pack
- 1187 Sportsman 20 Ga. 21" FRCL

Personal Protection

- 870 Express 12 Ga. 18" Cylinder Bore-Bead Sight



The Parker® Shotgun

WIN ★ 2006

Brief Parker Gun History

- Founded in Meriden, CT
- First Parker Shotgun Manufactured Late 1800's
- Rights Sold to Remington June 15, 1934
 - First Remington Gun-236531 VH 28 Gauge
- Announced Continued Manufacture in 1988
 - AHE 20 Gauge-3 Guns Produced & Sold
- July 2004-Contracted with Connecticut Shotgun Manufacturing to Build True AAHE 28 Gauge

The Parker® Shotgun

WIN ★ 2006

Gun Specifications

- Gauge-28 Gauge
- Grade-AAHE Grade 7
- 26", 28", or 30" Barrels Choke as Specified
- Exhibition Grade Circassian Walnut Stock and Fore End
- Skeleton Butt with Options for Grip
- Beaver or Splinter Fore End
- Single Selective or Double Trigger
- Engraving to be Specified by Customer
- Oak and Leather Case
- Price-\$49,000

2006 New Shotgun Products WIN ★ 2006

SKU	Description
25135	870 Express Super Mag 12.30" Mossy Oak Shadowgrass
25131	870 Express Super Mag 12.25" Mossy Oak Break Up
25152	870 Express 12.21" Mossy Oak Break Up Stock and Fore End
25157	870 Express 20.21" Mossy Oak Break Up Stock and Fore End
26443	870 Express Jr. 20.18 1/2" Mossy Oak Break Up Stock and Fore End
25007	870 Super Mag 12.23" SPS-Turkey Mossy Oak Obsession
24953	870 Super Mag SPS 12.26" Mossy Oak Obsession
24955	870 Super Mag SPS 12.28" Mossy Oak Obsession
25005	870 SP-Thumbhole 12.23" Fully Rifled Camlever
24985	870 Wingmaster 12.28" NRA Edition
26213	870 Wingmaster 20.30" Dale Earnhardt Commemorative

2006 New Shotgun Products WIN ★ 2006


Item	Description
26919	1100 Competition 12.30"
26923	1100 Competition 12.30" with Adjustable Comb
24481	1100 Classic Field 12.26"
24479	1100 Classic Field 12.28"
24487	1100 Classic Field 28.25"
24491	1100 Classic Field 410.25"
29517	11-87 Super Mag 12.23" SP-Turkey Thumbhole Mossy Oak Obsession
29519	11-87 Super Mag 12.23" SPS-Turkey Mossy Oak Obsession
29919	11-87 SP-Thumbhole 12.23" Fully Rifled Cantilever
29501	11-87 Super Mag SPS 12.26" Mossy Oak Obsession
29513	11-87 Super Mag SPS 12.28" Mossy Oak Obsession
29915	11-87 Sportsman 12.28" NRA Edition
29877	11-87 Sportsman 20.21" Fully Rifled Cantilever

2006 New Shotgun Products WIN ★ 2006

Stock	Description
26431	870 Tactical 12.18" SFIV Stock-2 Shot Extension
26433	870 Tactical 12.18" SpecOps Stock-2 Shot Extension
26471	870 Tactical 12.20" SFIV Stock-3 Shot Extension
26435	1100 Tactical 12.18" SFIV Stock-2 Shot Extension
26437	1100 Tactical 12.22 Syn Stock-4 Shot Extension

2006 New Shotgun Barrels WIN ★ 2006

S&P	Description
24620	870 Express 12.18" BS-Cyl
27597	870 Express 12.23" FRCL
27599	870 Express 20.18 1/2" FRCL
26312	870 Express 12.26" VT-RC Mod
26314	870 Express 12.28" VT-RC Mod
24553	870 Special Purpose 12.23" FRCL Scoped Clam-pack
27595	870 Special Purpose 20.18 1/2" FRCL Scoped Clam-pack
27591	11-87 Sportsman 20.21" Fully Rifled Cantilever



SKU	DESCRIPTION	SKU	DESCRIPTION
26470	870 Exp Jr 20.18 % Camo S&F	26443	870 Exp Jr 20.18 % Camo S&F
25175	870 Exp 20.21 Camo S&F	25157	870 Exp 20.21 Camo S&F
25205	870 Exp 12.21 Camo S&F	25152	870 Exp 12.21 Camo S&F
25105	870 Exp SM 12.23 Camo	25131	870 Exp SM 12.23 Camo
25129	870 Exp SM 12.30 Camo	25135	870 Exp SM 12.30 Camo
25203	870 Exp 16.23 Youth		
25201	870 Exp 16.28 Synthetic		
25191	870 Exp 16.28		
26945	870 Wingmaster 12.28 DE	26943	870 Wingmaster 20.26 DE
24989	870 SPS-T 20.20		
24968	870 SPS-T SM 12.23 Camo	25007	870 SPS-T SM 12.23 Camo
24952	870 SPS SM 12.26 Camo	24953	870 SPS SM 12.26 Camo
24949	870 SPS SM 12.28 Camo	24945	870 SPS SM 12.28 Camo
29896	11-87 SPS SM 12.23 NWTF	29517	11-87 SPS 1H 12.23 TC-RS
29662	11-87 SPS 12.26 Camo	29501	11-87 SPS 12.26 Camo
25343	11-87 SPS SM 12.28 Camo	29543	11-87 SPS SM 12.28 Camo
25307	11-87 Super Mag 12.26		
25305	11-87 Super Mag 12.28		