	776 - 2270000000.								
Sun	nmary Tot	al Test + Proof Failures	770						
		Total Rejected:	73						
	30000	Total Rejected: Overall Reject Rate:	9.48						
	Proo	Shot:	396	87	178	28		53	
	Proo	Shot: f Rejected:	0	1	0	0	0	0	0
	Test	Percent	0.0	1.1	0.0	0.0		0.0	
		Shet: [Rejected:	445	50	148	28	2	19	
	Test	Rejected:	14	⊗ 5	27	0	1	4	0
		f Rejected: Percent Shet: Rejected: Parcent Shot: Parcent Shot: Rejected:		10.0	18.2	0.0	50.0	21.1	
		Shot:	51	3	14	28		2	
	Targ	et Rajected: '	0	200000 20 0 12500	>>> O	0	0	0	0
		Percent:	00	0.0	0.0	0.0		0.0	

CODE	MALFUNCTION INDEX	786 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
		***			l::			
AB	Action binds						2000	
BABS	Bulge at body shoulder							
BAC	Burr at chamber	1					3	
ВВМА	BBL-to-bolt misalignment			.,	ľ			
ВВ	Bolt binds/catches	5		1		1		
BCOBS	Bolt catches on bolt stop					*****		
BCOF	Bolt catches on follower					á.		
BC	Blows cases							
BHR	Bolt hits receiver						***	
BHS	Bolt plug hits safety switch							.,,
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off			-				
вро	Bolt pulls out			3000				
BSSM	Bolt stems shell in magazine							
BWCD	Boit won't cam down							
BWCFM	Bolt won't close over full magazine		3	2				
CD	Case dented							

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
СН	Closes hard		1					
CLM	Can't laod magazine							
co	Cut-off							
CR	Cetsrim							
cs	Cases swell		× 38					
стов	Chamber torn or gouged		///////	که				
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar				Oten.			
DBB	Doesn't blow back							
DCS	Double click in safety switch	** ///						
DCT	Double click in trigger							
DCU	Doesn't close-up			<i>200</i>				
DE	Doesn't eject			***************************************				de.
DEL	Doesn't eject live round							
DFB	Doesn't feed back				**************************************			
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)					/		
DLU	Doesn't lock-up					**.		
DS	Dead safe						1	
DX	Doesn't extract							
DXL	Doesn't extract live round	1						
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds			_	_		_	

۱	2	
١	3	
l	スプゴつ	
(כ	
Ç	0	
ť	כ	
ŀ	•	
Ĺ	J	1
C	O	
ŀ	-	
ſ	O	


	<i>patter</i>							
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
FC	Fails to connect							
FCB	Fore-end gracked or broken							
FD	Follows-down	************************************						
FF	Fails to fire							
FFP	Flat firing pin	"" XX	# ************************************					
FOS	Fires on safe		///////	2 4				
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard	**	*** *********************************		****	*		
FSR	Fires when safe is released	.,,						
FT	Follower tips	1		<i></i>			Allen	
GCSO	Gas cyl shot off							X.
HBL	Heavy bolt lift	3		18	<i>7 /////</i>			
HMSC	Heading mismatch-steps on case				**************************************			
HPA	High pressure ammo							
HUR	Hard under rail					ź		
JCS	Jumps cartridge					~		
JM	Jumps magazine						400	
10	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)	_						_
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							


MAE	
00	
0	
۲	
W	
Ω	
19	


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7
								Stainless
MIRH	Magazine removes hard					*		
ОН	Opens hard							
OR	Over-rides			1				
PH	Pulls hard							
PSI	Proof stamp illegible		×					
PSM	Proof stamp missing			ð.,				
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				\$****.			
RIC	Rings in chamber	//8//		4				
RIS	Ring in sholder	**						
RS	Rim srem	'.						
SBC	Stems bottom chambers			2///				
SBE	Stems bbl extension							ŵ.
SCB	Stock cracked or broken			****				
scx	Shell catches				79.33.			
SHI	Short indent							
SI	Stems incline							
sic	Stems in chamber					7		
SL	shaves lead						***	
SLC	Stems left side of chamber							****
SMOC	Stretch marks on case							
SOR	Stem over-ride		1					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
STC .	Stems top chamber							
SWE	Safety switch works too easily			-				
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work	************						
TD	Tips down	.a. "	×					
TU	Tips up							
TWP	Trigger won't pull	· /////						
TWR	Trigger won't retract				\$8			
UNCN-T	Uncoded			1				
XH	Extracts hard	**			***	*		
HI	High							
LO	Low							٨.
LEFT	Left				7 ////			7 11000
RIGHT	Right				*****			
DG	Doesn't Group							
FSST	Front sight tipped			***************************************		;		
RSTT	Rear sight tipped			***************************************		-	**************************************	
RSBR	Rear sight base raised			***************************************			***	
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose			-				
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
BC-P	Blows cases at proof				-			
BEB-P	Barrel extension broken at proof				-			
BLP-P	Blanked primer at proof				**************************************			
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer al proof		×					
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof				Occ.			
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof			<i>// /////</i>		*		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl				###			a.
MSM-P	Magnaflux stamp missing on bbl							<i>1</i>
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		1			;		














	1000000000000	~~~									
Summ	any	Fotal	Test + Pr	oof Failures	1	770					
			Tot	al Rejected:		73					
			Overall)	Reject Rate:		.48					
				Shot:	396	87	178	28		53	
	*******	Proof	#8F 33	Rejected.	0	. 1	0	0	0	0	0
				Percent	0.0	1.1	0.0	0.0		0.0	
				Shot:	445	50	148	28	2	19	
		Test	¥ 188	Rejected:	14	5	. 27	0	1	4	0
				Shot: Rejected Percent Shot: Rejected: Percent:	3.1	10.0	18.2	0.0	50.0	21.1	
				Shot:	51		14	28		2	
		Target		Rejected:	0 §	0	0.0	0 0.0	0	0	0
		3		Percent:	ο α⊗	‱ on	<i>‱a</i> ∩	on n		0.0	

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
							22	
АВ	Action binds				.			·
BABS	Bulge at body shoulder		\$ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
BAC	Burr at chamber	1					3	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches	5		1		1		
BCOBS	Bolt catches on bolt stop						1/1/4/	
BCOF	Bolt catches on follower						,	
вс	Blows cases							*** **********************************
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


FA Fires automatically FB Follower binds FC Fails to connect FCB Fore-end gracked or proken FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens						
FC Fails to connect FCB Fore-end cracked or broken FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens				300		
FCB Fore-end cracked or broken FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens				300		
FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens				300		
FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens				300		
FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens				300		
FOS Fires on safe FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens				300		
FPHB Firing pin hits bbl FPHI Firing pin hits inside rim FPO Floor plate opens				800		
FPHI Firing pin hits inside rim FPO Floor plate opens				- Xee		
FPO Floor plate opens	- 1-00000000000000000000000000000000000					
FPO Floor plate opens	- 1-00000000000000000000000000000000000			5500		
			(1888-).			
FPOH Floor plate opens hard	19990000				Sec	
FSR Fires when safe is released	4110011100					
FT Follower tips 1	****	******				
GCSO Gas cyl shot off	450044	***				
HBL Heavy bolt lift 3	***************************************	18				
HMSC Heading mismatch-steps on case	***************************************					
HPA High pressure ammo	***************************************					
HUR Hard under rail	***************************************				2000	
JCS Jumps cartridge	****				Ä	
JM Jumps magazine	3.51					
JO Jars off	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
LB Light blow	***************************************					
MAH Magazine assembles hard						
MCW Magazine capacity wrong						
MFA Misfires (ammo)	***************************************					
MFOP Magazine follower out of position	Partition and the second secon					


1	
3,000	
	****//


Specific rings in chamber							
Surface scratches on case		Per la constante de la constan					
Stems top chamber		***************************************					
Safety switch works too easily							
Safety switch works too hard		\$45.					
Safety ewitxh work							
Tips down							
t the rth							
Trigger won't pull							
Trigger won't retract							
Uncoded			1				
Extracts hard						Seo.	
		***************************************		883			
High		***************************************					
Low		***************************************	***				
Left	***************************************			19.000 m			
Right							
Doesn't Group							
Front sight tipped							
Rear sight tipped	-	***************************************				ž	
Rear sight base raised							
Front sight raised		A					
Front sight loose		***************************************					
Rear sight loose	****						
Missing parts at target		No. of Contract of					
Uncoded nonconformity at target	***************************************						
	-	-					
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scribbles on base Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight loose Rear sight loose Missing parts at target	Surface scratches on gase Sterns top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded 1 Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top chainber Safety switch works too easily Safety switch works too hard Safety switch works Tips down Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Front sight loose Rear sight loose Missing parts at target	Surface scrattches on asse Stems top étiainber Safety switch works too easily Safety switch works foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top étrainber Safety switch works top easily Safety switch works top easily Safety switch works top easily Safety ewitch works top easily Safety ewitch works Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Rear sight loose Missing parts at target


AI-P	Assembly incompleye at proof							
868	Barrel bracket stacked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof				***			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***			***			
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***************************************		*****			
GCSO-P	Gas cylinder shot off at proof		*******					
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		***************************************		******			
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		1				2006	
		·	·		·	·	- 2	0000 //XXXVI


7400	7500	7600	7400 Weathermaster	7600 Weathermaster	Rimfire	totals
					,,,	- 2/2/2 - 2/2/
						4
						7











Subject to Protective Order - Williams v. Remington

Summary		Proof Failures	0						
	7	otal Rejected:	0						
Summary	1 Overa	otal Rejected: Il Reject Rate:							
	Proof .	Shot: [Rejected: Percent Shot: [Rejected: Percent:	**** I						
	Proof	Rejected.	0	0	0	0	0	0	0
		Percent		Soc.					
		Shot.	I						
	Test	Reje cted :	Q	0	O	0	0	Đ	0
		Rejected: Percent: Shot: [Rejected:	o.	0					
		Shot: [-8883 8 F	#####	1000000	۸.			
	Target	Rejected:	0	9	O	0	0	0	0
	•	Percent:			<i>.</i>				

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		7444			
AB	Action binds		***************************************		.			', .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		***		3////	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		***************************************			*******		
BCOBS	Bolt catches on bolt stop		***				1/1/4/	
BCOF	Bolt catches on follower		-				,	//
вс	Blows cases		100					
BHR	Bolt hits receiver		***************************************					77.
BHS	Bolt plug hits safety switch		21					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		200					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


	\$6666661							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		***************************************					
СН	Closes hard		**************************************					
CLM	Can't laod magazine		on and a second					
со	Cut-off		deca.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull	100			*			
CWSB	Cams wrong side of action bar		l ////					
DBB	Doesn't blow back	***			***	<i>M</i> ////		
DCS	Double click in safety switch						Soc.	
DCT	Double click in trigger		-		****			
DCU	Doesn't close-up		***************************************		.			
DE	Doesn't eject			***				WW 1////2
DEL	Doesn't eject live round		Santanari i		*****			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up		***					
DLO	Doesn't lock open (after last shell)		Produktende				*****	
DLU	Doesn't lock-up		***************************************				į.	
DS	Dead safe		MATTERIAL					******
DX	Doesn't extract		***************************************					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back		***************************************					
ESCR	Empty shell catches receiver							_
ESS	Extractor stems shell							

FB F	rires automatically						
00000000 000000 c	000000 20000000						
FC F	Follower bin ds						
i	Fails to commect						
FCB F	ore-end cracked of broken						
FD F	ollaws-down		šta.				
FF F	Fails to fire						
FFP F	Flat firing pin						
FOS F	Fires on safe						
FPHB F	Firing pin hits bbl						
FPHI F	Firing pin hits inside rim						
FPO F	Floor plate opens	. 449			***		
FPOH F	Floor plate opens hard					Sec.	
FSR F	Fires when safe is released						
FT F	Follower tips						
gcso g	Gas cyl shot off			1760			
HBL H	leavy bolt lift				× 4		
HMSC H	leading mismatch-steps on case						
HPA H	High pressure ammo						
HUR H	Hard under rail					*****	
JCS J	lumps cartridge					á	
JM Jı	lumps magazin e						***//
JO J	lars off						
LB Li	ight blow						
MAH M	Magazine assembles hard						
MCM M	Magazine capacity wrong						
MFA M	Misfires (ammo)						
MFOP M	Magazine follower out of position						

ML	Magazine lööse		-					
MLH	Magazine loads hard		***************************************					
MRH	Magazine removes hard		-					
ОН	Opens hard							
OR	Over-rides							
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				11/1/11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************		****			
SBC	Stems bottom chambers		************					
SBE	Stems bbl extension		410444	***				
SCB	Stock cracked or broken		***************************************		**************************************			
SCX	Shell catches		**********					
SHI	Short indent		***************************************					
SI	Stems incline		Milantanas				******	
SIC	Stems in chamber		Anna-				ž.	
SL	shaves lead		MATERIAL					***//
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		4400441000					
SP	Stems port							
SR	Shoulder rough		***************************************					
SRC	Stems right side of chamber		-					

SRIC	Specific rin gs in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety-switch works too easily							
SWH	Safety switch works too hard		žec.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***						
XH	Extracts hard						Sec.	
HI	High							
LO	Low			100				
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						3000	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							****
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	1		i	<u> </u>	F	l	1	1

AI-P	Assembly incompleye at proof							
868	Barrel bracket stacked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				11/1/11		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				2000	
	_						;	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	, 24 3 05%.	2000	4990	10000 1000				
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
							× 2000	
АВ	Action binds		****		s			
BABS	Bulge at body shoulder		30.00					***
BAC	Burr at chamber		***					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		***************************************			*****		
BCOBS	Bolt catches on bolt stop		310000000000000000000000000000000000000				444	
BCOF	Bolt catches on follower							
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		-					
вро	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine		****					
BWCD	Bolt won't cam down		1100					

0

0

0

0

0

0

	//////////////////////////////////////							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		Per la constante de la constan					
СН	Closes hard		***************************************					
CLM	Can't laod magazine							
со	Cut-off		\$20.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged	···						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	1.400				1///		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		4.00	***				
DEL	Doesn't eject live round				*******			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						******	
DLU	Doesn't lock-up		***************************************				ž.	
DS	Dead safe							
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DXL	Doesn't extract live round							
EDS	Extractor drops shell		***					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-		_		_	


lea .	Fine autowall cells		h					
FA	Fires automatically		-					
FB	Follower binds		400					
FC	Fails to connect		***************************************					
FCB	Fore-end cracked or broken		***************************************					
FD	Follows-down		## (###)					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***				<i>.</i>		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released			1///	****			
FT	Follower tips		***************************************	***				
GCSO	Gas cyl shot off			****				
HBL	Heavy bolt lift		-		*******			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge		***************************************					
JM	Jumps magazine		***************************************					*******
JO	Jars off		-					
LB	Light blow		-					
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong		-					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
-	•	•						

ML	Magazine lööse					
MLH	Magazine loads hard	**************************************				
MRH	Magazine removes hard	Antonia				
ОН	Opens hard	***************************************				
OR	Over-rides	\$40.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***************************************				
SBC	Stems bottom chambers	******				
SBE	Stems bbl extension	-	· **			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			*****	
SIC	Stems in chamber	****			ž.	
SL	shaves lead	naan tanan tan				*****
SLC	Stems left side of chamber	***********				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough	***************************************				
SRC	Stems right side of chamber					

SRIC	Specific rings in chamber						
8500	Surface scratches on case		**************************************				
STC	Stems top.chamber		***************************************				
SWE	Safety switch works too easily		***************************************				
SWH	Safety switch works too hard		áva.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***	// Was				
XH	Extracts hard					Sax.	

HI	High		***************************************		*		
LO	Low		***************************************	′%			
LEFT	Left		***************************************		1000000		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose	***************************************	*******				
MGPT-G	Missing parts at target		-				
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				* ***********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summa	iry Tota	i Test + Proof Failures	0						
		Total Rejected:	0						
Summa		Total Rejected: Overall Reject Rate:							
	Proof	\$hot: Rejected: Percent: Shot: Rejected: Percent:	. I						
	Proof	Shot: Rejected:	0	0	0	0	0	0	0
		Rejected Percent: Shor	9390 10000000000000	No.					
	4	Shot:	Boot Ka	888F					
	Test	Shat Reje cted ; Percent:	Q.	0	O	0	0	O.	0
		Percent:	a	0					
		Shot: t Rejected:		3000	700000				
	Targe			9	O	0	0	0	0
	J	Percent:	0	9	O	0			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		22	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		***************************************					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					


	366600000000000000000000000000000000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine	***************************************					
со	Cut-off	što.					
CR	Cuts rim	- XX					
cs	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				11/1/11		
DCS	Double click in safety switch					330.	
DCT	Double click in trigger	***************************************					
DCU	Doesn't close-up	***************************************					
DE	Doesn't eject		· **				
DEL	Doesn't eject live round	-		**************************************			
DFB	Doesn't feed back	-					
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************				2000	
DLU	Doesn't lock-up					į.	
DS	Dead safe						******
DX	Doesn't extract	***************************************					
DXL	Doesn't extract live round						
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back	***************************************					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically							
FB	Follower binds		**************************************					
FC	Fails to connect		Antonia					
FCB	Fore-end gracked of broken		***************************************					
FD	Follows-down		âsa.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	100	// Was		***	<i>200</i>		
FPOH	Floor plate opens hard						Stv.	
FSR	Fires when safe is released							
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	100				
HBL	Heavy bolt lift		***************************************		**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge	-	***************************************				ž.	
JM	Jumps magazine							
JO	Jars off		A					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong		**************************************					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

ML	Magazine lööse		-					
MLH	Magazine loads hard		***************************************					
MRH	Magazine removes hard		-					
ОН	Opens hard							
OR	Over-rides							
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				11/1/11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************		****			
SBC	Stems bottom chambers		************					
SBE	Stems bbl extension		410444	***				
SCB	Stock cracked or broken		***************************************		**************************************			
SCX	Shell catches		**********					
SHI	Short indent		***************************************					
SI	Stems incline		Milantanas				***************************************	
SIC	Stems in chamber		Anna-				ž.	
SL	shaves lead		MATERIAL					***//
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		4440444					
SP	Stems port							
SR	Shoulder rough		***************************************					
SRC	Stems right side of chamber		-					

SRIC	Specific rings in chamber	***************************************					
SSOC	Surface scratches on case	***************************************					
STC	Stems top chamber	 ***************************************					
SWE	Safety switch works too easily	**************************************					
SWH	Safety switch works too hard	200					
SWW	Safety ewitxh wont work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull			***			
TWR	Trigger won't retract						
UNCN-T	Uncoded						
XH	Extracts hard					Sec.	
		***************************************		***			
HI	High	*********	***************************************				****
LO	Low	***************************************	***				
LEFT	Left	**************************************		*******			
RIGHT	Right	***************************************			1000		
DG	Doesn't Group	***************************************					
FSST	Front sight tipped	110011111111111111111111111111111111111				*****	
RSTT	Rear sight tipped	**************************************				ä	
RSBR	Rear sight base raised	naatti näätti näät					
FSTR	Front sight raised	***************************************					
FSTL	Front sight loose	visional trans					
RSTL	Rear sight loose	***************************************					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				***		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summa	iry Tota	i Test + Proof Failures	0						
		Total Rejected:	0						
Summa		Total Rejected: Overall Reject Rate:							
	Proof	\$hot: Rejected: Percent: Shot: Rejected: Percent:	.						
	Proof	Shot: Rejected:	0	0	0	0	0	0	0
		Rejected Percent: Shor	9350 19900000000000	Soc.					
	4	Shot:	Boo. LS	<i>0007</i>					
	Test	Shat Reje cted ; Percent:	Q.	0	O	0	0	O.	0
		Percent:	a	0					
		Shot: t Rejected:		3000	100000				
	Targe		0 ////	9	Ü	0	0	0	0
	J	Percent:	0	0	ŧ)	0			
					1771757				

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //			
AB	Action binds		***************************************		k ##			, .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		-			
ВВ	Bolt binds/catches		-			*****		
BCOBS	Bolt catches on bolt stop		***************************************					
BCOF	Bolt catches on follower		***************************************				ž	
вс	Blows cases		***************************************					
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		Participation					
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		-					


	//////////////////////////////////////							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		Per la constante de la constan					
СН	Closes hard		***************************************					
CLM	Can't laod magazine							
со	Cut-off		\$20.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged	···						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	1.400				1///		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		4.00	***				
DEL	Doesn't eject live round				*******			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						******	
DLU	Doesn't lock-up		***************************************				ž.	
DS	Dead safe							
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DXL	Doesn't extract live round							
EDS	Extractor drops shell		***					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-		_		_	

	20062004111							
FA	Fires automatically							
FB FC	Follower binds		***************************************					
FC	Fails to connect							
FCB 👋	Fore-end cracked or broken							
FD	Follows-down		days.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***	<i>M</i> ////		
FPOH	Floor plate opens hard						55s.	
FSR	Fires when safe is released				****			
FT	Follower tips							
GCSO	Gas cyl shot off			77,0				WW 2000
HBL	Heavy bolt lift				**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo		-					
HUR	Hard under rail		***************************************				2000	
JCS	Jumps cartridge		***************************************				į.	
JM	Jumps magazin e		-					******
JO	Jars off		and the same of th					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)			_				
MFOP	Magazine follower out of position		re-					

ML	Magazine lööse					
MLH	Magazine loads hard	**************************************				
MRH	Magazine removes hard	Antonia				
ОН	Opens hard	***************************************				
OR	Over-ndes	\$40.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***************************************				
SBC	Stems bottom chambers	******				
SBE	Stems bbl extension	-	· **			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			*****	
SIC	Stems in chamber	****			ž.	
SL	shaves lead	naan tanan tan				*****
SLC	Stems left side of chamber	***********				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough	***************************************				
SRC	Stems right side of chamber					

	<i></i>			 			
SRIC	Specific rings in chamber						
8800	Surface scratches on case		***************************************				
STC	Stems top chamber		**************************************				
SWE	Safety switch works too easily		**************************************				
SWH	Safety switch works too hard		200				
SWW	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull			**************************************			
TWR	Trigger won't retract						
UNCN-T	Uncoded				<i>200</i>		
XH	Extracts hard				***	500.	
			***************************************	****			
HI	High		100				
LO	Low		-				
LEFT	Left		nath daine	*****			
RIGHT	Right		***************************************				
DG	Doesn't Group		11000				
FSST	Front sight tipped		***************************************			2000	
RSTT	Rear sight tipped		ready				
RSBR	Rear sight base raised						***//
FSTR	Front sight raised		verteinister				
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		1				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		***************************************	***************************************				

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				***		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	













Subject to Protective Order - Williams v. Remington


Summa	iry Tota	i Test + Proof Failures	0						
		Total Rejected:	0						
Summa		Total Rejected: Overall Reject Rate:							
	Proof	\$hot: Rejected: Percent: Shot: Rejected: Percent:	. I						
	Proof	Shot: Rejected:	0	0	0	0	0	0	0
		Rejected Percent: Shor	93907 17500000000000000	No.					
	4	Shot:	Boot list	888F					
	Test	Shat Reje cted ; Percent:	Q.	0	O	0	0	O.	0
		Percent:	a	0					
		Shot: t Rejected:		2000	700000				
	Targe			9	O O	0	0	0	0
	J	Percent:	0	9	O	0			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		22	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

	366600000000000000000000000000000000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine	***************************************					
со	Cut-off	što.					
CR	Cuts rim	- XX					
cs	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				11/1/11		
DCS	Double click in safety switch					330.	
DCT	Double click in trigger	***************************************					
DCU	Doesn't close-up	***************************************					
DE	Doesn't eject		· **				
DEL	Doesn't eject live round	-		**************************************			
DFB	Doesn't feed back	***************************************					
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************				2000	
DLU	Doesn't lock-up					į.	
DS	Dead safe						******
DX	Doesn't extract	***************************************					
DXL	Doesn't extract live round						
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back	***************************************					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically					
FB	Follower binds	***************************************				
FC	Fails to connect	 ***				
FCB	Fore-end cracked or broken	**************************************				
FD	Follows-down	244.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released	***************************************				
FT	Follower tips	***************************************				
GCSO	Gas cyl shot off	***************************************	****			
HBL	Heavy bolt lift	***************************************		**************************************		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				*****	
JCS	Jumps cartridge	***************************************				
JM	Jumps magazine	-				*****
70	Jars off					
LB	Light blow	***************************************				
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong	-				
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position	-				

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				* ***********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	













Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////									
Summa	ary To	al Test + Pro	of Failures	0						
		Tota	l Rejected:	0						
		Overall R	l Rejected: eject Rate:							
	Proo	f	\$hot: Rejected Percent: Shor	*** I						
	Proc	f //	Rejected	o d	0	0	0	0	0	0
			Percent;		door.					
	;		Shot.		<i>8000</i> 7					
	Test	11447	Rejected:	Q.	0	0	0	0	Đ	0
			Percent:	Ç	0					
			Rejected: Rejected: Percent: Shot: [Rejected:	2004	<i></i>	788888	4			
	Targ	et	Rejected:	0 💥	9	ŧ,	0	0	0	0
	J		Percent:	0	0	Ċ.	0			
				*******	25555531		******			*

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		22	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					


BWCFM	Bolt won't close over full magazine						
CD	Case dented	***************************************					
СН	Closes hard	 ***************************************					
CLM	Can't laod magazine	***************************************					
со	Cut-off	ása.					
CR	Cuts rim	 - XX.					
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull			*			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	 //////////////////////////////////////		***	11/10		
DCS	Double click in safety switch					Soc.	
DCT	Double click in trigger	-	<i>#</i>	*** //			
DCU	Doesn't close-up	***************************************	*******				
DE	Doesn't eject		***				
DEL	Doesn't eject live round			**************************************			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************					
DLU	Doesn't lock-up					į.	
DS	Dead safe						****
DX	Doesn't extract						
DXL	Doesn't extract live round	***************************************					
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back	***************************************					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically							
FB	Follower binds		**************************************					
FC	Fails to connect		Antonia					
FCB	Fore-end gracked of broken		***************************************					
FD	Follows-down		áva.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	100	// Was		***	<i>200</i>		
FPOH	Floor plate opens hard						Stv.	
FSR	Fires when safe is released							
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	100				
HBL	Heavy bolt lift		***************************************		**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge	-	***************************************				ž.	
JM	Jumps magazine							
JO	Jars off		ann					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong		**************************************					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

ML	Magazine lööse					
MLH	Magazine loads hard	**************************************				
MRH	Magazine removes hard	Antonia				
ОН	Opens hard	***************************************				
OR	Over-rides	\$40.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***************************************				
SBC	Stems bottom chambers	*******				
SBE	Stems bbl extension	-	· **			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			*****	
SIC	Stems in chamber	****			ž.	
SL	shaves lead	naantinaante				*****
SLC	Stems left side of chamber	***********				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough	***************************************				
SRC	Stems right side of chamber					

À								
SRIC	Specific rin gs in chamber							
350C	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		dan.					
sww	Safety ewitxh work		W					
TD	Tips down							
TU	Tips up	· · · //						
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***				11/1/11		
XH	Extracts hard						Sec.	
			***************************************		****			
HI	High			******				
LO	Low		-	***				
LEFT	Left		-		100000			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				*****	
RSTT	Rear sight tipped		***				ž.	
RSBR	Rear sight base raised		***************************************					
FSTR	Front sight raised		***********					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***					
MGPT-G	Missing parts at target		**************************************					
UNCN-G	Uncoded nonconformity at target		-					
			-					

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	 -					
BEB-P	Barrel extension broken at proof	-					
BLP-P	Blanked primer at proof	desc.					
BLSO-P	Barrel lug shot off at proof	 					
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof			** **********************************			
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof				<i>**</i>		
FESO-P	Fore-end shot off at proof				***	560.	
FF-P	Fails to fire at proof	-	<i>3///</i> 3	***			
GCSO-P	Gas cylinder shot off at proof	***************************************					*** *********************************
MSI-P	Magnaflux stamp illegible on bbl		***				WW 2000
MSM-P	Magnaflux stamp missing on bbl			******			
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof	***************************************					
UNCM-P	Uncoded proof malfunctions	· ·				****	
						- ;	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	//////////	<u>8a. </u>								
Summa	ary Te	otai Test +	Proof Failures	0						
			Total Rejected:	0						
		Oven	lotal Rejected: all Reject Rate:							
	Pro	of .	Shot: [×						
	Pro	of 🥟	Rejected:	0	0	0	0	0	0	0
			Percent:	0	Sec.					
			Shot.		888F					
	Tes	t	Reje çted :	Q.	0	O	0	0	O.	0
			Rejested: Rejested: Persent: Shot: [Rejected:	Q ,	0					
			Shot:		20000	788888	4.			
	Tar	get	Rejected:	0 💥	9	Ü	0	0	0	0
		-	Percent:	0	**	Ċ.	0			
_				*******	2222223		******			


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //			
AB	Action binds				k ##			, .
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches					*****		
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						ž	
вс	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

	\$6666661							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		***************************************					
СН	Closes hard		***************************************					
CLM	Can't laod magazine		and a second					
со	Cut-off		deca.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull	100			*			
CWSB	Cams wrong side of action bar		l ////					
DBB	Doesn't blow back	***			***	<i>M</i> ////		
DCS	Double click in safety switch						Soc.	
DCT	Double click in trigger		-		*** //			
DCU	Doesn't close-up		***************************************		.			
DE	Doesn't eject			***				WW 1////2
DEL	Doesn't eject live round		Santanari i		**************************************			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up		***					
DLO	Doesn't lock open (after last shell)		Produktende				*****	
DLU	Doesn't lock-up		***************************************					
DS	Dead safe		MATTERIAL					******
DX	Doesn't extract		***************************************					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back		***************************************					
ESCR	Empty shell catches receiver							_
ESS	Extractor stems shell							


ML	Magazine logse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-indes		žto.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · ///						
RBOC	Rings and bulges on case				800. 800.			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/4	***			
SBC	Stems bottom chambers							
SBE	Stems bbl extension			1.65				
SCB	Stock cracked or broken				× 4			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port		_					
SR	Shoulder rough							
SRC	Stems right side of chamber							


	<i></i>			 			
SRIC	Specific rings in chamber						
8800	Surface scratches on case		***************************************				
STC	Stems top chamber		**************************************				
SWE	Safety switch works too easily		**************************************				
SWH	Safety switch works too hard		200				
SWW	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull			**************************************			
TWR	Trigger won't retract						
UNCN-T	Uncoded			***			
XH	Extracts hard				***	500.	
			***************************************	****			
HI	High		100				
LO	Low		-				
LEFT	Left		nath daine	*****			
RIGHT	Right		***************************************				
DG	Doesn't Group		11000				
FSST	Front sight tipped		***************************************			2000	
RSTT	Rear sight tipped		ready				
RSBR	Rear sight base raised						***//
FSTR	Front sight raised		vestelanie				
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		1				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		***************************************	***************************************				

,								
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		-					
BEB-P	Barrel extension broken at proof		-					
BLP-P	Blanked primer at proof		dece.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*			
ESB-P	Ejector sticks back at proof		I ////					
FCB-P	Fore-end cracked at proof	***	//////////////////////////////////////		***	<i>1</i> 1////		
FESO-P	Fore-end shot off at proof						500.	
FF-P	Fails to fire at proof				****			
GCSO-P	Gas cylinder shot off at proof			******	.			
MSI-P	Magnaflux stamp illegible on bbl			***				WW 2000
MSM-P	Magnaflux stamp missing on bbl		-		******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				200	
							;	













Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		7.488		× 2000	
AB	Action binds				.			
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		**************************************		11111	
BBMA	BBL-to-bolt misalignment		****					
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		***					
BCOF	Bolt catches on follower						,	
вс	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


À							
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine						
со	Cut-off		\$20.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged	···					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		***************************************		****		
DCU	Doesn't close-up	Anna	***************************************				
DE	Doesn't eject		***************************************	***			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back		***************************************				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			***************************************	
DLU	Doesn't lock-up		1			ž.	
DS	Dead safe						***************************************
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back		Name of the last o				
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically							
FB	Follower binds		**************************************					
FC	Fails to connect		Antonia					
FCB	Fore-end gracked of broken		***************************************					
FD	Follows-down		áva.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	100	// Was		***	<i>200</i>		
FPOH	Floor plate opens hard						Stv.	
FSR	Fires when safe is released							
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	100				
HBL	Heavy bolt lift		***************************************		**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge	-	***************************************				ž	
JM	Jumps magazine							
JO	Jars off		A					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong		**************************************					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

	(/////////////////////////////////////						
ML	Magazine loose						
BALH	Magazine lo ads hard						
MRH	Magazine removes hard						
ОН	Opens hard	***************************************					
OR	Over-rides	data.					
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			*			
RDW	(Action) release doesn't work						
RIC	Rings in chamber	l			11/1/11		
RIS	Ring in sholder					Sec.	
RS	Rim srem	+		*** //			
SBC	Stems bottom chambers	***************************************					
SBE	Stems bbl extension	***************************************	100				
SCB	Stock cracked or broken	***************************************		**************************************			
SCX	Shell catches	****					
SHI	Short indent	***************************************					
SI	Stems incline	***************************************				2000	
SIC	Stems in chamber	***************************************				,	
SL	shaves lead	55111000000					
SLC	Stems left side of chamber						
SMOC	Stretch marks on case	***					
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber	-					

	<i></i>							
SRIC	Specific rin gs i n chamber							
850C	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		áta.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded				· · · · · · · · · · · · · · · · · · ·	11/1/11		
хн	Extracts hard						Soc.	
				<i>200</i>	****			
HI	High				.			
LO	Low			***				
LEFT	Left				******			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						ž.	
RSBR	Rear sight base raised							
FSTR	Front sight raised		b					
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	1	ı	1		<u> </u>	l	1	<u> </u>

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				* ***********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	//////////									
Summ	ary To	tai Test + F	Proof Failures	0						
			stal Rejected:	0						
		T. Overal	otal Rejected: I Reject Rate:							
	Proc	of	Shot: Rejected: Percent: Shot: Rejected: Percent:	<i>800</i>						
	Proc	of all	Rejected.	0	0	0	0	0	0	0
			Percent	o	doo.					
			Shot.		<i>9009</i>					
	Test	11446	Reje cted :	Q.	0	. O	0	0	0	0
		,	Percent:		0					
			Shot: [Rejected:	.88883	70000	*****	4.			
	Targ	et		0 🧼	9	O.	0	0	0	0
	•		Percent:	0	8	O.	0			
						17711111	*****			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		7.44		× 2000	
AB	Action binds			*****	k ##			, ,
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber				***		3////	
BBMA	BBL-to-bolt misalignment					W///		
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop						1/1/4	
BCOF	Bolt catches on follower						;	
вс	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

·	(************************************	,					•	
BWCFM	Bolt won't class over full magazine							
CD	Case dented		***************************************					
СН	Closes hard		***************************************					
CLM	Can't laod magazine		***************************************					
со	Cut-off		\$45.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber torn or gouged	···						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***			***	100		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************		***			
DCU	Doesn't close-up				.			iliano.
DE	Doesn't eject		-	***				
DEL	Doesn't eject live round				**************************************			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						2006	
DLU	Doesn't lock-up		-				į.	
DS	Dead safe		***************************************					***************************************
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DXL	Doesn't extract live round							
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
	•	•	•	•	•		•	


FA	Fires automatically							
FB	Follower binds		**************************************					
FC	Fails to connect		Antonia					
FCB	Fore-end gracked of broken		***************************************					
FD	Follows-down		áva.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	100	// Was		***	<i>200</i>		
FPOH	Floor plate opens hard						Stv.	
FSR	Fires when safe is released							
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	100				
HBL	Heavy bolt lift		***************************************		**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge	-	***************************************				ž.	
JM	Jumps magazine							
JO	Jars off		ann					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong		**************************************					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

ML	Magazine lööse		-					
MLH	Magazine loads hard		***************************************					
MRH	Magazine removes hard		-					
ОН	Opens hard							
OR	Over-rides							
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				11/1/11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************		****			
SBC	Stems bottom chambers		************					
SBE	Stems bbl extension		410444	***				
SCB	Stock cracked or broken		***************************************		**************************************			
SCX	Shell catches		**********					
SHI	Short indent		***************************************					
SI	Stems incline		Milantanas				******	
SIC	Stems in chamber		Anna-				ž.	
SL	shaves lead		MATERIAL					***//
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		4440444					
SP	Stems port							
SR	Shoulder rough		***************************************					
SRC	Stems right side of chamber		-					

	<i></i>							
SRIC	Specific rin gs i n chamber							
850C	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		áta.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded				***	11/1/11		
хн	Extracts hard						Soc.	
				<i>200</i>	****			
HI	High				.			
LO	Low			***				
LEFT	Left				******			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						8	
RSBR	Rear sight base raised							
FSTR	Front sight raised		b					
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	1	ı	1		<u> </u>	l	1	<u> </u>

 	0.00000000		**********	******	 	 	
	0000000						

AI-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof	 440044100				
BEB-P	Barrel extension broken at proof	MANAGEMANA				
BLP-P	Blanked primer at proof	Acceptance of the control of the con				
BLSO-P	Barrel lug shot off at proof	- Ass.				
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			*** *********************************		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				Sto.	
FF-P	Fails to fire at proof	***************************************				
GCSO-P	Gas cylinder shot off at proof	***********				
MSI-P	Magnaflux stamp illegible on bbl	450445044	***			
MSM-P	Magnaflux stamp missing on bbl	***************************************		*******		
PP-P	Pierced primer at proof	**********				
SCB-P	Stock cracked or broken at proof	**********				
UNCM-P	Uncoded proof malfunctions	***************************************			*****	














Subject to Protective Order - Williams v. Remington

Summa	ary Tot	al Test + Proof F	ailures	0						
		Total Re	ejected:	0						
		Total Re Overall Rejec	ct Rate:							
	Proo	f F	Shot:	800 I						
	Proo	f F	Rejected.	o i	0	0	0	0	0	0
			Percent,		\$20.					
	8		Shot \$		<i>8009</i>					
	Test	F	Reje cted :	Q.	0	0	0	0	Đ	0
			Percent:	a	0					
		1780	Reje cted : Percent: Shot: [Rejected:		1000	788888	4			
	Targ	et ^F	Rejected: -	0 💥	Q	ŧ,	0	0	0	0
	J		Percent:	0	0	Ċ.	0			
					7555553		******			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //			
AB	Action binds		***************************************		k ##			, .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		-			
ВВ	Bolt binds/catches		-			*****		
BCOBS	Bolt catches on bolt stop		***************************************					
BCOF	Bolt catches on follower		***************************************				ž	
вс	Blows cases		***************************************					
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		Participation					
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		-					


BWCFM	Bolt won't clase over full magazine					
CD	Case dented					
СН	Closes hard	 ***************************************				
CLM	Can't laod magazine	***************************************				
со	Cut-off	ása.				
CR	Cuts rim					
CS	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				Sec.	
DCT	Double click in trigger	***		***		
DCU	Doesn't close-up	***************************************				
DE	Doesn't eject		1%			
DEL	Doesn't eject live round	-		*******		
DFB	Doesn't feed back	-				
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	***************************************			2000	
DLU	Doesn't lock-up	************			;	
DS	Dead safe	***************************************				*****
DX	Doesn't extract					
DXL	Doesn't extract live round	***************************************				
EDS	Extractor drops shell	***************************************				
ESB	Ejector sticks back	***************************************				
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell	-				

FA	Fires automatically							
FB	Follower binds		*************					
FC	Fails to connect		Antonia					
FCB	Fore-end gracked of broken		***************************************					
FD	Follows-down		âsa.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	100	// Was		***	<i>200</i>		
FPOH	Floor plate opens hard						Stv.	
FSR	Fires when safe is released							
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	· · · ·				
HBL	Heavy bolt lift		***************************************		**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge	-	***************************************				ž.	
JM	Jumps magazine							
JO	Jars off		ann					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

SRIC	Specific rings in chamber						
8500	Surface scratches on case		***************************************				
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		iva.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull		2000				
TWR	Trigger won't retract						
UNCN-T	Uncoded	***	<i></i>				
XH	Extracts hard					Stv.	

HI	High		***************************************				
LO	Low		***************************************	′%			
LEFT	Left				1000000		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped		***			*****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		***************************************				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

4								
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof	-	***********					
UNCM-P	Uncoded proof malfunctions		***************************************					
·				-		-	- 3	86 88 86 - 768 88 88



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	.//////									
Summa	ary To	al Test + Pro	of Failures	0						
		Tota	l Rejected:	0						
		Overall R	l Rejected: eject Rate:							
	Proo	f	\$hot: Rejected Percent: Shor	*** I						
	Proc	f //	Rejected	o d	0	0	0	0	0	0
			Percent;		door.					
	;		Shot.		<i>8000</i> 7					
	Test	11447	Rejected:	Q.	0	0	0	0	Đ	0
			Percent:	Ç	0					
			Rejected: Rejected: Percent: Shot: [Rejected:	2004	<i></i>	788888	4			
	Targ	et	Rejected:	0 💥	9	ŧ,	0	0	0	0
	J		Percent:	0	0	Ċ.	0			
				*******	25555531		******			*

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		***************************************					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

	//////////////////////////////////////							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		Per la constante de la constan					
СН	Closes hard		***************************************					
CLM	Can't laod magazine							
со	Cut-off		\$20.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged	···						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	1.400				1///		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		4.00	***				
DEL	Doesn't eject live round				*******			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						******	
DLU	Doesn't lock-up		***************************************				ž.	
DS	Dead safe							
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DXL	Doesn't extract live round							
EDS	Extractor drops shell		***					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-		_		_	


. Al								
FA	Fires automatically		B. T.					
FB	Follower binds		***************************************					
FC	Fails to connect		***************************************					
FCB	Fore-end gracked of broken		and a second					
FD	Follows-down		deca.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***				11/1/11		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************		****			
FT	Follower tips		**************************************					
GCSO	Gas cyl shot off		***************************************	·**				
HBL	Heavy bolt lift		**************************************		*******			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		***************************************					
HUR	Hard under rail		наалина				*****	
JCS	Jumps cartridge		**************************************				ž.	
JM	Jumps magazine		-					
10	Jars off		atriaatri					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
-			Transfer of the transfer of th					

ML	Magazine lööse							
MLH	Magazine loads hard							
MRH	Magazine removes hard		Antonia					
ОН	Opens hard		***************************************					
OR	Over-rides		áva.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>11/1</i> /11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************		****			
SBC	Stems bottom chambers		***************************************					
SBE	Stems bbl extension		4.00	·**				
SCB	Stock cracked or broken		-		**************************************			
SCX	Shell catches		-					
SHI	Short indent							
SI	Stems incline		***************************************				*****	
SIC	Stems in chamber		**************************************				2	
SL	shaves lead		***************************************					
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		***					
SP	Stems port							
SR	Shoulder rough		-					
SRC	Stems right side of chamber		-					

SRIC	Specific rings in chamber						
8500	Surface scratches on case		**************************************				
STC	Stems top.chamber		***************************************				
SWE	Safety switch works too easily		***************************************				
SWH	Safety switch works too hard		áva.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***	// Was				
XH	Extracts hard					Sax.	

HI	High		***************************************		***		
LO	Low		***************************************	′%			
LEFT	Left		***************************************		1000000		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		*******				
MGPT-G	Missing parts at target		-				
UNCN-G	Uncoded nonconformity at target						

4								
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl		-		1918			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof	-	**********					
UNCM-P	Uncoded proof malfunctions		***************************************					
·				-		-	- 3	86 88 86 - 768 88 88













Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////								
Summ	ary Total	Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot. Rejected: Percept Shot. Rejected: Peicent:							
	Proof	Rejected	0	0	0	0	0	0	0
		Percent	<i>o</i>	doo.					
		Shot:	E	<i>33339</i>					
	Test	Rejepted:	G.	0	, O	0	0	Đ	0
		Percent:		0					
		Shot: Rejected:	.8888	¥ .0000¥	1000000	4			
	Target		0 ///	9	ŧ,	0	0	0	0
	· ·	Percent:	0	Q	O	0			
				35555535	3777777	******			


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

	20008202411 111142082024.						
BWCFM	Bolt won't class over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	244.					
CR	Cuts rim	200					
CS	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull			**************************************			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	//////////////////////////////////////		***	200		
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger			*** //		Allino.	
DCU	Doesn't close-up						
DE	Doesn't eject		***				****
DEL	Doesn't eject live round			*****			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************				2000	
DLU	Doesn't lock-up	***************************************				,	
DS	Dead safe	MARKATA AND AND AND AND AND AND AND AND AND AN					***//
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

ML	Magazine lööse					
MLH	Magazine loads hard	**************************************				
MRH	Magazine removes hard	Antonia				
ОН	Opens hard	***************************************				
OR	Over-rides	\$40.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***************************************				
SBC	Stems bottom chambers	******				
SBE	Stems bbl extension	-	· **			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			*****	
SIC	Stems in chamber	****			ž.	
SL	shaves lead	naan tanan tan				*****
SLC	Stems left side of chamber	***********				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough	***************************************				
SRC	Stems right side of chamber					

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily		-				
SWH	Safety switch works too hard						
SWW	Safety ewitxh won't work		***				
TD	Tips down						
TU	Tips up	- " <i>(</i>					
TWP	Trigger won't pull				**************************************		
TWR	Trigger won't retract						
UNCN-T	Uncoded						
XH	Extracts hard					56c.	
HI	High						
LO	Low		***************	***			
LEFT	Left				******		
RIGHT	Right						
DG	Doesn't Group		Prince 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100				
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					*	**
RSBR	Rear sight base raised		3				*****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose		************				
MGPT-G	Missing parts at target		***************************************				
UNCN-G	Uncoded nonconformity at target						

4								
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof	-	**********					
UNCM-P	Uncoded proof malfunctions		***************************************					
·				-		-	- 3	86 88 86 - 768 88 88



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000								
Summary	/ Tota	I Test + Proof Failures	. 0						
		Total Rejected:	• 0						
		Total Rejected: Overall Reject Rate:	•						
	Proof	Shot:	Æ.						
*	Proof	Rejected	0	0	0	0	0	0	0
		Percent,	0	dan.					
		Shot:	I	\$33333F					
	Test	Reje cted	\boldsymbol{a}	0	O	0	0	0	0
		Percent.		0					
		Shot:		8 <i>1880</i> 88	788888	Δ.			
	Targe	t veletied.	· • • ********	9	O	0	0	0	0
	•	Percent.							

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		7444			
AB	Action binds		***************************************		.			', .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		***		3////	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		***************************************			*******		
BCOBS	Bolt catches on bolt stop		***				1/1/4/	
BCOF	Bolt catches on follower		-				,	//
вс	Blows cases		100					
BHR	Bolt hits receiver		***************************************					77.
BHS	Bolt plug hits safety switch		21					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		200					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


	366600000000000000000000000000000000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	žes.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				11/1/11		
DCS	Double click in safety switch					330.	
DCT	Double click in trigger	1					
DCU	Doesn't close-up	***************************************					
DE	Doesn't eject		· **				
DEL	Doesn't eject live round			**************************************			
DFB	Doesn't feed back	## ## ## ## ## ## ## ## ## ## ## ## ##					
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	*				2000	
DLU	Doesn't lock-up					į.	
DS	Dead safe						******
DX	Doesn't extract	b					
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

10							
FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect	a.	***************************************				
FCB	Fore-end cracked or broken						
FD	Follows-down		\$20.				
FF	Fails to fire		<i>*************************************</i>				
FFP	Flat firing pin						
FOS	Fires on safe	···					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		***************************************		****		
FT	Follower tips		***************************************				
GCSO	Gas cyl shot off		***************************************	***			
HBL	Heavy bolt lift				**************************************		
HMSC	Heading mismatch-steps on case		***************************************				
HPA	High pressure ammo						
HUR	Hard under rail		***************************************			******	
JCS	Jumps cartridge		1			ž.	
JM	Jumps magazin e						***//
JO	Jars off						
LB	Light blow		***************************************				
MAH	Magazine assembles hard		***				
MCW	Magazine capacity wrong		Name of the last o				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						

ML	Magazine lögse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-indes		žto.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case				800. 800.			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/4	***			
SBC	Stems bottom chambers							
SBE	Stems bbl extension			1.65				
SCB	Stock cracked or broken				× 4			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port		_					
SR	Shoulder rough							
SRC	Stems right side of chamber							

:	

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		Managara anaka					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		************					
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				*****	
	·	_	_	_		_	,	2000 - 1020000













Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////								
Summ	ary Total	Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot. Rejected: Percept Shot. Rejected: Peicent:							
	Proof	Rejected	0	0	0	0	0	0	0
		Percent	<i>o</i>	doo.					
		Shot:	E	<i>33339</i>					
	Test	Rejepted:	G.	0	, O	0	0	Đ	0
		Percent:		0					
		Shot: Rejected:	.8888	¥ .0000¥	1000000	4			
	Target		0 ///	9	ŧ,	0	0	0	0
	· ·	Percent:	0	Q	O	0			
				35555535	3777777	******			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

	366600000000000000000000000000000000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine	***************************************					
со	Cut-off	što.					
CR	Cuts rim	- XX					
cs	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				11/1/11		
DCS	Double click in safety switch					330.	
DCT	Double click in trigger	***************************************					
DCU	Doesn't close-up	***************************************					
DE	Doesn't eject		· **				
DEL	Doesn't eject live round	-		**************************************			
DFB	Doesn't feed back	-					
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************				2000	
DLU	Doesn't lock-up					į.	
DS	Dead safe						******
DX	Doesn't extract	***************************************					
DXL	Doesn't extract live round						
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back	***************************************					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down		âss.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	• • •				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	- 1000				
FPOH	Floor plate opens hard				Seo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			1918		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

ML	Magazine lööse					
MLH	Magazine loads hard	**************************************				
MRH	Magazine removes hard	Antonia				
ОН	Opens hard	***************************************				
OR	Over-rides	\$40.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***************************************				
SBC	Stems bottom chambers	************				
SBE	Stems bbl extension	-	· **			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			*****	
SIC	Stems in chamber	****			ž.	
SL	shaves lead	naantinaante				*****
SLC	Stems left side of chamber	************				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough	***************************************				
SRC	Stems right side of chamber					

SRIC	Specific rings in chamber						
850C	Surface scratches on case	Per la constante de la constan					
STC	Stems top chamber	***************************************					
SWE	Safety switch works too easily						
SWH	Safety switch works too hard	\$20.					
sww	Safety ewitxh wein't work	<i></i>					
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded			***	100		
XH	Extracts hard					5ec.	


н	High	***************************************					
LO	Low	***************************************	***				
LEFT	Left			**************************************			
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped	***************************************				ž.	
RSBR	Rear sight base raised						*****
FSTR	Front sight raised	A					
FSTL	Front sight loose	***************************************					
RSTL	Rear sight loose						
MGPT-G	Missing parts at target	Name of the last o					
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof		***************************************					
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		2000.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*** *********************************			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***						
FESO-P	Fore-end shot off at proof						Soc.	
FF-P	Fails to fire at proof		-	<i>200</i>	***			
GCSO-P	Gas cylinder shot off at proof		***************************************	**********				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	179				
MSM-P	Magnaflux stamp missing on bbl				100			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***			_	2700.00	









Subject to Protective Order Williams v. Remington





Subject to Protective Order - Williams v. Remington

	220000000000000000000000000000000000000	1888).									
Summa	ary	Total	Test + Proof Fe	ailures	0						
			Total Rej	ected:	0						
			Total Rej Overall Rejec	t Rate:							
	,		R. R. R.	Shot: ejected:							
	F	roof	R	ejected:	0	0	0	О	0	0	0
			, , ,	ercent.	o .	300					
				Shot	***	<i>30009</i>					
	7	est 🦳	R	eje cted :	Q.	0	0	0	0	Đ	0
			F F	eje cted : Percent		0					
				Shot. ejected:	30000	¥ 2000¥	100000	A.			
	7	arget			0	ø	Q	0	0	Đ	0
		<u>-</u>	F	Percent:							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		74447			
AB	Action binds		***************************************		.			', .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		***		3////	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		***************************************			*******		
BCOBS	Bolt catches on bolt stop		***				1/1/4/	
BCOF	Bolt catches on follower		-				,	//
вс	Blows cases		100					
BHR	Bolt hits receiver		***************************************					77.
BHS	Bolt plug hits safety switch		21					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		200					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented	***************************************					
СН	Closes hard	 ***************************************					
CLM	Can't laod magazine	***************************************					
со	Cut-off	ása.					
CR	Cuts rim	 - XX.					
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull			*			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	 //////////////////////////////////////		***	11/10		
DCS	Double click in safety switch					Soc.	
DCT	Double click in trigger	-	<i>#</i>	*** //			
DCU	Doesn't close-up	***************************************	*******				
DE	Doesn't eject		***				
DEL	Doesn't eject live round			**************************************			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************					
DLU	Doesn't lock-up						
DS	Dead safe						****
DX	Doesn't extract						
DXL	Doesn't extract live round	***************************************					
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back	***************************************					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

46	20000000000000000000000000000000000000						
FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down	244.					
FF	Fails to fire	- XX					
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			***	<i>11/1</i> /11		
FPOH	Floor plate opens hard					Stv.	
FSR	Fires when safe is released	***************************************					
FT	Follower tips	***************************************					
GCSO	Gas cyl shot off	***************************************	′%				
HBL	Heavy bolt lift	***************************************		**************************************			
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					******	
JCS	Jumps cartridge	***************************************				ž	
JM	Jumps magazin e	-					***************************************
JO	Jars off						
LB	Light blow	***************************************					
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong	**************************************					
MFA	Misfires (ammo)	***************************************					
MFOP	Magazine follower out of position						

ML	Magazine lööse					
MLH	Magazine loads hard	**************************************				
MRH	Magazine removes hard	Antonia				
ОН	Opens hard	***************************************				
OR	Over-rides	\$40.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***************************************				
SBC	Stems bottom chambers	*******				
SBE	Stems bbl extension	-	· **			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			*****	
SIC	Stems in chamber	****			ž.	
SL	shaves lead	naantinaante				*****
SLC	Stems left side of chamber	************				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough	***************************************				
SRC	Stems right side of chamber					

AI-P	Assembly incompleye at proof		***************************************					
868	Barrel bracket gracked or broken at proof		**************************************					
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		**************************************					
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof		- XX.					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***		****			
GCSO-P	Gas cylinder shot off at proof		************					
MSI-P	Magnaflux stamp illegible on bbl		410444					
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************			
PP-P	Pierced primer at proof		**********					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions						*****	
	_						ž	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary		Proof Failures	0						
		otal Rejected:	0						
Summary	1 Overa	otal Rejected: Il Reject Rate:							
	Proof	Shot: Rejected: Percent Shot: Rejected: Percent:	**** I						
	Proof	Rejected.	0	0	0	0	0	0	0
		Percent		Soc.					
		Shot.	I						
	Test	Reje çted :	Q	0	O	0	0	Đ	0
		Shift, [Rejected: Percent: Shiot: [Rejected:	o.	0					
		Shot:	-8883 8 F	#####	l 18888	۸.			
	Target	Rejected:	0	9	0	0	0	0	0
	-	Percent:			<i>.</i>				


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		74447			
AB	Action binds		***************************************		.			', .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		***		3////	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		***************************************			*******		
BCOBS	Bolt catches on bolt stop		***				1/1/4/	
BCOF	Bolt catches on follower		-				,	//
вс	Blows cases		100					
BHR	Bolt hits receiver		***************************************					77.
BHS	Bolt plug hits safety switch		21					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		200					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked of broken						
FD	Follows-down		âss.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	···.					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					Seo.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1784			
HBL	Heavy bolt lift				*******		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					**************************************	
JCS	Jumps cartridge					18	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong		_				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						


1	**************************************					
ML	Magazine löösé					
MALH	Magazine loads hard					
MRH	Magazine removes hard					
ОН	Opens hard					
OR	Over-ndes	Stra.				
PH	Pulls hard	- A.				
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem					
SBC	Stems bottom chambers					*** *********************************
SBE	Stems bbl extension	400	′%			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline				2001	
SIC	Stems in chamber				,	
SL	shaves lead					***************************************
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					


Specific rin gs in chamber		1	l				
Sobecine undans chamber							
Surface scratches on case		Petrologica					
Stems top chamber		-					
Safety switch works too easily		on and a second					
Safety switch works too hard		deca.					
Safety ewitxh work							
Tips down							
Tips up							
Trigger won't pull							
Trigger won't retract							
Uncoded				***	2000		
Extracts hard						Soc.	
		-	11/11/1	****			
High		***************************************					
Low			7.00				
Left				****			
Right		-					
Doesn't Group		**********					
Front sight tipped		Produktende				*****	
Rear sight tipped		***************************************				ž.	
Rear sight base raised		Partition of the Control of the Cont					- 400
Front sight raised		Artenantes					
Front sight loose		***************************************					
Rear sight loose		1100111001					
Missing parts at target							
Uncoded nonconformity at target		-					
	1	1				1	
	Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Stems top shamber Sefety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight tose Front sight loose Rear sight loose Missing parts at target	Sterns top eliamber Safety switch works too easily Safety switch works too hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Stems top enterminer Safety-switch works too easily Safety switch works too hard Safety ewilxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight loose Front sight loose Missing parts at target	Stems top sharinber Safety switch works too easily Safety switch works too hard Safety switch works Tips down Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Rear sight loose Missing parts at target	Sterns top chamber Safety switch works too easily Safety switch works foo hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight loose Rear sight loose Missing parts at target	Stems top chamber Safety switch works too easily Safety switch works too easily Safety switch works too haid Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				***		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		4.00	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	0.000 /0.000//














Subject to Protective Order - Williams v. Remington

	220000000000000000000000000000000000000	1888).									
Summa	ary	Total	Test + Proof Fe	ailures	0						
			Total Rej	ected:	0						
			Total Rej Overall Rejec	t Rate:							
	,		R. R. R.	Shot: ejected:							
	F	roof	R	ejected:	0	0	0	О	0	0	0
			, , ,	ercent.	o .	300					
				Shot	***	<i>30009</i>					
	7	est 🦳	R	eje cted :	Q.	0	0	0	0	Đ	0
			F F	eje cted : Percent		0					
				Shot. ejected:	30000	¥ 2000¥	100000	A.			
	7	arget			0	ø	Q	0	0	Đ	0
		<u>-</u>	F	Percent:							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

	366600000000000000000000000000000000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine	***************************************					
со	Cut-off	što.					
CR	Cuts rim	- XX					
cs	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				11/1/11		
DCS	Double click in safety switch					330.	
DCT	Double click in trigger	***************************************					
DCU	Doesn't close-up	***************************************					
DE	Doesn't eject		· **				
DEL	Doesn't eject live round	-		**************************************			
DFB	Doesn't feed back	-					
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************				2000	
DLU	Doesn't lock-up					į.	
DS	Dead safe						******
DX	Doesn't extract	***************************************					
DXL	Doesn't extract live round						
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back	***************************************					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

ML	Magazine loose						
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-ndes		\$46.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···.					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	****			***		
RIS	Ring in sholder					Sto.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension		**************	***			
SCB	Stock cracked or broken				*******		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber		***************************************			á	
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		************				
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						
SRC	Stems right side of chamber						

	<i></i>							
SRIC	Specific rin gs i n chamber							
850C	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		áta.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded				· · · · · · · · · · · · · · · · · · ·	11/1/11		
хн	Extracts hard						Soc.	
				<i>200</i>	****			
HI	High				.			
LO	Low			***				
LEFT	Left				******			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						8	
RSBR	Rear sight base raised							
FSTR	Front sight raised		b					
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	1	ı	1		<u> </u>	l	1	<u> </u>

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				* ***********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	10000000										
Summa	any	Total	Test + Pro	of Failures	0						
			Tota	l Rejected:	0						
			Overall R	l Rejected: eject Rate:							
				Shot:	<i>a</i>						
		Proof		Rejected.	0	0	0	0	0	0	0
				Percent		Sta.					
				Shot:	I						
		Test	* 1888	Rejectød:	G .	0	O	0	0	Ð	0
				Percent:	o.	0					
				Shot: Rejected:	-000000 %	20000000	19988	<i>A</i> .			
		Target			0	0	0	0	0	0	0
				Percent:	2000	2000	<i>- 20</i>				

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444		× 200	
AB	Action binds				.			
BABS	Bulge at body shoulder							
BAC	Burr at chamber				***	///////	/////	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		-				444	
BCOF	Bolt catches on follower		-				:	
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


46	20000000000000000000000000000000000000						
FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down	244.					
FF	Fails to fire	- XX					
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			***	<i>11/1</i> /11		
FPOH	Floor plate opens hard					Stv.	
FSR	Fires when safe is released	***************************************					
FT	Follower tips	***************************************					
GCSO	Gas cyl shot off	***************************************	′%				
HBL	Heavy bolt lift	***************************************		**************************************			
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					******	
JCS	Jumps cartridge	***************************************				ž	
JM	Jumps magazin e	-					***************************************
10	Jars off						
LB	Light blow	***************************************					
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong	**************************************					
MFA	Misfires (ammo)	***************************************					
MFOP	Magazine follower out of position						

ML	Magazine loose						
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-ndes		\$46.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···.					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	****			***		
RIS	Ring in sholder					Sto.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension		*************	***			
SCB	Stock cracked or broken				*******		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber		***************************************			á	
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		************				
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						
SRC	Stems right side of chamber						

SRIC Specific rings in chamber SSOC Surface scratches on case STC Stems top étainber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitch work work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded	
STC Stems top etrainber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitch work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract	
SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitxh work work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract	
SWH Safety switch works too hard SWW Safety ewitxh work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract	
SWW Safety ewitxh won't work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract	
TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract	
TU Tips up TWP Trigger won't pull TWR Trigger won't retract	
TWP Trigger won't pull TWR Trigger won't retract	
TWR Trigger won't retract	


UNCN-T Uncoded	
XH Extracts hard	200000 1 7000
HI H igh	
LO Low	
LEFT Left	
RIGHT Right	
DG Doesn't Group	
FSST Front sight tipped	
RSTT Rear sight tipped	
RSBR Rear sight base raised	
FSTR Front sight raised	
FSTL Front sight loose	
RSTL Rear sight loose	
MGPT-G Missing parts at target	
UNCN-G Uncoded nonconformity at target	

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				* ***********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	













Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////								
Summa	ary Total	Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot: Rejected: Percent: Shot: Rejected: Percent:	X						
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent:	0	doo.					
		Shot	S	<i>8009</i>					
	Test	Reje cted :	G	0	0	0	0	Đ	0
		Percent:		0					
		Shot: Rejected:	.83833	¥ .0000¥	100000	4			
	Target		0 🧼		O.	0	0	0	0
	· ·	Percent:	0	Q	¢.	0			
			- 111111		- FEFFERE	1111111			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //			
AB	Action binds				k ##			, .
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches					*****		
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						ž	
вс	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


200	200000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented		**************************************				
СН	Closes harð		***************************************				
CLM	Can't laod magazine		ranning and a second				
со	Cut-off		\$40.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull				* ***********************************		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	1000					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		-				
DCU	Doesn't close-up				.		
DE	Doesn't eject		*******	1189			
DEL	Doesn't eject live round				******		
DFB	Doesn't feed back		-				
DFU	Doesn't feed up		**********				
DLO	Doesn't lock open (after last shell)		***************************************			2000	
DLU	Doesn't lock-up		****			ž.	
DS	Dead safe		Managara				*******
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***				
ESB	Ejector sticks back		**************************************				
ESCR	Empty shell catches receiver		***************************************				
ESS	Extractor stems shell						

. Al								
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect		***************************************					
FCB	Fore-end cracked or broken							
FD	Follows-down		\$20.					
FF	Fails to fire		<i>*************************************</i>					
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***				<i>1</i> ////////////////////////////////////		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************		****			
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	·**				
HBL	Heavy bolt lift				*******			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge						ž.	
JM	Jumps magazine							
10	Jars off							
LB	Light blow		***************************************					
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
-								

ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-ndes		što.				
PH	Pulls hard		<i></i>				
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···.					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	****			***		
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			***			
SCB	Stock cracked or broken				*******		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					*****	
SIC	Stems in chamber					ž.	
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						
SRC	Stems right side of chamber						

	1
<i>2</i>	
- 100 A	
	1

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				***		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*******				
MSI-P	Magnaflux stamp illegible on bbl		4.00	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2000	
		·				 - 2	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////								
Summ	ary Total	Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot. Rejected: Percept Shot. Rejected: Peicent:							
	Proof	Rejected	0	0	0	0	0	0	0
		Percent	<i>o</i>	doo.					
		Shot:	E	<i>33339</i>					
	Test	Rejepted:	G.	0	, O	0	0	Đ	0
		Percent:		0					
		Shot: Rejected:	.8888	¥ .0000¥	1000000	4			
	Target		0 ///	9	ŧ,	0	0	0	0
	· ·	Percent:	0	Q	O	0			
				35555535	3777777	******			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					


	KKKKKKKKK					
BWCFM	Bolt won't close over full magazine	b				
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off	áta.				
CR	Cuts rim					
CS	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull			*		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	//////////////////////////////////////		***		
DCS	Double click in safety switch				Soc.	
DCT	Double click in trigger			****		
DCU	Doesn't close-up		***************************************	.		
DE	Doesn't eject	1	***			
DEL	Doesn't eject live round			*****		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				*****	
DLU	Doesn't lock-up				,	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					

FA	Fires automatically					
FB	Follower binds	***************************************				
FC	Fails to comment	 ***************************************				
FCB	Fore-end gracked of broken	***************************************				
FD	Follows-down	ása.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released	***		****		
FT	Follower tips	***************************************				
GCSO	Gas cyl shot off	***************************************	***			
HBL	Heavy bolt lift	-		**************************************		
HMSC	Heading mismatch-steps on case	-				
HPA	High pressure ammo					
HUR	Hard under rail				2001	
JCS	Jumps cartridge	***************************************			2	
JM	Jumps magazin e	***************************************				*******
JO	Jars off	***************************************				
LB	Light blow	***************************************				
MAH	Magazine assembles hard	***				
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					


/						
ML	Magazine logse					
MLH	Magazine loads hard	***************************************				
MRH	Magazine removes hard	 ***************************************				
ОН	Opens hard	***************************************				
OR	Overandes	ása.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***		****		
SBC	Stems bottom chambers	***************************************				
SBE	Stems bbl extension		***			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			******	
SIC	Stems in chamber	***************************************			ž.	
SL	shaves lead					***************************************
SLC	Stems left side of chamber	***************************************				
SMOC	Stretch marks on case					
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough					
SRC	Stems right side of chamber	Participation of the Control of the				

SRIC	Specific rings in chamber		***************************************					
8500	Surface scratches on case		***************************************					
STC	Stems top chamber		***************************************					
SWE	Safety switch works too easily		and a second					
SWH	Safety switch works too hard		deca.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull	100			*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	****				<i>1</i> ////////////////////////////////////		
хн	Extracts hard						Soc.	
			-		****			
HI	High		***************************************		.			
LO	Low			***				WW 1////2
LEFT	Left		Santanari i		******			
RIGHT	Right		obsessed in the second					
DG	Doesn't Group		***					
FSST	Front sight tipped		* A S S S S S S S S S S S S S S S S S S				*****	
RSTT	Rear sight tipped		***************************************				ž.	
RSBR	Rear sight base raised		MATTERIAL					***************************************
FSTR	Front sight raised		and the same of th					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
			-					

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				* ***********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington

	.///	4								
Summar	y To	tel Test + Pro	oof Failures	0						
		Tota	al Rejected:	0						
		Tota Overall I	al Rejected: Reject Rate:							
70	Proc	f	Shot: Rejected: Percent Shot: Rejected: Percent: Shot:	Sec. 1						
	Proc	f .	Rejected.	0	0	0	0	0	0	0
			Percent;	0	doos.					
	:		Shot,	l	88000F					
	Test		Rejeçled:	Q.	0	O	0	0	0	0
			Percent:		0					
			Shot:		7 2000	700000	<i>A</i> .			
	Targ	et	пејенец.	0	0	O	0	0	0	0
	-		Percent:		2000					


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			1.,,,		74447 //			
AB	Action binds				k #			,
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber						3////	
BBMA	BBL-to-bolt misalignment		***************************************		-		<i></i>	
ВВ	Bolt binds/catches					*******		
BCOBS	Bolt catches on bolt stop						1/1/4/	
BCOF	Bolt catches on follower							
вс	Blows cases							- W. (1)
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

À							
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine						
со	Cut-off		\$20.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged	···					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		***************************************		****		
DCU	Doesn't close-up	Anna	***************************************				
DE	Doesn't eject		***************************************	***			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back		***************************************				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			******	
DLU	Doesn't lock-up		1			ž.	
DS	Dead safe						***************************************
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back		No. of the last of				
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

. Al								
FA	Fires automatically		B. T.					
FB	Follower binds		***************************************					
FC	Fails to connect		**************************************					
FCB	Fore-end gracked of broken		on and a second					
FD	Follows-down		deca.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***				1000		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		************		****			
FT	Follower tips		**************************************					
GCSO	Gas cyl shot off		***************************************	·**				
HBL	Heavy bolt lift		**************************************		*******			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		***************************************					
HUR	Hard under rail		наалина				*****	
JCS	Jumps cartridge		**************************************				ž.	
JM	Jumps magazine		-					
10	Jars off		arranarra					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
-			Transfer of the transfer of th					

Specific rings in chamber	-						
Surface scratches on case		***************************************					
Stems top.chamber							
Safety switch works too easily		-					
Safety switch works too hard		dece.					
Safety ewitxh won't work							
Tips down							
Tihe ah							
Trigger won't pull				*			
Trigger won't retract							
Uncoded		//////////////////////////////////////		***	<i>M</i> ////		
Extracts hard						Soc.	
		-	<i>III</i>	****			
High		***************************************					
Low			· **				
Left		-		100000			
Right							
Doesn't Group							
Front sight tipped		***************************************				*****	
Rear sight tipped		************				,	
Rear sight base raised		***************************************					*****
Front sight raised							
Front sight loose		***************************************					
Rear sight loose		***************************************					
Missing parts at target		***************************************					
Uncoded nonconformity at target							
	Surface scratches on case Stems top stramber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on asse Stems top etiamber Safety switch works too easily Safety switch works too hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Missing parts at target	Surface scratches on case Stems top shamber Safety switch works too easily Safety switch works foo hard Safety switch work foo easily Safety switch work foo easily Safety switch work foo hard Safety switch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Rear sight loose Missing parts at target	Surface scrattches on siase Stems top etiamber Safety switch works too easily Safety switch works foo haid Safety ewitch works foo haid Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight loose Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too band Safety ewitch works Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				***		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2000	
		·				 - 2	0.000 /0.000//














Subject to Protective Order - Williams v. Remington

Summary		Proof Failures	0						
	7	otal Rejected:	0						
Summary	1 Overa	otal Rejected: Il Reject Rate:							
	Proof .	Shot: [Rejected: Percent Shot: [Rejected: Percent:	*** I						
	Proof	Rejected.	0	0	0	0	0	0	0
		Percent		Soc.					
		Shot.	I						
	Test	Reje cted :	Q	0	O	0	0	Đ	0
		Rejected: Percent: Shot: [Rejected:	o.	0					
		Shot: [-8883 8 F	#####	1 78888	۸.			
	Target	Rejected:	0	9	O	0	0	0	0
	•	Percent:			<i>.</i>				

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444		2000	
AB	Action binds				.			
BABS	Bulge at body shoulder							
BAC	Burr at chamber				***	///////		
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		-				444	
BCOF	Bolt catches on follower		-				,	
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


À.							
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine						
со	Cut-off		\$20.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged	···					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		***************************************		****		
DCU	Doesn't close-up	Anna	***************************************				
DE	Doesn't eject		***************************************	***			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back		***************************************				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			******	
DLU	Doesn't lock-up		1			ž.	
DS	Dead safe						***************************************
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***				
ESB	Ejector sticks back		No. of the last of				
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically					
FB	Follower binds	***************************************				
FC	Fails to comment					
FCB	Fore-end gracked of broken					
FD	Follows-down	áta.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	 				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		′%			
HBL	Heavy bolt lift			**************************************		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				2008	
JCS	Jumps cartridge				,	
JM	Jumps magazin e					***************************************
JO	Jars off	***************************************				
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

ML	Magazine logse						
MLH	Magazine lo ads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-indes		áss.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	· · · · //					
RBOC	Rings and bulges on case				Militar.		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***			***		
RIS	Ring in sholder					Sto.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			1760			
SCB	Stock cracked or broken				***************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					****	
SIC	Stems in chamber					*	**
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber		***************************************					
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		\$20.					
sww	Safety ewitxh work		***					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	1				11/1/11		
XH	Extracts hard						Sec.	
		-	44440444		****			
HI	High		***************************************					
LO	Low		***************************************					
LEFT	Left				**************************************			
RIGHT	Right		***************************************					
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped		1				ž	
RSBR	Rear sight base raised							*******
FSTR	Front sight raised							
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							

4								
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof	-	***********					
UNCM-P	Uncoded proof malfunctions		***************************************					
·				-		-	- 3	86 88 86 - 768 88 88













Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////	18.22.2.									
Summa	ary	Total	Test + Proc	f Failures	0						
			Total	Rejected:	0						
Summ			Test + Prod Total Overall Re	ject Rate:							
				Shot:		554448					
		Proof		Rejected.	0	0	0	0	0	0	0
				Percent	0	386					
				Shot	.	W0009					
		Test		Reje cted :	Q	0	O	0	0	Đ	0
				Shot: Reje sted: Percent: S hot:		0					
					§ 200000	k	1 78888	<i>A</i> .			
		Target		Reječted:	0		O	0	0	0	0
		=		Percent:							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

	0,000000000000000000000000000000000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented	***************************************					
СН	Closes hard	 -					
CLM	Can't laod magazine	-					
со	Cut-off	dece.					
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull			*			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	 //////////////////////////////////////		***	2000		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger			- "W //			
DCU	Doesn't close-up		*******				
DE	Doesn't eject	-	~~				
DEL	Doesn't eject live round			****			
DFB	Doesn't feed back				1000		
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************				*****	
DLU	Doesn't lock-up	***************************************					
DS	Dead safe						******
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA							
1 1 /200	Fires automatically						
ODONO 00000 000000 1	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked of broken						
FD	Follows-down		žto.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	···.					
FPHB	Firing pin hits bbl				Militar.		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			198			
HBL	Heavy bolf lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					*****	
JCS	Jumps cartridge					ž.	
JM	Jumps magazin e						*****
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						


ML	Magazine logse		***************************************				
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-rides		iva.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber		<i></i>		***		
RIS	Ring in sholder					Sto.	
RS	Rim srem						
SBC	Stems bottom chambers			***//			
SBE	Stems bbl extension		-	1799			
SCB	Stock cracked or broken				**************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					2004)	
SIC	Stems in chamber	-	***************************************			á	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

À								
SRIC	Specific rin gs in chamber							
350C	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		days.					
sww	Safety ewitxh work		W					
TD	Tips down							
TU	Tips up	· · ·						
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***				11/1/11		
XH	Extracts hard						Sec.	
			***************************************		****			
HI	High			******				
LO	Low		-	***				
LEFT	Left		-		100000			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				*****	
RSTT	Rear sight tipped		****				ž.	
RSBR	Rear sight base raised		***************************************					
FSTR	Front sight raised		***********					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***					
MGPT-G	Missing parts at target		**************************************					
UNCN-G	Uncoded nonconformity at target		-					
			-					




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	.///	4								
Summar	y To	tel Test + Pro	oof Failures	0						
		Tota	al Rejected:	0						
		Tota Overall I	al Rejected: Reject Rate:							
70	Proc	f	Shot: Rejected: Percent Shot: Rejected: Percent: Shot:	Sec. 1						
	Proc	f .	Rejected.	0	0	0	0	0	0	0
			Percent;	0	doos.					
	:		Shot,	l	88000F					
	Test		Rejeçled:	Q.	0	O	0	0	0	0
			Percent:		0					
			Shot:		7 2000	700000				
	Targ	et	пејенец.	0	0	O	0	0	0	0
	-		Percent:		2000					

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		74447			
AB	Action binds		***************************************		.			', .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		***		3////	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		***************************************			*******		
BCOBS	Bolt catches on bolt stop		***				1/1/4/	
BCOF	Bolt catches on follower		-				,	//
вс	Blows cases		100					
BHR	Bolt hits receiver		***************************************					77.
BHS	Bolt plug hits safety switch		21					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		200					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

	366600000000000000000000000000000000000							
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard							
CLM	Can't laod magazine							
СО	Cut-off		dece.					
CR	Cuts rim							
CS	Cases swell							
стов	Chamber tom or gouged	· · · //						
CTP	Creepy trigger pull				*			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***				11/1/11		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************	<i>III</i>	*** //			
DCU	Doesn't close-up							
DE	Doesn't eject		-	· **				
DEL	Doesn't eject live round		-		**************************************			
DFB	Doesn't feed back		-					
DFU	Doesn't feed up		-					
DLO	Doesn't lock open (after last shell)		***************************************				2000	
DLU	Doesn't lock-up		Andrew Control				ž.	
DS	Dead safe		-					
DX	Doesn't extract							
DXL	Doesn't extract live round		**************************************					
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-					


FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Follows-down		âss.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	• • •				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	- 1000				
FPOH	Floor plate opens hard				Seo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			1918		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong		_			
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

ML	Magazine lööse					
MLH	Magazine loads hard	**************************************				
MRH	Magazine removes hard	Antonia				
ОН	Opens hard	***************************************				
OR	Over-rides	\$40.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***************************************				
SBC	Stems bottom chambers	************				
SBE	Stems bbl extension	-	· **			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			*****	
SIC	Stems in chamber	****			ž.	
SL	shaves lead	naantinaante				*****
SLC	Stems left side of chamber	***********				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough	***************************************				
SRC	Stems right side of chamber					

SRIC	Specific rin gs in chamber		***************************************					
SSOC	Surface scratches on case		***					
STC	Stems top.chamber		100					
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		State.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				** **********************************			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	l 🗸 🎇					
XH	Extracts hard							
			***************************************		***			
Н	High				3 000000000000000000000000000000000000			
LO	Low			***				
LEFT	Left				*****			
RIGHT	Right		-					
DG	Doesn't Group		***************************************					
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						*	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose		***					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	1	1	}		•	1	1	-

UNCM-P


Uncoded proof malfunctions



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	//////////	886.								
Summa	any	Fotal T	est + Proof Failure	s 0						
			Total Rejected	: 0						
		<i>##</i>	Total Rejected Overall Reject Rate	\$						
	Pr		Shot Rejected Percen Shot Rejected Percen		5-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				1	
	Pr	pof	Rejected	ı	0	0	0	0	0	0
			Percen	o o	door.					
			Shot		W///					
	<i>T</i> e	st	Reje pte o	r o	0	O	0	0	0	0
			Shot. Rejedde Peicen Shot Rejected	t: ""###################################	0	0				
			Shot	388	*	19988	<i>A</i> .			
	Ta	rget	Rejected	t: O 🎆	<i></i>	Ø	0	0	0	0
		-	Percen	t: O	•	¢.	0			

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		7.444		× 2000	
AB	Action binds		-		.			, .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		and the same of th		***		3////	
BBMA	BBL-to-bolt misalignment		-		-			
BB	Bolt binds/catches		***************************************			******		
BCOBS	Bolt catches on bolt stop		on a second				1/1/4/	
BCOF	Bolt catches on follower						,	
вс	Blows cases		***************************************					
BHR	Bolt hits receiver		-					
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		Palacettaniet					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							


	//////////////////////////////////////							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		Per la constante de la constan					
СН	Closes hard		***************************************					
CLM	Can't laod magazine							
со	Cut-off		\$20.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged	···						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	1.400				1///		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		4.00	***				
DEL	Doesn't eject live round				*******			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						******	
DLU	Doesn't lock-up		***************************************				ž.	
DS	Dead safe							
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DXL	Doesn't extract live round							
EDS	Extractor drops shell		***					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-		_			

FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked of broken						
FD	Follows-down		âss.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	···.					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					Seo.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1984			
HBL	Heavy bolt lift				*******		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					**************************************	
JCS	Jumps cartridge					18	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong		_				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						

ML	Magazine logse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-indes		žto.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · ///						
RBOC	Rings and bulges on case				800. 800.			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/4	***			
SBC	Stems bottom chambers							
SBE	Stems bbl extension			1,454				
SCB	Stock cracked or broken				× 4			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port		_					
SR	Shoulder rough							
SRC	Stems right side of chamber							

	<i></i>			 			
SRIC	Specific rings in chamber						
8800	Surface scratches on case		***************************************				
STC	Stems top chamber		**************************************				
SWE	Safety switch works too easily		**************************************				
SWH	Safety switch works too hard		200				
SWW	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull			**************************************			
TWR	Trigger won't retract						
UNCN-T	Uncoded			***			
XH	Extracts hard				***	500.	
			***************************************	****			
HI	High		100				
LO	Low		-				
LEFT	Left		nath daine	*****			
RIGHT	Right		***************************************				
DG	Doesn't Group		11000				
FSST	Front sight tipped		***************************************			2000	
RSTT	Rear sight tipped		ready				
RSBR	Rear sight base raised						***//
FSTR	Front sight raised		vestelanie				
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		1				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		***************************************	***************************************				

4								
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***						
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl		-		1918			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		**********					
UNCM-P	Uncoded proof malfunctions		***************************************					
·		·		-		-	- 3	86 88 86 - 766 88 86




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary		Proof Failures	0						
Summary	<i></i>	otal Rejected: Il Reject Rate:	0						
	1 Overa	ll Reject Rate:							
	Proof .	Shot: Rejected: Percent Shot: Rejected: Percent	×						
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent		Sto.					
		Shot.	I						
	Test	Reje çted	O.	0	O	0	0	0	0
		Shigt. [Rejedled: Percent: Shiot: [Rejected:	G.	0					
		Shot:	-333338	#####	1 1888	<i>b</i> .			
	Target	Rejected:	0	9	O	0	0	0	0
	-	Percent:							

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			1.,,,		74447 //			
AB	Action binds				k #			,
BABS	Bulge at body shoulder		1					
BAC	Burr at chamber						3////	
BBMA	BBL-to-bolt misalignment		***************************************		-		<i></i>	
ВВ	Bolt binds/catches					*******		
BCOBS	Bolt catches on bolt stop						1/1/4/	
BCOF	Bolt catches on follower							
вс	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


200	200200001 10000000000						
BWCFM	Bolt won't close over full magazine		***************************************				
CD	Case dented		***************************************				
СН	Closes harð		***************************************				
CLM	Can't laod magazine		***************************************				
co	Cut-off		iva.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	1					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		***************************************				
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		***************************************	100			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back		-				
DFU	Doesn't feed up		****				
DLO	Doesn't lock open (after last shell)		***************************************			2000	
DLU	Doesn't lock-up		***************************************			ž.	
DS	Dead safe		***************************************				*******
DX	Doesn't extract		***************************************				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver		***************************************				
ESS	Extractor stems shell						

FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down		âss.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	• • •				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	- 1000				
FPOH	Floor plate opens hard				Seo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			1918		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong		_			
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

ML	Magazine logse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-indes		što.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · ///						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/1	*** //			
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken				*******			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							******
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

	40010000001					
SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top.chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	data.				
sww	Safety ewitxh work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull			***		
TWR	Trigger won't retract					
UNCN-T	Uncoded	I		***		
XH	Extracts hard				Sec.	
			<i>200</i>	774		
HI	High		******			
LO	Low		***			
LEFT	Left			**************************************		
RIGHT	Right					
DG	Doesn't Group	***************************************				
FSST	Front sight tipped	***************************************			*****	
RSTT	Rear sight tipped				8	
RSBR	Rear sight base raised					****
FSTR	Front sight raised	***				
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
		 			 	_

4								
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl		-		1918			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof	-	**********					
UNCM-P	Uncoded proof malfunctions		***************************************					
·				-		-	- 3	86 88 86 - 768 88 88













Subject to Protective Order - Williams v. Remington

Summary		Proof Failures	0						
Summary	<i></i>	otal Rejected: Il Reject Rate:	0						
	1 Overa	ll Reject Rate:							
	Proof .	Shot: Rejected: Percent Shot: Rejected: Percent	×						
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent		Sto.					
		Shot.	I						
	Test	Reje çted	O.	0	O	0	0	0	0
		Shigt. [Rejedled: Percent: Shiot: [Rejected:	G.	0					
		Shot:	-333338	#####	1 1888	<i>b</i> .			
	Target	Rejected:	0	9	O	0	0	0	0
	-	Percent:							

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			1.,,,		74447 //			
AB	Action binds				k #			,
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber						3////	
BBMA	BBL-to-bolt misalignment		***************************************		-		<i></i>	
ВВ	Bolt binds/catches					*******		
BCOBS	Bolt catches on bolt stop						1/1/4/	
BCOF	Bolt catches on follower							
вс	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


À								
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard		***************************************					
CLM	Can't laod magazine							
со	Cut-off		\$20.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber torn or gouged	···						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back					<i>#</i>		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************		****			
DCU	Doesn't close-up	Anna	***************************************					
DE	Doesn't eject		***************************************	***				
DEL	Doesn't eject live round				**************************************			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)		***************************************				******	
DLU	Doesn't lock-up		1				ž.	
DS	Dead safe							***************************************
DX	Doesn't extract							
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back		Name of the last o					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down		âss.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	• • •				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	- 1000				
FPOH	Floor plate opens hard				Seo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			1918		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

ML	Magazine lööse		-					
MLH	Magazine loads hard		***************************************					
MRH	Magazine removes hard		-					
ОН	Opens hard							
OR	Over-rides							
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				11/1/11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************		****			
SBC	Stems bottom chambers		************					
SBE	Stems bbl extension		410444	***				
SCB	Stock cracked or broken		***************************************		**************************************			
SCX	Shell catches		**********					
SHI	Short indent		***************************************					
SI	Stems incline		Milantanas				******	
SIC	Stems in chamber		Anna-				ž.	
SL	shaves lead		MATERIAL					***//
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		4400441000					
SP	Stems port							
SR	Shoulder rough		***************************************					
SRC	Stems right side of chamber		-					

- 4	000000000000000000000000000000000000000						
SRIC	Specific rin gs in chamber						
SSOC	Surface scratches on case		***************************************				
STC	Stems top chamber						
SWE	Safety switch works too easily		-				
SWH	Safety switch works too hard		áte.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***			**************************************		
XH	Extracts hard						
			***		****		
HI	High		*************				
LO	Low			***			
LEFT	Left		-		100000		
RIGHT	Right		-				
DG	Doesn't Group		***************************************				
FSST	Front sight tipped		***************************************			*****	
RSTT	Rear sight tipped		***************************************			1	
RSBR	Rear sight base raised		***************************************				
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		***************************************				
MGPT-G	Missing parts at target		**************************************				
UNCN-G	Uncoded nonconformity at target		-				
_						 	

AI-P	Assembly incompleye at proof		***************************************					
868	Barrel bracket gracked or broken at proof		**************************************					
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		**************************************					
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof		- XX.					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************		****			
GCSO-P	Gas cylinder shot off at proof		************					
MSI-P	Magnaflux stamp illegible on bbl		410444					
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************			
PP-P	Pierced primer at proof		**********					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions						*****	
	_				· •		ž.	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summary		Proof Failures	0						
		otal Rejected:	0						
Summary	1 Overa	otal Rejected: Il Reject Rate:							
	Proof	Shot: Rejected: Percent Shot: Rejected: Percent:	**** I						
	Proof	Rejected.	0	0	0	0	0	0	0
		Percent		Soc.					
		Shot.	I						
	Test	Reje çted :	Q	0	O	0	0	Đ	0
		Shift, [Rejected: Percent: Shiot: [Rejected:	o.	0					
		Shot:	-8883 8	#####	l 18888	۸.			
	Target	Rejected:	0	9	0	0	0	0	0
	-	Percent:			<i>.</i>				

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
			,		7444			
AB	Action binds		***************************************		.			', .
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		***		3////	
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		***************************************			*******		
BCOBS	Bolt catches on bolt stop		***				1/1/4/	
BCOF	Bolt catches on follower		-				,	//
вс	Blows cases		100					
BHR	Bolt hits receiver		***************************************					77.
BHS	Bolt plug hits safety switch		21					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		200					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

. All								
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect		***************************************					
FCB	Fore-end cracked or broken							
FD	Follows-down		\$20.					
FF	Fails to fire		<i>*************************************</i>					
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***				<i>1</i> ////////////////////////////////////		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************		****			
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	·**				
HBL	Heavy bolt lift				*******			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge						ž.	
JM	Jumps magazine							
10	Jars off							
LB	Light blow		***************************************					
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
-								

SRIC	Specific rings in chamber				
8600	Surface scratches on case				
STC	Stems top chamber				
SWE	Safety switch works too easily				
SWH	Safety switch works too hard	žto.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
XH	Extracts hard			Seo.	
HI	High				
LO	Low				
LEFT	Left		*******		
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			*****	
RSTT	Rear sight tipped			18	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				

18	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					500.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***********				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
						8	




Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////								
Summ	ary Total	Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot. Rejected: Percept Shot. Rejected: Peicent:							
	Proof	Rejected	0	0	0	0	0	0	0
		Percent	<i>o</i>	doo.					
		Shot:	E	<i>33339</i>					
	Test	Rejepted:	G.	0	, O	0	0	Đ	0
		Percent:		0					
		Shot: Rejected:	.8888	¥ .0000¥	1000000	4			
	Target		0 ///	9	ŧ,	0	0	0	0
	· ·	Percent:	0	Q	O	0			
				35555535	3777777	******			


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

	000000000000000000000000000000000000000						
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off	ža.					
CR	Cuts rim						
CS	Cases swell						
стоб	Chamber torn or gouged						
CTP	Creepy trigger pull			*			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back			***	2000		
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger			****			
DCU	Doesn't close-up						
DE	Doesn't eject		***				
DEL	Doesn't eject live round			*****			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					2006	
DLU	Doesn't lock-up					į.	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

ML	Magazine logse		***************************************				
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-rides		iva.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber		<i></i>		***		
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers			***//			
SBE	Stems bbl extension		-	1799			
SCB	Stock cracked or broken				**************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					2004)	
SIC	Stems in chamber	-	***************************************			á	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

À								
SRIC	Specific rin gs in chamber							
350C	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		dan.					
sww	Safety ewitxh work		W					
TD	Tips down							
TU	Tips up	· · ·						
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***				11/1/11		
XH	Extracts hard						Sec.	
			***************************************		****			
HI	High			******				
LO	Low		-	***				
LEFT	Left		-		100000			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				*****	
RSTT	Rear sight tipped		***				ž.	
RSBR	Rear sight base raised		***************************************					
FSTR	Front sight raised		***********					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***					
MGPT-G	Missing parts at target		**************************************					
UNCN-G	Uncoded nonconformity at target		-					
			-					

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				* ***********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2006	
		·				 - 2	













Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////									
Summa	ary To	al Test + Pro	of Failures	0						
		Tota	l Rejected:	0						
		Overall R	l Rejected: eject Rate:							
	Proo	f	\$hot: Rejected Percent: Shor	*** I						
	Proc	f //	Rejected	o d	0	0	0	0	0	0
			Percent;		door.					
	;		Shot.		<i>8000</i> 7					
	Test	11447	Rejected:	Q.	0	0	0	0	Đ	0
			Percent:	Ç	0					
			Rejected: Rejected: Percent: Shot: [Rejected:	2004	<i></i>	788888	4			
	Targ	et	Rejected:	0 💥	9	ŧ,	0	0	0	0
	J		Percent:	0	0	Ċ.	0			
				*******	25555531		******			*

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
					7.444 //		2	
AB	Action binds				k ##			,,
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		***************************************		-			
ВВ	Bolt binds/catches		1			*****		
BCOBS	Bolt catches on bolt stop		Y					
BCOF	Bolt catches on follower		-					
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		***					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
BWCFM	Bolt won't glose over full magazine	w.	***************************************					
CD	Case dented		***************************************					
СН	Closes hard							
CLM	Can't laod magazine							
CO	Cut-off			.				
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber torn or gouged							
СТР	Creepy trigger pull	***			**************************************	<i>.</i>		
CWSB	Cams wrong side of action bar		***************************************					
DBB	Doesn't blow back		***************************************	2///				
DCS	Double click in safety switch		4.00		3			
DCT	Double click in trigger		***************************************	^^				
DCU	Doesn't close-up		-		47.000			
DE	Doesn't eject		***************************************					
DEL	Doesn't eject live round		V-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DFB	Doesn't feed back		***************************************				******	
DFU	Doesn't feed up		NA 14 14 14 14 14 14 14 14 14 14 14 14 14				ż	
DLO	Doesn't lock open (after last shell)		ALTERNATION OF THE PARTY OF THE					
DLU	Doesn't lock-up		NATIONAL AND ADDRESS OF THE PARTY OF THE PAR					
DS	Dead safe		************					
DX	Doesn't extract		MANAGEMANA					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell							
ESB	Ejector sticks back		***************************************					

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
ESCR	Empty shelf catches receiver		***************************************					
ESS	Extractor stems shell							
FA	Fires automatically		380					
FB	Follower binds:		· · · · · · · · · · · · · · · · · · ·					
FC	Fails to connect	***************************************						
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin	**						
FOS	Fires on safe							
FPHB	Firing pin hits bbl		***************************************					
FPHI	Firing pin hits inside rim		***************************************	***************************************				
FP0	Floor plate opens			^^				
FPOH	Floor plate opens hard		-		47.000		<i>3///</i>	
FSR	Fires when safe is released		***************************************					
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************				****	
HBL	Heavy bolt lift						ż	
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail		***************************************					
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
MAH	Magazine.assembles.hard		***************************************					
MCW	Magazine capacity wrong		-					
MFA	Mistires (ammoj							
MFOP	Magazine follower out of position:							
ML	Magazine loose			.				
MLH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides	***			**************************************			
PH	Pulls hard							
PSI	Proof stamp illegible		***********		7.44			
PSM	Proof stamp missing		4.00440.044					
RBOC	Rings and bulges on case		***************************************	^^				
RDW	(Action) release doesn't work		-		47.000			
RIC	Rings in chamber		**************					
RIS	Ring in sholder		4440044000					
RS	Rim srem		***************************************				*****	
SBC	Stems bottom chambers		NASA14488444				ż	
SBE	Stems bbl extension		ACT					***//
SCB	Stock cracked or broken		NATIONAL AND ADDRESS OF THE PARTY OF THE PAR					
SCX	Shell catches		***********					
SHI	Short indent							
SI	Stems incline		-					
SIC	Stems in chamber							
SL	shaves lead		***************************************					

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
SLC	Stems left side of chamber		***************************************					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride							
SP	Stems port		· · · · · · · · · · · · · · · · · · ·					
SR	Shoulder rough							
SRC	Stems right side of chamber	· //						
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber	**			**************************************			
SWE	Safety switch works too easily						**	
SWH	Safety switch works too hard		************	11/11				
sww	Safety ewitxh won't work		4.00440.044					
TD	Tips down		***************************************	35				
TU	Tips up		-		77			
TWP	Trigger won't pull		***************************************					
TWR	Trigger won't retract		4440044000					
UNCN-T	Uncoded		***************************************				*****	
XH	Extracts hard		nontransia.					
HI	High		20112 PATE TABLE T					74
LO	Low		************					
LEFT	Left							
RIGHT	Right		100					
DG	Doesn't Group							
FSST	Front sight tipped		***********					


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
RSTT	Rear sight tipped		***************************************					
RSBR	Rear sight base raised		***************************************					
FSTR	Front sight raised		3/20.					
FSTL	Front sight loese		×					
RSTL	Rear sight loose	4///4////						
MGPT-G	Missing parts at target	. //						
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof	***	l					
BBB	Barrel bracket cracked or broken at proof						880.	
BC-P	Blows cases at proof		**************************************		7.44			
BEB-P	Barrel extension broken at proof		400444044					
BLP-P	Blanked primer at proof		***************************************	24				
BLSO-P	Barrel lug shot off at proof		-		47.000			
BP-P	Blown primer at proof		*********					
BS-P	Barrel split at proof		++++++++++++++++++++++++++++++++++++++					
DLOS-P	Doesn't lock over shells at proof						2000	
ESB-P	Ejector sticks back at proof		ready				,	
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof		***************************************					
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		Photophia					
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl		**************************************					
PP-P	Pierced primer at proof							


			Www.
Model 7 Stainless			
Model 7			
700 ML			
700			
olice			
700 Police			
SS			
700 SS			
700 BDL			


700 ADL	700		
X	of		
MALFUNCTION INDEX	atpro	15038 8	
JNCTE	r broke	nathric	
MALFL	іо раўэ	proof n	
*******	Stock cracked or broken at proof	Uncoded proof mailtunctions	
	<i>क</i>	ă	?
300 0	SCB-P	UNCM-P	
3	ဗွ	5]	





Subject to Protective Order - Williams v. Remington














Subject to Protective Order - Williams v. Remington