Thank you for your interest in Remington products. The Model 700 2003 Classic

will be offered in .300 Savage.

# Thank you for your interest in Remington products.

You can safely shoot lead or steel shot in a fixed modified or improved cylinder barrel. We do not recommend shooting steel or Hevi-Shot in a fixed full.

The production schedule and retail pricing is not available for 2003 yet. We apologize for the inconvenience. Check with us again the first of January. Thank you for your interest in Remington products. The production schedule and retail pricing is not available for 2003 yet. We apologize for the inconvenience. Check with us again the first of January.

Thank you for contacting Remington Country.

## Send Serial Number - 710

Thank you for contacting Remington Country. This is a voluntary recall of a limited number of Model 710 firearms. The tecall applies only to those Model 710 rifles within the affected serial number range. Only those rifles may have been assembled with an improperly manufactured "Safety Detent Spring." No other Model 710 rifles, and no other Remington firearms of any model, are affected by this recall. We will let you know if yours is included after receiving the serial number.

# 700VS vs 700 Police

Thank you for your interest in Remington firearms. The Police models have a guaranteed MOA. We do not offer specifics for each caliber with different type ammunition. There are too many variances

The PSS has a tactical stock with bipod swivel, wider fore-end, and larger palm swell. The Police offers a parkerized finish on the metal surfaces. They go through more indepth and frequent inspections in the production process.

## Rifled barrel using rifled slugs

Thank you for contacting Remington Country. The fully rifled barrels were designed to shoot sabot slugs. Rifled slugs can be shot through this barrel, however it won't offer the accuracy or distance that the sabot would and you will have a lead build-up in the grooves of the rifling.

### Scholarships

Fhank you for your inquiry. Unfortunately we do not offer any scholarships. You may want to check with the NRA at www.nra.org or the National Shooting Sports Foundation

Subject to Protective Order - Williams v. Remington

at www.nssf.org. We appreciate your support of the shooting sports and wish you a safe and successful season.

### .22 Mounts(572 & 552)

Thank you for contacting Remington Country. Any 22 mounts for devetailed receivers will work on the 572. The Weaver .22 mount is a good mount that can be ordered at www.brownells.com.

#### Rifled choke vs rifled bbl

Thank you for contacting Remington Country. The Sabot slugs will perform best in a fully rifled barrel, however you can use the sabot with a rifled choke to a point of impact of up to 75 yds. We do not have a comparison or accuracy stats for this configuration available.

#### **Rem Reps**

Thank you for your interest in Remington firearms. The Remington Representative for your area that can provide this information is listed below:

## Accessory we don't offer

Thank you for your interest in Remington products. We do not offer this product. You may want to check with an after market distributor, such as www brownells.com for this item.

## Not Affected


Thank you for contacting Remington Country. According to your serial number, your firearm was not affected and does not need the safety detent spring replaced. There is no need for the firearm to be sent to the factory or repair center for this issue. We apologize for any inconvenience you may have incurred.

### 11-87/1100 action spring removal

Thank you for contacting Remington Country. The butt plate or recoil pad can be removed with a phillips head screw driver. Use a long handled flat head screw driver to loosen the action spring tube nut and washers. You would then remove the action spring retaining pin by tapping it out with a punch. CAUTION: the action spring is under tension and will follow after removing this pin.

# Dating Stren

Thank you for your interest in Stren. We do not date the Stren packaging. If during the first 60 days from date of purchase, your Stren fishing line fails to perform to your complete satisfaction, Stren will replace it.





Just return, postage paid, any remaining line (used or unused) along with the spool, a copy of your dated sales receipt, and a brief explanation with return address to:

Stren Fishing Lines ATTN: Consumer Services 870 Remington Drive PO Box 700

#### 1100 2 ¼ vs 3"

Thank you for visiting Remington Country and your continued use of our Reminston products. The barrel that is used on the Model 1100 is what determines the size shell that it will cycle. If your barrel is marked 3" only, then it will only eject 3" shells. The Model 1100 was haver set up to cycle both size shells.

### 1100 2 3/4" won't cycle light loads

Thank you for visiting Remington Country and your continued use of our Remington products. The barrel that is used on the Model 1400 is what determines the size shell that it will cycle. If you have an 1100 field 2 3/4" barrel, it was designed to handle 3 1/4 drams of powder 1 1/8 oz of shot up to 2 3/4" magnum loaded shells. There is not a conversion that will allow it to cycle lighter loads.

#### **Break-in Procedure**

Thank you for contacting Remington Country. Remington does not have a standard break-in procedure. A guideline would be to swab the bore between each shot for the first 20 shots and then every 3-5 for the next 20-40.

#### The chainsaws

Thank you for contacting Remington Arms, Inc. We do not offer industrial tools at this time. Following is the manufacturers information for parts and service for Remington Industrial tools.

Desa International 2701 Industrial Dr Bowling Green, KY 42101 270-781-9600 www.desa.com

For any parts and service on Remington firearms or related products, please contact us again or call 800-243-9700.

### Craig Colabaugh

Thank you for contacting Remington Country. Remington does not offer repair or reconditioning on discontined models, however the following Remington Repair Center specializes in reconditioning.

Craig Colabaugh Gunsmith, Inc. R.D. 4 Box 4168- Gunin Street Strondsburg, PA 18360 Phone: 570-992-4499

Subject to Protective Order - Williams v. Remington

## Scopes

Thank you for contacting Remington Country. Remington does not offer scopes. We would suggest contacting one of the following optical manufacturers

simmonsoptics.com leupold.com burrisoptics.com

## Law Enforcement in MO

Thank you for your interest in Remington products. The following law enforcement wholesalers are capable of ordering most law enforcement firearms and accessories.

Law Enforcement Equip. Co 800-821-3238

Oklahoma Police Supply 800-627-8027

Simmon's Gun Specialties 800-444-0220

# Steel in fixed bbls

Thank you for contacting Remington Country. You can safely shoot lead or steel shot in a fixed modified or improved cylinder barrel. We do not recommend shooting steel or Hevi-Shot in a fixed full.

#### left-hand safety

Thank you for contacting Remington Country. We do not offer a left-hand safety or trigger plate assembly for the Mødel 1100. At this time, we do not offer a conversion.

# synthetic stock, installing swivel

The synthetic stock is hollow, however there is reinforcement about 2" through the center of the stock. Installing the swivel will void the warranty on the stock.

## Obsolete Knives

Thank you for contacting Remington Country. We do not have a historical listing of the knives offered by Remington through the years. The following sources will be a guide for dating and valuation of your knife.

Levine's Guide to Knives and Their Values, by Bernard Levine The Gun Digest Book of Knives, by Jack Lewis and Roger Combs



Subject to Protective Order - Williams v. Remington



Thank you for contacting Remington Country. You can convert an ADL to a BDL with hinged floor-plate. You would need the following parts for conversion stock, trigger guard, trigger guard screws, magazine box, spring and follower. Many Remington Dealers and Authorized Service Centers carry a full line of parts. You may wish to contact them first before ordering parts.

To expedite your parts order please visit our Parts Information Center on our web site at:

http://www.remington.com/support/partsmain.http://www.remington.com/supportsmain.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/supportsmains.http://www.remington.com/su

Detailed instructions are provided along with parts and/or service order forms.

## PARTS ORDERS INSTRUCTIONS:

1. Fax your completed order form (http://www.remington.com/support/parts/orderform.htm) to: 1-336-548-7801.

2. Include your firearm model and serial number.

3. Part number, description and quantity. Parts numbers can be found in the parts listing and parts description in the Parts Information Center located in the Support section of our web site (http://www.remington.com/support/partsmain.htm).

4. Your complete mailing address (**PO** Box and Street Address) including zip code, telephone number and e-mail address.


Method of payment: MasterCard, Visa, Amex, or Discover Card number and expiration date. Prepayment may be made by check or money order. A quote may be made to you over the phone. (Sorry, no C.O.D.?

## conversion from hinged floor-plate to DM Dear Mr.

Thank you for contacting Remington Country. Remington does not offer a conversion from hinged floor-plate to detachable magazine. We do not recommend altering the firearm from the original production.

## 16 gauge ammo wish list.

Thank you for your interest in Remington products. We will not offer 16 gauge STS shells for 2003 The 16 gauge shotguns have been very popular and we feel the ammunition line will be expanded in the future.



Subject to Protective Order Williams v. Remington

Thank you for your interest in Remington firerams. Following are possible sources for finding particular models:

gunsamerica.com auctionarms.com gunfinder.net

## 16 gauge 1100 barrels

Dear Mr. Farber,

Thank you for contacting Remington Country. The current 16 gauge 1100 barrels will interchange with older model 1100's. Extra barrels will not be available until production and repair needs are met. Check with our parts department in 2004 for possible inventory.

Thank you for contacting Remington Country. The 18 gauge barrels have not been available for parts sales previously, however during our slow season we may have available inventory to offer a RemChoke 16 gauge barrel for sale. For pricing and availability call our Parts Department at 800-243-9700, Mon-Fri 9-5 EST.

#### **Camo Vendors**

Thank you for contacting Remington Country. The Remington factory would not offer camo refinishing, however the following camo vendors may be a source.

Ace Refinishing, 813-931-5806 Trebark Outfitters, 800-843-2266

### Sponsorship

Dear Sir/Madam:

Thank you for taking the time to write Stren® Fishing Lines about a sponsorship program. We were pleased to learn that you think so highly of our products, use them regularly, and want to help us promote them.

Unfortunately, we do not offer a sponsorship program. However, you may wish to contact our sales agency in your region for additional assistance. For your convenience we have included their information below.

# NORTHEASTERN REPRESENTATIVE

Stonewood LLC 35 Corporate Drive Trumbull, CT 06611 Telephone: (203) 452-3620 Fax: (203) 452-3625

### SOUTHERN REPRESENTATIVES

Bliss-Murski Sales, Inc. 9212 Chancellor Row Dallas, TX 75247-5325 Telephone: (214) 637-0979 Fax: (214) 631-5950

Subject to Protective Order - Williams v. Remington

### **CENTRAL REPRESENTATIVES**

The Cullerton Company 3S 220 Warren Avenue Warrenville, IL 60555 Telephone: (630) 393-7771 Fax: (630) 393-7789

### WESTERN REPRESENTATIVES

Maschmedt & Associates, Inc. 12304 32nd Ave., N.E. Seattle, WA 98125 Telephone: (206) 364-6304 Fax: (206) 361-0824



We want to thank you for your continued support of our products and wish you success in your fishing endeavors.

Stren Promotions Department

# .17 HMR

Thank you for your interest in Remington products. The .17 HMR should begin shipping this spring to Remington wholesalers and distributors. We hope they will reach your local dealers by this summer. Thank you for your patience.

## Dear Mr.

Thank you for your interest in Remington firearms. The Model 597 **.17 HMR** is currently in production. We hope the firearms will begin to reach dealers by the end of the quarter and throughout the rest of 2008. Thank you for your patience.

## Walnut wood for sale

Thank you for the offer. However, we have our own trees that we harvest for our stocks. We appreciate your interest.

Thank you for contacting Remargton Country. New product ideas should be forwarded to our legal department at:

Remington Arms Inc Legal department PO Box 700 Madison, NC 27025

We apologize for the inconvenience you have incurred. We recommend taking the firearm to the following Remington Premier Repair Center for inspection.

You can find additional Remington Warranty Centers at the following section of our

Subject to Protective Order - Williams v. Remington

site.

### http://www.remington.com/repairsvc/modelselection.asp

Bolsa Gunsmithing 7404 Bolsa Ave. Westminster, CA 92683 Phone: 714-894-9100 Fax: 714-898-9164

Allison & Carey Gun Works, Inc. 17311 SE Stark Portland, OR 97233 Phone: 503-256-5166

Sportsman's Haven, Inc. 14695 East Pike Rd. Cambridge, OH 43725 Phone: 740-432-7243 Fax: 740-432-3204

Mann & Son Sporting Goods. 515 W Water St. Pinckneyville, IL 62274 Phone: 618-357-2911 Fax: 618-357-3658

Ahlman's, Inc. 9525 W. 230th Street Morristown, MN 55052 Phone: 507-685-4244 Fax: 507-685-4280 http://www.ahimans.com/

Sports World, Inc. 5800 S. Lewis Ave. Suite 154 Tulsa, OK 74105 Phone: 918-742-4027 Fax: 918-72-3981

Subject to Protective Order Williams v. Remington



Subject to Protective Order - Williams v. Remington