Remington Arms Co., Inc.
Product Service
Legal Case #:2805

Data Closed

Case Information

KL#	Date	Openeu	Date Opene	u(rs)	Date Closed	Miciaei	n Date	1	I'C LIL	Lit	Obsolete
154530	11/3	3/2008	10/21/20	08	11/6/2008						
Customer	Information	ı									
Туре	Business	First Name	Last Name	Street	City	State	Zip	Age		Cont	act
Incident		Steve	Johnson	3392 Goin Ro	d New Tazewell	TN	37825		W	423-62 / 865-99 :leghd@	

Incident Information

Claims Codes Repair Est. Medical Treatment Medical Status

ΡI

PD shot through fuse panel in truck

Cause:4015 Improper Maintenance Concern:1007 Fired on Safe Release

Data Onanad(DS)

Unknown

S has happened twice

C

10/21/08 3 months ago he was on farm in TN with 700 he uses for coyote and groundhog. He put it in his truck and went to flip the safety off and it fired. It shot through the fuse panel in the truck. 2nd time it happened, it wouldn't go on safe, he worked the bolt back, dry fired and it would move into safe again. When he went to shoot it next time, when he flipped the safety off it fired.cm

Firearm Information

Mfg. Type Model/Ga. SKU Serial Bbl. DOM CF/BA 700/223 REM 20000 A6248848 1/5/1976 Remington **Original Owner** Where Purchased Accessories **Date Purchased** SANTA FE DIST SANTA FE NM SCOPE BASE

CONCERN:FSR

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/700/CF/BA

Settlement Release of Claims Release Date Reimbursement Cash Reim. Date APV APV

repair at no charge, goodwill

Repair/Replacement Cost Repair/Replacement Date

65.00 11/6/2008

10/21/08 Sent ARS 11/4/2008 Placed in PS Back Rack holding for disposition. The TA was caked with dried and sticky residue from using WD-40 - we can settle with customer but, tell him not to use WD-40 as when it evaporates it leaves a sticky substance behind fls. 11/6/08 Called Mr. Johnson and told him that this was a result of worn parts and a maintenance issue not the result of a defect from Remington. Will repair and clean at no charge.cm 11/21/08 Called Mr. Johnson after receiving email for status update. He again asked about help with the \$500.1 again mentioned that we were repairing his rifle at no charge as goodwill however that the cause was not from any defect in the rifle but from worn/altered parts and maintenance. Told him it may ship next week.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		B.TRAVIS
	Exam Date		11/4/2008
Examination	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4006	Altered Adjustments or Components	
	Description	:	24" 223 REM HB

l i		1	
	Date Code		BI
	Bore Plugged	False	
Barrel	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Worn; Functioning	CRATERED FROM PRIMER LEAKAGE
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Worn; Functioning	METAL RUSTY
Overall	Stock Condition	Worn; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Worn; Functioning	·
Receiver	Bulged	False	·
CC	Description		STANDARD M/700 BOLT LOCK SAFETY
Safety	Function	Like new; Functioning	
	Lift	Select	.010
Sear	Notch	Slightly Worn; Functioning	
	Tosta	Test Fired	False
Feeding Test	Tests	False	
	Condition	Slightly Worn; Functioning	DIRTY
Tricon	Pull	Select	2.5#
Trigger	Altered	Ттие	SET SCREWS ALTERED
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		SCOPE BASE

PS 09741

Mitchell, Christy

From: Steve Johnson [hogleghd@yahoo.com] Sent: Saturday, November 08, 2008 9:04 PM

To: Mitchell, Christy

Subject: Re: Steve Johnson: Remington 700, repair #154530

Christy Mitchell

My E-Mail has been down so I do not remember what day I spoke to you. This E-mail may have been before we spoke this week, Ive been on vacation this week so Ive lost track of time. If I can I'd like to say a few things after I spoke to you this week. First Ive always ad Remmington guns, I now own a 870 slug gum (tried mossburg kit gun with both barrels dint like it took it back and exchanged for the 870.I have a model 700 muzzle loader, and of course the 700,223 varmit gun. You asked about the shell I used it was the UMC remmington. I Deal with 200 to 300 people a day and work in retail, I am the Manager of a Advance Auto Parts Store. Being a Manager I like you deal with people wanting something for nothing every day or people who want us to warrenty parts for stupidty. I have took alot of ribbing and been called Barney Fife for shooting my truck. Also alot of my customers are hunter and have heard alot of them say they had a 700 that discharged accidentally. Ive been honest in my dealing with you to see if Remmington would help me .I was told I had a 30 year old gun that was worn out and was unsafe becaused I used WD-40.I really did not exspect to be what we call at our company to be WOWED. This Is where we go beyond our customers exspectations and do the right thing. Ive been WOWED 1 time that I remember, Years ago I bought a gun that had a Weaver scope on it which was fogged up. I sent it to Weaver to get it repaired with a note telling them to let me know how much it cost before repairing.A week later I was sent a brand new scope alot more exspensive with a note that said"The scope you had is no longer available hope you will like this one and continue to be a Weaver customer". Wow Ive told everyone about this. I was out \$500 deductable on my insurance. That could of been used to buy a new gun or even \$500 worth of ammo.

Thanks for listening. Steve Johnson

15 shipping

120 --- On Wed, 11/5/08, Mitchell, Christy < Christy. Mitchell@remington.com > wrote:

From: Mitchell, Christy < Christy. Mitchell@remington.com > Subject: Steve Johnson: Remington 700, repair #154530

To: hogleghd@yahoo.com

Date: Wednesday, November 5, 2008, 3:29 PM

Mr. Johnson, please call me regarding inspection of your Model 700 rifle.

Thank you,

Status Closed 11/4/2008 8.35.25 AM	pair Inquiry pai Numbé: RE00154530			
Customer Greened From Return To Created From Created Fro	ify Repair		Status: Closed 1.174/2008	8:35:25 AM
PO Box: NEW TAZEWELL NEW TAZEWELL NEW TAZEWELL		A CONTROL OF THE PARTY OF THE P	THE THE THE THE PROPERTY OF TH	erved From
State: TN Zip Code: 37825 Country US State: TN Zip Code: 37825 Country US FFL	diess 1: 3392 GOIN RD.	PO Box	PO Box	
Problems Estimate History / Status Shipping / Billing	State: TN Zip Code: 37825	976890038UV9 - T		US .
Repair Search Qose	Date: Code 117/3/200810:44 New 117/3/2008:12:05 Email/erified 117/3/2008:12:05 EmailSent 117/4/2008:8:35:E Comment	User ID: Desc1 sanguineg Repair Added ArmEmail Receipt ArmEmail Repair Received supryll Placed in PS Back Rack	Currer Shipping Hold 2 C Interface Hold 11/4/200 Estimate Serx C Parts Received Repair Research Inspection February Return As Received Currer Has been Approved Currer Control Control Control	n Slatus losed)* 8 8.35:25AM upriyf) seck in 1 Location ILN k Location
	Repair <u>S</u> earch		Refresh	Close

Chais,
we can settle with customer but, we need to tell him not to use wo-40
in the trigger assembly when it evaporates it leaves a sticky shellac-like substance behind - we recommend one of the synthetic oils
like Rem-Oil.

TRED

2805

X

3 1/2 2.5 27 27

October 21, 2008

Steve Johnson 3392 Goin Rd New Tazewell, TN 37825

Subject: #2805, Model 700

Dear Mr. Johnson,



I am sorry to learn about the unfortunate incident you experienced with the Model 700 rifle. As we discussed, I have enclosed a prepaid UPS shipping label for you to ship the firearm back to our factory for examination. I have also included a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Please mark the ends of the box with "Supry". Fred Supry will be inspecting the firearm and will contact me with the results.

I apologize for the inconvenience that this incident has caused and I hope that these actions will keep you as a loyal Remington customer.

Sincerely,

Christy Mitchell
Consumer Affairs Administrator
Remington Arms Company

Phone: 800-243-9700 ext 8684

E-mail: christy.mitchell@remington.com

enclosure and the

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com



Factory Repair Form

Return to Previous Page

Model Number: 700	Serial Number: A 624 8848
Are you the original owner?: YES NO	
Name: Steve Johnson	Date of Purchase: 8-20 - 2002
Address (no PO Boxes): 3392 GOIN	Road
City: New Tazewell	State: Tenn. Zip: 37825
Phone (Daytime): 423-626-7550- 8	Fax:
E-mail Address:(if e-mail address is provided, notification	William Annahall May assemble World Addition to the Column 2 and Colum
sent) HOGLEGHD @ YAho.	O., COM.
would like to receive future e-mail updates from Re	emington.
Please describe your problem and date of ocurrence got in My TRUCK To go ground How to unboad the gun it dischange Left Side Kick panel missing my wireing haveness; Gbout a week ago I we	ed and shot My TRUCK Through the y Foot by I inch, It destroyed the ent to the back of my Farm to copy out a shell in the Chamber and it rosition I unboaded it and day fired the tree stand I heard something the safety off it discharged when
would not go in the Safety (Position I unboaded it and dry fined the tops Stand I heard something
500 characters left Comins and Fipper	the safety off it dischauged whe
Ammunition information:	the safety off it dischanged whe
Annualition (morniauo)).	Type: UMC 223
Ammunition information: Manufacturer: Remmins + on Other (i.e. bullet weight/type, shot size, powder): Sent	Type: UMC 223
Manufacturer: Remmins + on	Type: UMC 223
Manufacturer: Remmington Other (i.e. bullet weight/type, shot size, powder): Sent Factory Bex Handload Information:	Type: UMC 223
Manufacturer: Remmington Other (i.e. bullet weight/type, shot size, powder): Sent Factory Box	Type: UMC 223
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Factory Bex Handload Information:	Type: UMC 223
Manufacturer: Remmington Other (i.e. bullet weight/type, shot size, powder): Sent Factory Bex Handload Information: Powder Used:	Type: UMC 223 A BATTO ON LIPST DECEMBE Powder Weight:
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Factory Bex Handload Information: Powder Used: Bullet Type/Shot Size:	Type: UMC 223 A BANG ON LINE DAGNORE Powder Weight: Primer Used:
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Factory Bex Handload Information: Powder Used: Gase/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication):	Type: UMC 223 A BANG ON LINE DAGNORE Powder Weight: Primer Used:
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Factory Box Handload Information: Powder Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: WD40	Type: UMC 223 A BATAS ON LIGHT DECEMBE Powder Weight: Primer Used: Reloader Used:
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Factory Box Handload Information: Powder Used: Market Gase/Hull Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: WD40 How often do you clean the bore? (Month's or Number of	Type: UMC 223 A BRAS ON LIGHT DECIMAL Powder Weight: Primer Used: Reloader Used: frounds) OFfer CACh Box 20 Rounds
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Fractory Box Handload Information: Powder Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: WD40 How often do you clean the bore? (Months or Number of How often do you clean the action? (Months or Number of the solution):	Type: UMC 223 A BRAS ON LIGHT DECIMAL Powder Weight: Primer Used: Reloader Used: frounds) & Fler each Box 20 Rounds of rounds) SAMC
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Fractory Box Handload Information: Powder Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: WD40 How often do you clean the bore? (Months or Number of How often do you clean the action? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the How often do you clean the trigger assembly?)	Type: UMC 223 A BRAS ON LIGHT DECIMAL Powder Weight: Primer Used: Reloader Used: frounds) & Fler each Box 20 Rounds of rounds) SAMC
Manufacturer: Remming to n Other (i.e. bullet weight/type, shot size, powder): Sent Fractory Box Handload Information: Powder Used: Bullet Type/Shot Size: Firearms Care (Cleaning and Lubrication): Brand of cleaning solution used: WD40 How often do you clean the bore? (Months or Number of How often do you clean the action? (Months or Number of the solution):	Type: UMC 223 Powder Weight: Primer Used: Reloader Used: frounds) GFter each Box 20 Rounds of rounds) SAme or Number of rounds) SAme

How often do you lubricate the trigger assembly? (Months or Number of rounds) As needed
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual?
When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?) Don't Know
What were the services performed?)
NOTE: In order to better service our customers some firearms/parts are sent to a certified Remington Premier Authorized Repair Center.
Ship your ENSURED firearm by either UPS or Parcel Post to:
Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357
WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.
Record the serial number of your firearm before sending It. Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.) Remove all accessories from your firearm to prevent loss or damage. Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused. Ship your ENSURED firearm by either UPS or Parcel Post. Remington is not responsible for damage or loss during shipment, so you may elect to purchase insurance from your carrier.
Charge repairs will be processed using the following guidelines:
:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)
:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.