

Remington Arms Co., Inc.
Product Service
Legal Case #:2927

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
155710	12/1/2008	12/2/2008	12/2/2008				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Incident		Robert A	McIntire	910 Wellington Rd	Baltimore	MD	21212		H 410-377-2526 E rmcintire00@gmail.com

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4031 Worn parts or components		Unknown	
S	Developed a hair trigger	Concern:1008 Fired on Bolt Closing		
C				

Customer says he purchased the firearm several years ago - recently it has developed a hair trigger. Also, the rifle will fire unexpectedly if the bolt is closed without having the safety engaged.

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/50 CAL	27580	ML044882	BR	12/5/1996
Date Purchased	Where Purchased	Accessories	Original Owner			
	JERRYS SPORT CENTER INC		U			

CONCERN:FBC

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
	Repair/Replacement Cost	Repair/Replacement Date				
	65.00	12/2/2008				

12/2/2008 returned to AS for n/c repair. We will install a new trigger assembly, clean the action, and check over completely at n/c. Charging 230145 fls.

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B.TRAVIS
	Exam Date		12/2/2008
	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4031	Worn parts or components	The connector was worn at the point where it contacts the sear.
Barrel	Description		24" 50 CAL ML
	Date Code		BR
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	---Select---	AFTER MKT

Bolt	Shroud	---Select---	
	Face	---Select---	
	Handle	Slightly Worn; Functioning	
	Stop	---Select---	
Overall	Exterior Condition	Slightly Worn; Not Functioning	
	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	---Select---	
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
Safety	Description		STANDARD M/700 SAFETY
	Function	Like new; Functioning	
Sear	Lift	---Select---	N/A
	Notch	Slightly Worn; Not Functioning	
	Tests	Test Fired	False
Feeding Test		False	
Trigger	Condition	Worn; Not Functioning	CONNECTOR WORN/UPSET AT SEAR CONTACT
	Pull	---Select---	.05
	Altered	False	
	Sub-Assembly	M/700 Non-Bolt Lock	

Repair Inquiry

Repair Number: RE00155710

Serial: ML044882 Model: 700ML Center Fire
Caliber: 50 CAL Produced: 01/16/1997

Repairman:

Bruce Travis

Verify Repair

Status:

Inspected: 12/2/2008 8:32:41 AM

Address Information

Customer:

☒ Received From

Return To:

☐ Received From

Name: ROBERT A McINTIRE

ROBERT A McINTIRE

Address 1: 910 WELLINGTON ROAD

910 WELLINGTON ROAD

Address 2: PO Box:

PO Box:

City: BALTIMORE

BALTIMORE

State: MD

Zip Code: 21212

County: US

State: MD

Zip Code: 21212

County: US

FFL:

Contact / Condition

Problems

Estimate

History / Status

Shipping / Billing

Date	Code	User ID	Desc1	Desc2
11/21/2008 7:45	New	valentds	Repair Added	
11/21/2008 7:45	Update	valentds	Repair information chang	
11/21/2008 7:46	Expedite	valentds	From: Check In	To:
12/2/2008 8:08:2	Expedite	Travisbw	From: Product Services	To: Repair Bench
12/2/2008 8:16:3	Estimate	Travisbw	Estimate Update	Status: PartsHold
12/2/2008 8:20:1	Repairing	System	Immediate SAP Allocator	
12/2/2008 8:27:3	Expedite	Travisbw	From: Repair Bench	To: Final Inspect
12/2/2008 8:32:4	Inspector	sprakerdj	Final Inspection	Warranty

☐ Shipping Hold☐ Interface Hold☐ Estimate Sent☒ Parts Received☒ Passed Inspection☐ Return As Received☐ Has been Approved☐ Internal Repair

Current Status

Inspected

12/2/2008 8:32:41 AM

sprakerdj

Packing

Repair Location

ILN

Current Location

ILN

Transfer Number

Repair Search

Refresh

Close

suppl

12/2/2008

8:46 AM

CARS

NUM

HNS

SCRI

start

Inbox - Microsoft Out...

Microsoft Excel - PS H...

Arms Services Repair...

Current Cases - Micro...

8:46 AM

RECEIVED
DEC 04 2008
BY:

2927

BR 1/97
.05#
24"

November 18, 2008

Remington Arms Company, Inc.
Attn: Arms Services Division/Repairs
14 Hoefler Avenue
Ilion, New York 13357

Enclosed is my Remington Model 700ML, Serial ML044882 in 50 caliber, which I purchased new several years ago.

A year or so later I purchased a conversion kit to use 209 primers. The rifle worked well for several years.

Recently, however, a dangerous condition has developed. The rifle has developed a hair trigger. Also, the rifle will fire unexpectedly if the bolt is closed without having the safety engaged.

What is causing this problem? (The rifle has been cleaned carefully, including the bolt and firing pin.)

I am sending the rifle to you as suggested by your online customer support staff (my inquiry is Question Reference 081020-000007, copy enclosed).

Thank you for your assistance. Please contact me with any questions. My name, address, email, and telephone number are set forth below.

Sincerely,



Robert A. McIntire

910 Wellington Road
Baltimore, Maryland 21212

Phone: 410-377-2526
Email: rmcintire00@gmail.com

Serial Number: **ML044882**
Model: **700ML**

RE00155710

P.S. I recently purchased a Genesis muzzleloader. I am pleased with the rifle, except that the recoil pad is very poorly fitted to the stock.

CONNECTOR WORN/upset AT SEAR CONTACT.
Replace TPA, check over, clean AT N/C
#230145

You are currently viewing Gmail in basic HTML. [Switch to standard view](#) | [Set basic HTML as default view](#)

[rmcintire00@gmail.com](#) | [Settings](#) | [Help](#) | [Sign out](#)



Search Mail

Search the Web

[Show search options](#)

[Create a filter](#)

[Compose Mail](#)

[« Back to Inbox](#)

[Archive](#)

[Report Spam](#)

[Delete](#)

[More Actions...](#)

[Go](#)

1 of 21
[Older](#)

[Inbox \(1\)](#)

[Starred](#) ☆

[Sent Mail](#)

[Drafts](#)

[All Mail](#)

[Spam](#)

[Trash](#)

[Contacts](#)

[Labels](#)

[Print](#) [New window](#)

Rem Model 700ML Hair Trigger [Incident: 081020-000007] [Inbox](#)

☆ **Remington Information** <info@remington.com>

Fri, Oct 24, 2008 at 6:43 AM

To: rmcintire00@gmail.com

[Reply](#) | [Reply to all](#) | [Forward](#) | [Print](#) | [Delete](#) | [Show original](#)

Recently you requested personal assistance from our on-line support center. Below is a summary of your request and our response.

We will assume your issue has been resolved if we do not hear from you within 72 hours.

Thank you for allowing us to be of service to you.

You may also update this question by replying to this message. Because your reply will be automatically processed, you MUST enter your reply in the space below. Text entered into any other part of this message will be discarded.

[==> Please enter your reply below this line <==]

[==> Please enter your reply above this line <==]

If your issue remains unresolved, please update this question at
http://remington.custhelp.com/cgi-bin/remington.cfg/php/enduser/acct_login_submit.php?p_userid=rmcintire00@gmail.com&p_enc_passwd=YXNoYnkxZWg=&p_next_page=myq_upd.php&p_lid=305200&p_created=1224507797

Subject

Rem Model 700ML Hair Trigger

Discussion Thread

Response (Pete) - 10/24/2008 07:43 AM

Dear Robert,

Thank you for contacting Remington Country.

Robert I own several of these myself ranging from first production to last production and never an issue. However what you have is a serious issue and is usually caused by either dirty and gummed up internal trigger parts or a bad trigger adjustment. Please send the firearm into us for inspection and we will be more than happy to get this resolved for you. We apologize for the inconvenience.

We regret that you are experiencing problems with your firearm. Based on the information you have provided, we suggest that you send your firearm to our Ilion, NY facility.

You can print the factory repair form and instructions at the following section of our site.

http://www.remington.com/support/repair_services/factory_repair_form.asp

Or follow these guidelines if in the US:

1. Record the serial number of your firearm before sending it to us.
2. Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box, not a hardcase.
3. Remove all accessories from your firearm to prevent loss or damage. This would include scope, slings, or extra choke tubes.
4. Enclose a letter with the firearm detailing the model name or number of your firearm and serial number along with a full description of the problem. Be sure to include your full name and address (P.O. Box and Street Address), including zip code, daytime telephone number, and e-mail address.
5. Ship your firearm by either United Parcel Service (UPS) or Parcel Post (US Post Office). Remington is not responsible for damage or loss during shipment, so you may elect to purchase insurance from your carrier. Customer is responsible for shipping charges to the factory.

For U.S. repairs only, ship to:

Remington Arms Company, Inc.
Attn: Arms Services Division/Repairs
14 Hoefler Avenue
Ilion, NY 13357

WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.

If you have any questions as to the warranty on Remington firearms, please refer to the following section of our site.

<http://www.remington.com/support/warranty/>

Customer (Robert McIntire) - 10/20/2008 09:03 AM

Several years ago I purchased new a Remington Model 700ML, Serial ML044882 in 50 caliber. A year or so later I purchased a conversion kit to use 209 primers. The rifle worked well for several years.

Recently, however, a dangerous condition has developed. The rifle has developed a hair trigger. Also, the rifle will fire unexpectedly if the bolt is closed without having the safety engaged.

What is causing this problem? (The rifle has been cleaned carefully, including the bolt and firing pin.) Is this a design problem which should be announced to 700ML owners?

Thanks for your help.

Question Reference #081020-000007

Product Level 1: Firearms

Date Created: 10/20/2008 09:03 AM

Last Updated: 10/24/2008 07:43 AM

Status: Waiting

We hope that this information will be helpful to you. If we can be of further assistance, please contact us at

1-800-243-9700, M-F, 9am-5pm EST.
Remington Arms Co. — America's Oldest Gunmaker
870 Remington Drive, Madison, NC 27025
1-800-243-9700 or 1-336-548-8700—FAX: 1-336-548-7801
Visit us in Remington Country at <http://www.remington.com/>
REMEMBER, FIREARMS SAFETY DEPENDS ON YOU!
Whether you are a beginner or an advanced user,
our new Safety Section is a must for everyone.
<http://www.remington.com/safety>

[--001:004189:03363--]

Quick Reply

To: Remington Information <info@remington.com>

[More Reply Options](#)

[Send](#) [Save Draft](#) ☒ Include quoted text with reply

[« Back to Inbox](#)

[Archive](#)

[Report Spam](#)

[Delete](#)

[More Actions...](#)

[Go](#)

1 of 21
[Older](#)

Get new mail notifications. Download the [Gmail Notifier](#). [Learn more](#)

You are currently using 31 MB (0%) of your 7255 MB

Last account activity: 11 hours ago at this IP (69.138.229.69). [Details](#)

Gmail view: [standard](#) | [basic HTML](#) [Learn more](#)

©2008 Google - [Terms](#) - [Gmail Blog](#) - [Google Home](#)