Remington Arms Co., Inc. **Product Service** Legal Case #:2163

Case Information

RE# **Incident Date Date Opened** Date Opened(PS) **Date Closed Obsolete** Pre Lit Lit 2/21/2008 2/22/2008 2/22/2008

141999

Customer Information

Business First Name Last Name Type

Street

City Zip State Age

Contact

Reporter

James Rex

18472 Rio De Plata

Yorba Linda CA 92886

H 714-762-0852 E rexbyfour@sbcglobal.net

Incident Information

Claims

Codes

Repair Est. Medical Treatment Medical Status

PΙ

PD

fires when bolt closed or safety

Cause:4038 Could Not Duplicate Concern

moved

Concern: 1008 Fired on Bolt Closing

Unknown

C

2/29/08-correspondence from repair-gun wants to fire when bolt is closed or when safety is moved from S to F. Tried to adj trigger assembly and safety lever broke.lw

Firearm Information

Mfg.

Type

Model/Ga.

SKU

Serial Bbl. DOM

Remington

CF/BA Where Purchased 700/2506 REM Accessories

20000 **Original Owner** 6515624 LW 2/1/1972

Date Purchased

K MART ENTER ROYL OAK MICH

TWO PIECE SCOPE BASE

U

CONCERN:FBC - FSR

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/700/CF/BA

Settlement Release of Claims Release Date

Reimbursement

Cash Settlement Reim. Date APV

Cash Date APV

Replace Ta under SMP

Repair/Replacement Cost

Repair/Replacement

Date

2/29/08-quote sent to replace TA under SMP.lw


Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		B.TRAVIS
	Exam Date		2/22/2008
Examination	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4038	Could Not Duplicate Concern	
Barrel	Description		24" 2506 REM
	Date Code		LW
	Bore Plugged	False	
	Bulged	False	

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=2163&Type=Case

3/3/2008

	Fired	False	1
	Fired while Obstructed		•
	Muzzle/Crown Condition	Slightly Worn; Functioning]
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select]
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Slightly Worn; Functioning]
Overall	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	· ·
Receiver	Condition	Slightly Worn; Functioning]
Receiver	Bulged	False	
Safety	Description		STANDARD M/700 BOLT LOCK SAFETY
Salety	Function	Abused; Not Functioning	
	Lift	Select	.007
Sear	Notch	Slightly Worn; Functioning	
	T4-	Test Fired	False
Feeding Test	Tests	False	
	Condition	Slightly Worn; Functioning	SAFETY SWITCH BROKEN
Trigger	Pull	Select	6.5#
Trigger	Altered	True	SET SCREWS ALTERED
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		TWO PIECE SCOPE BASE







General Repair Form

Back to Repair Services

NOTE: Please complete and print this form, and then include it with your firearm

Model Number: 700 ADL 25-06	Serial Number: 6515624		
Name: James Rex	Date of Purchase:	974	
Address (no PO Boxes): 18472 Rio De Plata	Description of the second of t		
City: Yorba Linda	State: CA	Zip: 92886	
Phone (Daytime): 714-762-0852	Fax:		
F-mail Address: Revhyfour@shcolohal net			

Please describe your problem:

Gun wants to fire when bolt is closed or when safety is moved fro "S" to "F" position. Tried to adjust trigger assembly when safety lever broke. Noticed a recall for the bolt mechanism on the Remington web-site. Sounds like my problem fits your recall.

solety switch broken. Thig. Setschews ALTERED liphoce TPA, checkould, clean Under BOLT LOCK PROGRAM for \$ 20.00 + SX +

characters left

NOTE: Prior to shipping your firearm, contact the Repair Center for services provided and estimated repair time.

(1) WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.

- :: Record the serial number of your firearm before sending it.
- :: Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.)
- :: Remove all accessories from your firearm to prevent loss or damage.
- :: Ship your ENSURED firearm by either UPS or Parcel Post. Remington is not responsible for damage or loss during shipment, so you may elect to purchase insurance from your carrier.

6515624

hout Us

Visit Our Ot Other Sites

2/11/2008 6:16 PM