Remington Arms Co., Inc. Product Service Legal Case #:2849

Case Information

Obsolete RE# **Date Opened** Date Opened(PS) **Date Closed Incident Date** Pre Lit Lit 154584 11/4/2008 11/5/2008 11/5/2008

Customer Information

City State Zip Contact Type Business First Name Last Name Street Age W 928-565-3212 890 South Hope Rd Golden Valley ΑZ 86413 Incident Carl Lew E clew48@frontiernet.net

Incident Information

Repair Est. Medical Treatment Medical Status Claims Codes

Pl

PD Cause: 4006 Altered Adjustments or Components Unknown

Concern: 1008 Fired on Bolt Closing S Fires when closing bolt

C

Firearm Information

Mfg. Type Model/Ga. **SKU** Serial Bbl. DOM CF/BA XP 100/221 REM FI 2998 AK 3/1/1963 Remington

Accessories **Original Owner Date Purchased** Where Purchased

RECEIVED WITHOUT THE STOCK U

CONCERN: FBC

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/XP 100/CF/BA

Reim. Date Cash Date Cash Settlement Release of Claims Release Date Reimbursement Settlement APV APV

repair at no charge under

recall

Repair/Replacement Repair/Replacement Cost Date

65.00

11/10/2008

11/10/08 Set screws altered check over repair as needed under recall at no charge.cm

Examination[Remington/CF/BA]

Sub-Part	Code	Comment
Examiner		B.TRAVIS
Exam Date		11/5/2008
Product Type		RF
Action Type		Α
Assigned To]	F.SUPRY
4006	Altered Adjustments or Components	RETURNED UNDER RECALL
Description		10" 221 REM FIREBALL
Date Code		AK
Bore Plugged	False	
Bulged	False	
Fired	False	
Fired while Obstructed		
Muzzle/Crown Condition	Slightly Worn; Functioning	
Firing Pin	Slightly Worn; Functioning	
	Examiner Exam Date Product Type Action Type Assigned To 4006 Description Date Code Bore Plugged Bulged Fired Fired while Obstructed Muzzle/Crown Condition	Examiner Exam Date Product Type Action Type Assigned To 4006 Altered Adjustments or Components Description Date Code Bore Plugged False Bulged False Fired Fired Fired Muzzle/Crown Condition Slightly Worn; Functioning

7

l	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
Bolt	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
Extractor	Condition	Slightly Worn; Functioning	HAS A M/722 EXTRACTOR SYSTEM
	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
Overall	Exterior Condition	Slightly Worn; Functioning	
	Stock Condition	Select	
	Fore End Condition	Select	
	Condition	Slightly Worn; Functioning	
Receiver	Bulged	False	
	Description		STANDARD M/XP 100 BOLT LOCK SAFETY
Safety	Function	Like new; Functioning	
Sear	Lift	Select	N/A
	Notch	Like new; Functioning	O/S DOUBLE SEAR
	ar .	Test Fired	False
Feeding Test	Tests	False	
	Condition	Slightly Worn; Functioning	
	Pull	Select	.05#
Trigger	Altered	True	SET SCREWS ALTERED
	Sub-Assembly	Other Remington	

PS 10326

Add Repair - Estimate Repair - Expe epair Inquiry	dite Repair: Triquiry Repair Tool	s CSR Tools Report	s Table Maintenance 3		Help:	
epair:Number: RE00154584 nily:Repair	Serial: 2998: ModelXP:100: C 221: REM: FIREBALL: LESS \$		Repairman Status Repairin	Bruce Travis j 1.17572008 8.50:1	9 AM	
dress Information Customer Name: CARL LEW	€ Received From:	Return To:		C Received F	iom	
diess 1 890 SOUTH HOPE ROAD diess 2 City GOLDEN VALLEY State: AZ Zip Code, 86413	PO Box. Countily (US	890 SOUTH H GOLDEN VALI State: AZ Zip Co	2 VPC	Boxl Country US		
Contact / Condition	Problems Eş	FFL:	History / Status	Shipping / Bi	ST 10 13 4 5	
11/4/2008/3:33:2 New 11/4/2008/3:38:4 Expedite 11/4/2008/12:05: EmailSent 11/4/2008/12:05: EmailMerified 11/5/2008/7:53:5 Expedite 11/5/2008/8:50:1 Estimate	sanguinegf Repair Addect sanguinegf From: Check ArmEmail Repair Recei ArmEmail Receipt travisbw From: Produc travisbw Estimate Upd	In ved t Services	Shipping Hold IntelFace Hold Is stimate Sent Parts Received Passed Inspection Return As Receiver	Repairing 11/5/2008 8:50 travistw Repair Locat LIN Current Local	19AM H Ion	
		<u>ik</u>	Has been Approved	Transfei Num	bei	
Répair <u>S</u> earch			Eel	esh <u>C</u>	lose	

Being repaired & updated per current procedures. N/c

Remington.

Factory (NOTE: Please print and complete	Repair Instructions te this form, and then include it with your firearm.)
Model Number: $\times P \mid OO$	Serial Number: 2.998
Are you the original owner?:	NO
Name: (ARL LEW)	Date of Purchase: 7 30 64
Address (no PO Boxes): 🤻 🥎 🚫	HOPE ED
Carly of the state	
City: COLDEN MALLEY	State: Z Zip: 76413
Phone (Daytime):	
E-mail Address:	FROMFIER MEY, MAY
Please describe your problem:	YYA AAAAAAA
rease describe your problem:	
The the task of the state of the	- 分島 本 次を 「 の い に
6 4	
Serscrews All	ered cheell over repair as
	all at No change
<u> </u>	7.30141
	The second secon
Ammunition Information:	1-
	7 Type:
Other (i.e. bullet weight/type, shot size, powder) menunggangan menunggan dan menunggan penunggan penunggan penunggan penunggan penunggan penunggan penunggan p
Handload Information:	
Powder Used:	Powder Weight:
\cap	Primer Used:
48	Reloader Used:
(P-100	<u> </u>
// 88/8 / / /88/ 8 /// 8/8 / 8//8 / /// 8/8/ /8/	of rounds)
	er of rounds)
00154584	s or Number of rounds)
00107004	
Brand of lubricant used:	

Model:

PS 10328

AK 3/63 1/2#*

RECISION	N GUN WORK	20-24°SΩ			IG GOO		. — LES, CALI			SUN SPECIÁI
100	经基本基础 计自动编译系统 医自动多种			Richmo	nd 8-7271					
	CARL	1	Fw		10.21				7	7-30,
AME DDRESS_	27//	∂ a,	Mu	ple	\mathcal{L}	Ve		DATE CUSTO	MER	
DDKESS.	Z-4.	70 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	a de la sala		A SAN TANK	ZONE	ST∧T	ORDER CAL	$i_{i}^{n}\overline{z}$	PHONE
SOLD BY	CASH CHA	ARGE	C. O. D.	PREPAID	ON A		MDSE. RET'D		NO.	FOR OFF
MANTITY	$\neg \rho$	DESC	RIPTIO	N.		22	PRICE	AM	TNUC	
I_{i}	KEMINOT	ov)	YP.	100	. 22/	ing of the		WH 19		
		# 4	778					79	95	
44					-71	X		103	ص مسرور	
						5 ()		700	73) 	
heren.										
						1731				
							700/17 700/18			
	i de la companya de l		1.0.12							
10 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				N de	ing in				19 75 S	
						7575 1835	7 2 3 3 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5			
					Karasa Karasa					
	10.00					30.500				
		THE STATE OF								
(39 kg										
	☐ ®THIS IS	YOUR I	NVOIC	EWA						