Remington Arms Co., Inc. Product Service Legal Case #:4339

Legal Case #:4339 Case Information Obsolete RE# **Date Opened** Date Opened(PS) **Date Closed Incident Date** Pre Lit Lit 187313 1/25/2010 2/5/2010 2/5/2010 Customer Information Type **Business** Last Name Street City State Age Contact First Name Zip H 864-293-1596 Reporter Edward Galindez 43 Rustcraft Dr. Greer SC 29651 E nothingnice66@hotmail.com Incident Information Claims Codes Repair Est. **Medical Treatment Medical Status** ΡI PD Cause:4038 Could Not Duplicate Concern Unknown S Concern: 1008 Fired on Bolt Closing C Fired on bolt closing Customer reported on our repair form - Rifle has fired 4 times upon closing bolt with round chambered. Without squeezing trigger. dmf Firearm Information **DOM** Mfg. Model/Ga. SKU Serial Bbl. Type 700/300 RUM 26410 G6884603 OD 7/27/2009 8:02:42 PM Remington CF/BA **Original Owner Date Purchased** Where Purchased Accessories 9/11/2009 ELLETT BROTHERS, LLC Y CONCERN:FBC Ammunition Information Cal./Ga. SKU UPC **DOM** Mfg. Code Mfg. Type 300 RUM Winchester Accubond/180 gr Concern Other Factory Reload Y Ν 0: Other Products Information - None Defined Settlement Remington/700/CF/BA Cash Reim. Date Cash Date Settlement Release of Claims Release Date Reimbursement APV Settlement APV Per factory - repair @ n/c warranty Repair/Replacement Repair/Replacement Date Cost \$60.64 2/8/2010 2/8/10: Per Fred S. - Could not duplicate concern. Replace trigger assembly, check over at n/c to restore confidence in rifle - warranty. dmf Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		B.TRAVIS
	Exam Date		2/5/2010
Examination	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4038	Could Not Duplicate Concern	
	Description		26" 300 RUM
	Date Code		OD
	Bore Plugged	False	

	Bulged	False	
Barrel	Fired	False	
Barrer	Fired while Obstructed		<del></del>
	Muzzle/Crown Condition	Like new; Functioning	
	Firing Pin	Like new; Functioning	
	Shroud	Like new; Functioning	
Bolt	Face	Like new; Functioning	
	Handle	Like new; Functioning	
	Stop	Like new; Functioning	
	Condition	Like new; Functioning	
Extractor	Cut Condition	Like new; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Like new; Functioning	
	Notch Condition	Select	
	Exterior Condition	Like new; Functioning	
Overall	Stock Condition	Like new; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Like new; Functioning	
Receiver	Bulged	False	
	Description		STANDARD XMP SAFETY
Safety	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
	Lift	Select	.014
Sear	Notch	Like new; Functioning	
		Test Fired	False
Feeding Test	Tests	False	
	Condition	Like new; Functioning	
Tricor	Pull	Select	5.5#
Trigger	Altered	False	
	Sub-Assembly	X-Mark Pro	

Arms Services Repair it Estin	mate System			<u>s</u> 2 ×
File, Add Repair Estimate Repair Expedit	e Repair : Inquiry   Repair Tools : CSR/Tools : Repo		Help	
Repair Inquiry			A permit and the	
Repair Number RE00187313 Seriak 6 300 RE	36884503 Model 700 Center Fire Caliber: Repairman: M Produced: 07/27/2009 Status:	Bruce Travis Repairing 2/5/2010 7:08:04 AM		
Address Information  Customer	© Received From Return To:	☐ Received From		
Name: EDWARD GALINDEZ	EDWARD GALINDEZ	Titodina in the second	rialization of the state of the	
Address 1: 43 RUSTCRAFT DR Address 2: P0	HAS RUSTCRAFT DR	PO Box		100
City GREER State SC Zip Code: [29651	GREER Country, US State, ISC Zip Code, 129651	Country US		
Take 190 Ap Cade: 12001	FFL: C C Code (2-3a)	County;03		
Contact / Condition Problems	Estimate History / Statu	3 Shipping / Billing	Baran da karanta da Kabupatèn Baran da Kabupatèn Baran da Kabupatèn Baran Baran Baran Baran Baran Baran Baran Baran da kabupatèn Baran B	en de la companya de
		Current Status		
1/25/2010 1:55:2 New thomaspe		11/2/2010		property of the second
1/25/2010 5:05:0 EmailSent ArmEmail 1/25/2010 5:05:3 EmailVerified ArmEmail	Receipt T Estimate S	ent System		
2/4/2010 2:56:03 Expedite pencerl 2/5/2010 7:05:37 Maint Travisbw	From Check In Parts Rece Repair Maintenance Passed Ins	wed Repair Location	Application of the state of the	
2/5/2010 7:07:00 Estimate Travisbw 2/5/2010 7:08:04 Repairing System	Estimate Update I Return As	Received Current Location		
1	Has been	Transfer Number   1 1 12 12 12 12 12 12 12 12 12 12 12 12	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
Repair Search		<u>R</u> efresh <u>C</u> lose	Table 1 (1984)	
1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1	Alternative Commence of the Co		. Para de la Transa	10 10 11 (11 (12 (12 (12 (12 (12 (12 (12 (12 (
化基基基金 医皮肤	A. 隐语 图 图 题 第二			
and the second	Market State Company of the Company	a de la companie de	(1) 14 (4) (4) (4)	
	A Company of Heaven			
A. 唐·李宗教 所以表示				
	Janes Landing Committee			
South the second				1,000
	A Constitution in the section.			
	(1) 14 · 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1			
en e	The state of the same of the		Control of the	ar internal filling
supyl 2/5/2010	9.06AM COS NUM	INS ICCN	· · · · · · · · · · · · · · · · · · ·	OPCEDD PROM
Condition and an expression of	F-0-10-2-40-40-00-00-00-00-00-00-00-00-00-00-00-		The second of	

DECERVE FEB 0 8 2010 BY:

## Remington

/ · / · · · · · · · · · · · · · · · · ·			
(NOTE: Please print and	t complete this form	and then include it s	with valle firesem
(NOTE: FIEEZE DITTE DIT	יו יוטו בוווז בוקווקוטט ג	, and then michage it v	vicit your meann.

Are you the original owner?: Date of Purchase: 9-11-69  Address (no PO Boxes): 43 Rvyt CRIPET PR  City: Caller State: 5C Zip: 29651  Phone (Daytime): 764 193 1596 Fax:  E-mail Address: Not Hing Nice 6 D Hot Mill - Com  Selective four eternal updates from Remington.  Please describe your problem: 7, Fle HAS Fired 4X Upw  (HAMSRING Round Who Squeeting trick)  ON UPON MOVEMENT (2,150) Trent  Cher (i.e. bullet weight/type, shot size, powder):  Handload Information:  Manufacturer: 2111 He Her Type: Accommod 1806r  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used: Powder Weight:  Case/Hull Used: Primer Used:  Bullet Type/Shot Size: Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Reak Free Cle How often do you clean the action? (Months or Number of rounds) New  How often do you clean the action? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	(NOTE: Please print and complete this for	in, and then include it with your firearm.)
Name: CDWARD GILINGEZ Date of Purchase: 9-11-89  Address (no PO Boxes): 43 Ruyt CRIFT PR  City: GRER Phone (Daytime): 864 AGS 1596 Fax:  E-mail Address: Not Hing Nice 66 D Hot Mill. Com  Femali Address: Not Hing Nice 66 D Hot Mill. Com  Please describe your problem: Rifle HAS Fired 4X upn  (Hamberling Round With Stocelling + Richer  OR upon Movement (Rifle HAS Fired 4X upn  CHamberling Round With Stocelling + Richer  OR upon Movement (Rifle HAS Fired 4X upn  Ammunition Information:  Manufacturer: Winchert  Other (I.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Powder Weight:  Case/Hull Used:  Bullet Type/Shot Size:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Relate CCP How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  A	Model Number: 700 BDL	Serial Number: (6884603
Address (no PO Boxes): 43 Royt CRIET PR  City: (ARCER   State: 5C   Zip: 2965   Phone (Daytime): 864 193 1596   Fax:  E-mail Address: Not Hing Nice 66 D Hot Mail. Com  Second Would like to receive future e-mail updates from Remington.  Please describe your problem: Rifle HAS Fired 4X upn  (HAMBERING Round With Squeezing + Richter  OR upn Movement (Adsurtment)  Ammunition Information:  Manufacturer: Winchlester  Other (I.e. builet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Reloader Used:  How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	Are you the original owner?: X	
Address (no PO Boxes): 43 Royt CRIET PR  City: (ARCER   State: 5C   Zip: 2965   Phone (Daytime): 864 193 1596   Fax:  E-mail Address: Not Hing Nice 66 D Hot Mail. Com  Second Would like to receive future e-mail updates from Remington.  Please describe your problem: Rifle HAS Fired 4X upn  (HAMBERING Round With Squeezing + Richter  OR upn Movement (Adsurtment)  Ammunition Information:  Manufacturer: Winchlester  Other (I.e. builet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Reloader Used:  How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	Name: EDWARD GALINDEZ	Date of Purchase: 9-11-09
Phone (Daytime): 864 193 1596  Fax:  E-mail Address: Not Hing Nice 6 D Hot Mile Composition of the control of t		PR
Phone (Daytime): 864 193 1596  Fax:  E-mail Address: Not Hing Nice 6 D Hot Mile Composition of the control of t		
E-mail Address: Not Hing Nice (b D Hot Mill - Com  I would like to receive future e-mail updates from Remington.  Please describe your problem: I, Fle HAS FIRED YX UPDA  (HAMBERING ROUND WID SQUEEZING + RIGHT AND NOW MOVEMENT (AD SWITTER)  Ammunition Information:  Manufacturer: Winchleder Type: Accuband 18062  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Sleak Fire Cle How often do you clean the bore? (Months or Number of rounds) New How often do you clean the trigger assembly? (Months or Number of rounds) New How often do you clean the trigger assembly? (Months or Number of rounds) New How often do you clean the trigger assembly? (Months or Number of rounds) New  A	city: Galeer	State: SC   Zip: 2965
Please describe your problem: A, Fle HAS Filed 4X up and HAMBERING AND MOVEMENT (ALS WITHOUT)  Ammunition Information:  Manufacturer: Winchleder (ALS WITHOUT)  Cher (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Powder Used:  Bullet Type/Shot Size:  Primer Used:  Primer Us	Phone (Daytime): 864 193 1596	Fax:
Ammunition Information:  Manufacturer: Winchester  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Brand of you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  New  Months of Number of rounds)  New  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Mew  Mew  Mew  Mew  Mew  Mew  Mew	I would like to receive future e-mail updates from R	emington.
Ammunition Information:  Manufacturer: Winchlefter Type: Accord 1806.  Other (i.e. buillet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Brand of cleaning solution used:  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  New  How often do you clean the trigger assembly? (Months or Number of rounds)  New  A		5 Fired 4X UPON
Ammunition Information:  Manufacturer: Winchester Type: Accoband 18062  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  How often do you clean the trigger assembly? (Months or Number of rounds)  New	CHAMBERING Round W/6.	Squeezing +11:64.
Ammunition Information:  Manufacturer: Winchleder Type: Accommod 1806n  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Brand of cleaning solution used:  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months of Number of rounds)	OR UPON MOVEMENT (A)	3ustment)
Ammunition Information:  Manufacturer: Winchleder Type: Accommod 1806n  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Brand of cleaning solution used:  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months of Number of rounds)		
Ammunition Information:  Manufacturer: Winchleder Type: Accommod 1806n  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Brand of cleaning solution used:  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months of Number of rounds)		
Ammunition Information:  Manufacturer: Winchleder Type: Accommod 1806n  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Brand of cleaning solution used:  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months of Number of rounds)		
Type: Accoband 1806n  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Bullet Type/Shot Size:  Whow often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  Mew		
Type: Accoband 1806n  Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Primer Used:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  Bullet Type/Shot Size:  Whow often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  Mew	e de la companya de	
Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Powder Weight:  Case/Hull Used:  Bullet Type/Shot Size:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  How often do you clean the trigger assembly? (Months or Number of rounds)	Ammunition Information:	
Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months or Number of rounds)		Type: ACCO band 180GR
Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months or Number of rounds)	Other (i.e. bullet weight/type, shot size, powder):	
Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months or Number of rounds)		
Primer Used:  Bullet Type/Shot Size:  Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of rounds)  How often do you clean the action? (Months or Number of rounds)  How often do you clean the trigger assembly? (Months or Number of rounds)  New  Months or Number of rounds)	Handload Information:	
Reloader Used:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Slejk Lake Classes  How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the action? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	Powder Used:	Powder Weight:
Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Sleik Flee Clf  How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the action? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	Case/Hull Used:	Primer Used:
Brand of cleaning solution used: Slejk File Clf  How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the action? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	Bullet Type/Shot Size:	Reloader Used:
Brand of cleaning solution used: Slejk File Clf  How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the action? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New		
How often do you clean the bore? (Months or Number of rounds) New  How often do you clean the action? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	Firearms Care (Cleaning and Lubrication):	
How often do you clean the action? (Months or Number of rounds) New  How often do you clean the trigger assembly? (Months or Number of rounds) New	Brand of cleaning solution used:     Re1K   - Re	e CLP
How often do you clean the trigger assembly? (Months or Number of rounds) $$ $$ $$ $$ $$ $$ $$ $$ $$ $$	How often do you clean the bore? (Months or Number of	rounds) NeW
A	How often do you clean the action? (Months or Number o	of rounds) New
Brand of lubricant used: Lem O.C	How often do you clean the trigger assembly? (Months or	Number of rounds) NeW
Brand of lubricant used: 10 M O.C		
	Brand of lubricant used: 16 m 6 C	

والمراب والمراب والمرابع والمر	State of the section of the state of the section of	in the say fight of them is the conjugate of the conjugate of	المراجع والأدوال المحادثة ويواميها	
How often do you lubricate the bore? (M	onths or Number of rounds	)tr Like Sign	(Neh)	:
How often do you lubricate the action?	Months or Number of round	(s) (s)	New	
How often do you lubricate the trigger as	ssembly? (Months or Numb	er of rounds)	New	
	第2000 (A)			
Have you reviewed the cleaning and mai	intenance-recommendation	•	المنازعة والمنازعة و	nanual? Angelije Angelije
Comments:	A TOP		regularite Arthur 1888.	erijikt ochre
्रास्ट्रीलेखें -	Profesional Company			APPENDE
When was the last time that your firearn				17 New
What were the services performed?				بسياد والإستنان أنشيب للكاميان والاستناد
The second secon			न्यविद्यासम्बद्धाः । विषयः विद्यासम्बद्धाः । विद्यासम्बद्धाः । विद्यासम्बद्धाः । विद्यासम्बद्धाः । विद्यासम्बद ।	arabania araban Karabani
The second secon	in more and the second		etiki ing tanggan seri seri na manggan panggan Sebagai kanggan panggan pangga Sebagai kanggan panggan pangga	in dell'etellisi
Ship your INSURED firearm by either	r UPS or Parcel Post to:	da a aletti viigga astumia a ja viigida kita (k. 1900 kaasta jaga)	and the second s	Arthur
REM	INGTON ARMS	CO., INC	g om graf for megating to the first of the graft of the g	an consistent many than
ATTN	N: Ārms Service	Divison	Allega para sa Sarang Marahang Sarang Sarang Marang Sarang Saran	as completely
•	14 Hoefler Av		erakki argamente Sontaansa oli Tätti 1975 onim Tatti vanaga	was functionally approximately
en e	∞Ilion, NY 133!	5.7 <i></i>	eri - No. 17 (Newson Section 2006) and a section where	اد الماد المادي و طبعة فيصيد
Charles and the Committee of the Committ	games to the section of the section	and other the control of the control	·	



IN YOUR FIREARM OR IN THE SAME BOX WITH THE IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE AME, ADDRESS (WITH ZIP GODE), TELEPHONE AND

amage in shipping and handling. Preferably, be returned.)

de the box. Shipments Without a proper

sts Remington is not responsible for purchase insurance from your carrier second assistances

on a generality will be processed using the following guidelines:

:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)

:: For Repairs over \$75.00, you will receive a Written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card.

replace TPA, check over AT N/c TO restone confidence in Rife

work why