Remington Arms Co., Inc. Product Service Legal Case #:5098

Case Information

RE# **Date Opened** Date Opened(PS) **Date Closed Incident Date** Pre Lit Lit Obsolete 213037 12/7/2010 11/15/2010 12/8/2010 X

Customer Information

First Name Last Name Street City Type **Business** State Zip Age Contact

94 Dogwood Dr Incident Alfred T Lamme Oakland NJ 07436 H 201-337-5314

Incident Information

Claims Codes Repair Est. Medical Treatment Medical Status

PΙ

PD Cause:4038 Could Not Duplicate Concern Fired on safety

Unknown

S release

Concern:1007 Fired on Safe Release

C

11/15/10 Per call from Lamme, he has 2 XP100 rifles and one of them has fired when the safety was released. He wants to have them both inspected for safety.cm

Firearm Information

Mfg. Model/Ga. SKU Serial Bbl. DOM Type XP100/7MM BR B7517308 RA 11/10/1980 CF/BA n/a Remington

**Date Purchased** Where Purchased Accessories **Original Owner** 

NWIDE SPT DIST SOUTHAMPTON PA SCOPE BASE Y

CONCERN:FSR

Settlement

SKU Model/Ga. Bbl. DOM Mfg. Type Serial CF/BA XP100/ n/a B7516857 10/17/1980 Remington

Where Purchased Accessories Original Owner **Date Purchased** 

**BONITZ BROS HARRISBURG PA** U

Ammunition Information - None Defined Other Products Information - None Defined

Remington/XP100/CF/BA

Reim. Cash Cash Settlement Release of Claims Release Date Date Reimbursement Date Settlement APV APV

Per Ilion, 1 pistol, clean, test at 1/2 normal charges and 1 clean, test at no charge

Repair/Replacement Repair/Replacement

Cost Date

27.00 12/14/2010

11/15/10 Sending prepaid info through Cathy Dodson. These must ship by air.cm 12/14/10 Per Ilion, they could not duplicate the concern. Trigger assm and action has a partially dried and sticky lubrication residue. Will check over, clean and test fire at 1/2 normal charges.cm 12/14 Emanted quok to him. (n

Examination[Remington/CF/BA]

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5098&Type=Case

12/14/2010

Part	Sub-Part	Code	Comment
	Examiner		B.TRAVIS
Examination	Exam Date		12/8/2010
	Product Type		RF
	Action Type		A
	Assigned To		T.NAGLE
Cause	4038	Could Not Duplicate Concern	
	Description		14.5" 7MM BR
	Date Code		RA
	Bore Plugged	False	
Barrel	Bulged	False	] .
Darrei	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	SLUGGISH,BINDS
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
Overall	Exterior Condition	Slightly Worn; Functioning	
	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	]
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
	Description		STANDARD XP 100 SAFETY
Safety	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	]
Coor	Lift	Select	.013
Sear	Notch	Like new; Functioning	1


http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5098&Type=Case

12/14/2010

•	T4-	Test Fired	False
Feeding Test	Tests	False	
	Condition	Slightly Worn; Functioning	BOLT LOCK SAFETY HAS BEEN CUT OFF, B.L.P.
Trigger	Pull	Select	2#
	Altered	False	
	Sub-Assembly	Other Remington	
Non-Remington Components	Description		SCOPE BASE

Examination[Remington/CF/BA]

Part Sub-Part Code Comment			 
	II Part I	Sub-Part	Comment



PS 11452

BY:\_\_\_\_\_

Firearms Care (Cleaning and Lubrication):
Brand of cleaning solution used: #9 #- pp=9
How often do you clean the bore? (Months or Number of rounds)
How often do you clean the action? (Months or Number of rounds) Before Shorting
How often do you clean the trigger assembly? (Months or Number of rounds)
Brand of lubricant used:
How often do you lubricate the bore? (Months or Number of rounds)
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds)
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual?  YES NO
When was the last time that your firearm was serviced by a Remington authorized
repairman/gunsmith?) Never
What were the services penormed?)



IN YOUR FIREARM OR IN THE SAME BOX WITH THE FYOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND

E, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND

ge in shipping and handling. Preferably, supplied a meaning box. (Note: Original boxes may not be returned.)

:: Remove all accessories from your firearm to prevent loss or damage.

:: Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused.

could not duplicate concerp.

T.A. + Action has a partially Dried

45 TICKY Lubrication issidue.

Will check our, clean + TRIT finele

At 1/2 Normal changes.

Quele

NOTE: Please complete and print this form, and then include it with your firearm.

Model Number: XP 100	Serial Number: 87517308
Are you the original owner?: YES NO	
Name: Affred T. Lame	Date of Purchase: 20 YVS
Address (no PO Boxes): 94 1909 W	00 J971VR
City: OAKLAND,	State: N.J. Zip: 07436
Phone (Daytime): 20/ 3375314	Fax:
E-mail Address: (if e-mail address is provided, notification sent) Chiefcw 42 9 / Gho	
E-mail Address:	
I would like to receive future e-mail updates from Rer	nington.
Please describe your problem and date of occurrence	
Self Fired . it of Safty.	whom I took
	•
500 characters left	
Ammunition Information:	
Manufacturer:	Type:
Other (i.e. bullet weight/type, shot size, powder):	
Handload Information:	
Powder Used: WIN 748	Powder Weight: 27
Case/Hull Used: Rein Jimm BR Midway Bullet Type/Shot Size: Howard 1209 Rem	Primer Used: CCI 400
Bullet Type/Shot Size: Howady 1209 Ram	Reloader Used: Me

#### QUOTATION

# Remington Arms Company, Inc. 870 Remington Dr. P.O. Box 700

Madison, NC 27025-0700

**ESTIMATING REPORT** 

Parts/Repairs Fax

800-243-9700 336-548-7801

www.remington.com info@remington.com

### ALL PRICES QUOTED ARE IN EXCHANGE FOR REPLACED PARTS.

THIS IS NOT AN INVOICE. THIS IS AN ESTIMATE TO REPAIR, RECONDITION, OR REPLACE THE ITEM(S) DESCRIBED BELOW. IF THIS IS SATISFACTORY, PLEASE APPROVE BY SIGNING BELOW AND RETURNING TO THE ABOVE ADDRESS. REPAIR TO TAKE APPROXIMATELY (4) WEEKS AFTER RECEIPT OF APPROVAL. IF WE DO NOT RECEIVE YOUR APPROVAL IN 15 DAYS, WE SHALL RETURN THE ITEM(S) AS RECEIVED POSTAGE DUE.

Repair Order Number	Description/Serial Nur	nber		Date R	eceived -	12/7/2010
RE00213037	B7517308				te Date -	12/10/2010
Account # - R-  Customer ALFRED LAMME 94 DOGWOOD DRIVE  OAKLAND. NJ 07436 US  Phone (H) (201)-337-5314  Phone (W)  Please Circle One VISA MC AMEX DISCOVER Ca PO Number Daytime Phone ()	rd No		94 DOG OAKLA CHIEFCY Exp.	Curren To D LAMM WOOD D ND. NJ 0 W42@YAI	E PRIVE 7436 US	12/14/2010
Approval: Customer Signature				cm / 1001 <u>.</u> k		
If You Desire Any Change Please				This Box	_	
	Notice: We process checks elec			THE STATE OF THE	and a supplication of the	HELET TO VENCION
Reported	Problem	ns Found				
M100 SEE CUSTOMERS M123 FORWARD TO PR FOR INSPECTIO	LETTER	M123				Γ SERVICE F
residue.parts are w	e concern.trigger assm and a orking sluggish.will check o	ction has a pover,clean a	partially dr nd test fire	ied and stic at 1/2 norn	ky lubricati nal charges.	ion
Estimate **C.C	.D. /Shipping and Handling C			led in this ( Price/	Discount	Extended
Material # Material Description		<u>Qty</u>	<u>Warranty</u> <u>Y/N</u>	Unit	Percent	Amt
Service	NDLING (GUN REPAIR)	1 1 1	N N N	\$17.00 \$28.00 \$23.00 Sub Total Est. Sales 7		\$17.00 \$14.00 \$11.50 <b>\$42.50</b>

### QUOTATION

# Remington Arms Company, Inc. 870 Remington Dr. P.O. Box 700

Madison, NC 27025-0700

**ESTIMATING** REPORT

Parts/Repairs Fax

800-243-9700 336-548-7801

www.remington.com info@remington.com

#### ALL PRICES QUOTED ARE IN EXCHANGE FOR REPLACED PARTS

THIS IS NOT AN INVOICE. THIS IS AN ESTIMATE TO REPAIR, RECONDITION, OR REPLACE THE ITEM(S) DESCRIBED BELOW. IF THIS IS SATISFACTORY, PLEASE APPROVE BY SIGNING BELOW AND RETURNING TO THE ABOVE ADDRESS. REPAIR TO TAKE APPROXIMATELY (4) WEEKS AFTER RECEIPT OF APPROVAL. IF WE DO NOT RECEIVE YOUR APPROVAL IN 15 DAYS, WE SHALL RETURN THE ITEM(S) AS RECEIVED POSTAGE DUE.

Repair Order RE00212425 Account # - R-		B7516857	imber		Estima	eceived - te Date - it Date -	12/3/2010 12/10/2010 12/14/2010
Customer ALFRED LA 94 DOGWO					O LAMM WOOD D		
OAKLAND	. NJ 07436 US			OAKLA	ND. NJ 0	7436 US	
Phone (H) Phone (W)	(201)-337-5314		Fax Email	CHIEFC	W42@YAI	<u> 100.COM</u>	
1	AMEX DISCOVER Card No			Exp.	Date		
Daytime Phone	e (	Time To Call		Op	en Acct. <u>R</u>		
	Desire Any Change Please Use 1		our Comments		This Box	Date	
Reported		•	ms - E		F mychol		
M100	SEE CUSTOMERS LET	TER	M238 M240				ETY PROGR ODIFICATIO
ProblemNote	es this has the updatednon						
	Estimate **C.O.D. /S	hipping and Handling	Charges are	NOT Includ		Quote 🚟	
Material # Service	Material Description		<u>Qty</u>	Warranty Y/N	Price/ Unit	Discount Percent	Extended Amt
4000114 4000119	GR-SHIPPING & HANDLI GR-TEST	NG (GUN REPAIR)	1	Y Y	\$17.00 \$23.00	0% 0%	\$0.00 \$0.00
					Sub Total Est. Sales		\$0.00
					Grand To	tal:	\$0.00

UM- Kistols



Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

## ARS LABEL REQUEST FORM

DATE:	/ 1/1/15/2010	REQUESTED BY: christy	$\neg$
QUANTITY:	/ 2 /	WEIGHT PER PACKAGE:	10
PLEASECHECKONE MEDIA COORDINATOR TO MAIL	Ω,	YXXXXX	
DESCRIPTION:	2 x XP100's handguns MUST SHIP AIR	4XX596 NOV 23, 2010 ALL CURR USD SVC 1DA ACT NT 10.0 LBS TRACKING# 1Z4XX596Z8653116Z6 REF 1:ALFRED T LAMME/CD/CM REF 2:XP100	1 OF 1
	LABEL	DV 0.00 COD 0.00 RS 7.1	<b>00</b>
MAIL LABEL TO:	Alfred T. Lamme 94 Dogwood Dr	AH 0.00 PR 0.00 SP 0.00 TOT PUB CHG 49.20 PUB+HANDLING 49	. 20
	Oakland, NJ 07436	4XX596 NOV 23, 2010 ALL CURR USD SVC 1DA ACT UT 10.0 LBS TRACKING# 1Z4XX5962867279034 REF 1:ALFRED T LAMME/CD/CM REF 2:XP100	1 OF 1
RETURN ITEM TO:	Rem Prod Serv Ilion, NY	HANDLING CHARGE 0.00  SINGLE-PIECE PUB RATE CHRGS: SVC T/P L  DV 0.00 COD 0.00 RS 7.00  DC 0.00 DGD 0.00 SD 0.00  AH 0.00 PR 0.00 SP 0.00  TOT PUB CHG 49.20 PUB+HANDLING 49.2	

REASE COMPLETE AMERABIS OF THIS FORM: AND SEND TO THE MEDIA COORDINATION (\*\*\*\*







